

RT-11

February 1980

AD-C740B-22

THE SOFTWARE DISPATCH

digital

RT-11 SOFTWARE DISPATCH

Published by
Corporate Administrative Systems Group, Software Services
Digital Equipment Corporation
P.O. Box F
Maynard, MA 01754

The RT-11 Software Dispatch complements the RT-11 Software Dispatch Review. New and revised Software Product Descriptions, programming notes, software problems and solutions, and documentation corrections are published here. Much of the material is developed from Software Performance Report (SPR) answers significant to the general audience and is printed here to supplement the maintenance notebook (established by the Software Dispatch Review).

PRODUCTS SUPPORTED in the RT-11 SOFTWARE DISPATCH

APL-11 V1
BASIC-11/RT-11 V2
BASIC/RT Extensions V1
COS-350/2780
CTS-300 V3, V4, V5
CTS-300 DICAM V1
CTS-300 DICAM II V1
CTS-300/DIS V1
DECnet/RT V1
FOCAL/RT-11 V1B
FORTRAN Graphics
Package V1.1

FORTTRAN/RT-11 Extensions V1B
FORTTRAN/RT-11 LSI Extensions V1
FORTTRAN IV/RT-11 V2
GAMMA-11 F/B V2, V2C
Industrial BASIC/RT-11 V1
Lab Applications-11 V3
LSP-11 V1
MSB11 V1
MSB/FORTTRAN IV V1
MU BASIC-11/RT-11 V1
PDL/RT-11 V1

PEAK-11 V2
PLOT 11/RT-11 V1.1
RT-11/03 FORTRAN
Extensions V1
REMOTE/RT-11 V1
RT-11 V3, V3B
RT-11 (CTS-300) /LSI-11
2780 V2
RT-11/2780 (CTS-300/
2780) V2
SSP-11/RT-11 V1

DISTRIBUTION

The RT-11 Software Dispatch is directed to one software contact for each software product. No mailing will be made to addresses without a software contact name. **Address change requests should be sent to the nearest DIGITAL field office. Include the new address and mailing label from the most recently received publication.**

Software binary and sources are provided under licenses only. The standard Terms and Conditions, OEM Agreement, and/or Quantity Discount Agreement contain the licenses for all binaries other than DECsystem-10.

Eleanor F. Hunter, Editor
Ann Owens, Associate Editor

Copyright © 1980 Digital Equipment Corporation

The material in this document is for information purposes only and is subject to change without notice. Digital Equipment Corporation assumes no responsibility for any errors which may appear in this document. Comments on the contents of this publication should be directed to your local DIGITAL Field Office.

TRADEMARKS of DIGITAL EQUIPMENT CORPORATION
Maynard, Massachusetts

DEC
DECUS
DIGITAL LOGO
DECnet
DECsystem-10
DECSYSTEM-20

DECwriter
DIBOL
EDUssystem
IAS
MASSBUS
PDP

PDT
RSTS
RSX
UNIBUS
VAX
VMS
VT

TABLE OF CONTENTS

	SEQ. NO.	PAGE
SPR USER LETTER		1
CTS-300 V05		
ISMUTL V05-00		
REORG PROBLEMS DUE TO INSUFFICIENT SPACE ON DEVICE	1 M	3
FEP-11, FORTRAN ENHANCEMENT PKG.		
PROBLEMS WITH IEEE-BUS SUBROUTINES	2 M	7
RT-11 V03B-00		
SOURCE		
FILE SEQUENCE NUMBER SEARCH CORRECTION	11 M	11
UTILITIES		
PIP PROBLEMS	22 M	13
DIR PROBLEM	23 M	14
RT-11 CUMULATIVE INDEX		15
SOFTWARE PRODUCT DESCRIPTIONS		27
DIGITAL EQUIPMENT COMPUTER USERS SOCIETY (DECUS)		35

SPR USER LETTER

Submitted by Sheila Hatchell, 8/11 SPR Administration

The Dispatch SPR User Letter has been revised to reflect the new SPR form which is now available. These forms can be obtained from your local DIGITAL Office or SPR Center, or by requesting them from SPR Administration.

How to Make the Best Use of the SPR Form

What We Can Do For You:

1. Blank SPR forms are available upon request in the desired quantities through the SPR Administration (P.O. Box F) and your local office/SPR Center.
2. Copies of the SPR acknowledgement and answer are sent to the appropriate DIGITAL Office/SPR Center for their information.
3. STATUS FOR SUBMITTED SPRs IS PROVIDED UPON REQUEST.
4. SPRs marked PROBLEM/Error will have a response for supported Category A and B products. These SPRs should refer to suspected deficiencies in the software.
5. SPRs marked SUGGESTION are forwarded to the pertinent software group for information purposes, and are responded to at their discretion.

What You Can Do For Us:

1. Fill out the form completely either by typing or printing clearly. PLEASE INCLUDE YOUR SOFTWARE SERVICE CUSTOMER NUMBER IN THE ADDRESS BOX.
2. Limit only one problem per SPR form. Several problems on an SPR can greatly lengthen the turnaround time.
3. WHENEVER POSSIBLE, SUBMIT AN SPR WITH ATTACHMENTS, SUCH AS MACHINE READABLE DATA DETAILED INSTRUCTIONS ON HOW TO REPRODUCE THE PROBLEM, PROGRAM AND/OR DATA FILES, LISTINGS, AND CONSOLE LOG.
4. It would be most helpful to all concerned if problems with patches are reported as soon as possible.
5. For security SPRs, it is imperative that the DO NOT PUBLISH box be marked.
6. It would be helpful if tapes submitted with SPRs are labeled (track and density), and have a directory attached.
7. Complete the questionnaire that is supplied with each SPR answer. Your feedback is very essential in monitoring the quality of our responses.
8. SPRs should not be used for problems concerning software policy, software distribution, or hardware. The local office should be contacted in these cases.

RT-11 SOFTWARE DISPATCH
CUMULATIVE INDEX
FEBRUARY 1980

This is a complete listing of all articles for current versions of RT-11 and related products. In the case of subordinate software, missing sequence numbers may pertain to problems unique to interaction with previous versions of the same product or other major operating systems.

IMPORTANT!

Unassigned articles are indicated: UNASSIGNED.

Flags are currently being installed for all articles. The flags and definitions are as follows:

M = Mandatory Patch. These patches correct errors in the software product. All users are required to apply these patches to maintain consistent "user level" unless the accompanying article specifies otherwise.

F = Optional Feature Patch. These patches extend or configure functionality into the product. These functions will be treated as a supported part of the product for the duration of the current release and will be incorporated with any future release, unless otherwise stated.

R = Restriction. These articles discuss areas that will not be patched in the current release because they require major modification or because they are not consistent with the design of the product. Restrictions, except those described as permanent, are reviewed and modified when possible as part of the normal release cycle.

N = NOTE. These articles provide explanatory information that supplements the manual set and provide more detailed information about a program or package. They also provide procedural information to make it easier to use a program or package.

<u>Component</u>	<u>Sequence</u>	<u>Mon/Yr</u>
APL-11 V1		
APL.SAV PROGRAM PATCHES		
ERRONEOUS "DEFINITION ERROR" DURING FUNCTION EDITING	01 M	Nov 77
LOSS OF LOWER-CASE ON RE-ENTRY TO APL-11	02 M	Nov 77
APL WORKSPACE	03 R	Nov 77
"SYSTEM ERROR"S GENERATED BY NULL LINE ELEMENTS	04	Dec 77
INTERNAL MEMORY ALLOCATION PROBLEMS	05 M	Dec 77
ERROR FOR SCALAR RESULT OF DECODE OR INNER PRODUCT OPERATION	06 M	Feb 78
SYSTEM ERROR ON PARAMETER RETURN	07 M	May 78
BASIC-11/RT-11 V2		
RESEQUENCE PRODUCES AN INCORRECT PROGRAM UNDER CERTAIN CONDITIONS	01 M	Aug 78
PRINT USING	02 M	Jun 78
MAX SIZE OF LINE ENTERED TO BASIC-11	03 M	Jun 78
REM STATEMENT CONTAINING LEFT PARENTHESIS CAUSES SUBSEQUENT SPACES AND PERIODS TO BE REMOVED	04 R	Jun 78
RUN (NH) COMMAND MAY GIVE AN ERROR MESSAGE	05 M	Jul 78
TERMINAL MAY HANG	06 M	Jul 78
DATA FILES	07 M	Jul 78
SAVE DEV: AND REPLACE DEV:	08 M	Jul 78
SINGLE PRECISION HANG AND NUMERIC CONVERSION PROBLEM (PATCH F)	09 M	Aug 78
CONVERSION PROGRAM	10 M	Sep 78
OVERLAYING WHILE IN A SUBROUTINE	11 R	Nov 78
OPERATION OF CTRLC, AND RCTRLC AND SYS (6) FUNCTIONS AND THE CTRL/C COMMAND	12 N	Nov 78
BASIC-11/RT-11 V2 CONVERSION PROGRAM PATCH 1	13 M	Feb 79
OPERATION OF OLD, RUN, CHAIN AND OVERLAY WHEN THE SPECIFIED FILE IS NOT FOUND	14 N	Feb 79
CREATING AND ACCESSING VIRTUAL ARRAY FILES	15 N	Feb 79
REPUBLICAION OF PATCHES	16 N	Feb 79
PRINT USING - PATCH A	17 M	Feb 79
RESEQ - PATCH B	18 M	Feb 79
EDITING A DIM #n STATEMENT - PATCH C	19 M	Feb 79
DOUBLE PRECISION HANG - PATCH D	20 M	Feb 79
SAVE dev: AND REPLACE dev: - PATCH E	21 M	Feb 79
SINGLE PRECISION HANG AND NUMERIC CONVERSION PROBLEM - PATCH F	22 M	Feb 79

Component	Sequence	Item
SAVE .XXX & UNSAVE .XXX - PATCH G	23 M	Feb 79
NEW - PATCH H	24 M	Feb 79
STORAGE OF THE NULL CHARACTER IN STRING VARIABLES AND VIRTUAL STRING ARRAYS	25 N	Feb 79
USE OF COMPILE COMMAND	26 N	Feb 79
RESEQ - PATCH I	27 M	Mar 79
LISTNH /OLD - PATCH J	28 M	Mar 79
SYS(1) - PATCH K	29 M	Mar 79
CALL - PATCH L	30 M	Mar 79
DOUBLE PRECISION INTEGER VARIABLES - PATCH M	31 M	May 79
FILESIZE 0 - PATCH N	32 M	May 79
INTEGERS IN DOUBLE PRECISION BASIC-11	33 M	Jul 79
REM STATEMENTS ON MULTI-STATEMENT LINES - PATCH O	34 M	Jul 79
STRING MANIPULATION IN ASSEMBLY LANGUAGE ROUTINES	35 N	Aug 79
MAXIMUM ARRAY SUBSCRIPT SIZE	36 N	Aug 79

BASIC/RT-11 EXTENSIONS V1

"IPK" SUBROUTINE	01 M	Aug 77
SAMPLING A/D CHANNEL NO. 15	02 R	Aug 77
SAMPLING AR11	03 M	Sep 77
"CLRD" AND "PUTD" ROUTINES	04 M	Nov 77
"SETR" AND "WAIT" COMBINATION MAY FAIL	05	Apr 78
BASIC/RT-11 EXTENSION BUILD PROCEDURE RESTRICTION	06 R	Mar 79

CTS-300 V5

DECFORM		
TWO PROBLEMS WITH FOCOMP	01 M	May 79
DIBOL		
TWO PROBLEMS: FILE CORRUPTION POSSIBILITY AND REPETITIVE I/O ERRORS	01 M	Mar 79
OPENING NON-STANDARD HANDLERS	02 M	Apr 79
ANOTHER FILE CORRUPTION POSSIBILITY	03 M	Apr 79
TWO PROBLEMS: OPENING 0 LENGTH FILE IN SUD AND OPENING LP IN I MODE	04 M	Jun 79
LINE PRINTER PROBLEM AND PROBLEM WITH LARGE ISAM FILE	05 M	Jun 79
I/O ERRORS AND PROBLEM WITH FMAC SUBROUTINE	06 M	Jun 79
ISAM FILE CORRUPTION	07 M	Jun 79
SHUFFLE CAUSES TRAP TO 4	08 M	Jul 79
MISLEADING ERROR MESSAGES	09 M	Aug 79
ERRONEOUS I/O ERROR	10 M	Aug 79
TWO PROBLEMS WITH MULTI-VOLUME FILES	11 M	Oct 79
INCORRECT ERROR ON WRITING DUPLICATE FILE TO MAGTAPE	12 M	Dec 79
DICOMP		
DICOMP DISLIKES SOME COMMENTS	01 M	Sep 79
ISMUTL		
REORG PROBLEMS DUE TO INSUFFICIENT SPACE ON DEVICE	01 M	Feb 80
REDUCE		
HOW TO REDUCE PAINLESSLY	01 N	Aug 79
A REDUCING PROBLEM	02 M	Dec 79
SORTM		
MERGE DOES NOT ACCEPT EMPTY FILES	01 M	Apr 79

CTS-300 RDCP (2780/3780) V1.0

SENDING OF TRANSPARENT DATA AND TRANSLATION OF DATA AFTER SENDING A TRANSPARENT FILE	01 M	Jul 79
SEND A TRANSPARENT FILE AFTER RECEIVING AN ASCII DATA FILE	02 M	Oct 79
AN ACK IS RECEIVED WHEN ENQ HAS ALREADY BEEN SENT	03 M	Oct 79
MISCELLANEOUS ERRORS	04 M	Aug 79
RDCP11 LOOP MAY OCCUR	05 M	Oct 79
ASCII TRANSMISSION OF A FILE	06 M	Oct 79

<u>Component</u>	<u>Sequence</u>	<u>Mon/Yr</u>
DECnet-RT V1		
DAP		
DAP ROUTINES DO NOT ARBITRATE DAP SEGMENT SIZE PROPERLY	07 M	Jan 79
NOTES ON CHANGES TO DAP INTERFACE	09 N	Feb 79
CORRECT BUFFER POINTER ERROR	16.11 M	May 79
DAP ATTEMPTS TO SEND A MESSAGE TOO LONG	17.7 M	Sep 79
DDCMP		
DDCMP LINE COUNTERS OVERFLOW TO ZERO	01 O	Jul 78
DMC		
DMC LINE COUNTERS OVERFLOW TO ZERO	01 O	Jul 78
DOCUMENTATION		
USER'S GUIDE DOCUMENTATION ERRORS	2.1 N	Aug 79
FAL		
CORRECT FAL PROCESSING OF END OF STREAM MESSAGE	01 M	Jan 79
FAL INCORRECTLY ALLOCATES DISC SPACE FOR FILES	02 M	Feb 79
FAL INCORRECTLY HANDLES REMOTE FILE REQUESTS	04 M	Feb 79
TIMING DEPENDENCY IN RT TO RSTS FILE TRANSFERS	17.5 M	Jul 79
MRS FIELD NOT DEFAULTED PROPERLY	17.6 M	Jul 79
FORTRAN INTERFACE		
DIFFERENCES IN RT AND RSX FORTRAN INTERFACE IMPLEMENTATIONS	01 N	Jul 78
USE OF THREADED AND INLINE FORTRAN COMPILER OPTIONS	04 R	Jan 79
FORTRAN REMOTE OPEN FOR WRITE MODIFIES FILE ATTRIBUTES	05 N	Jan 79
MODEM CONTROL		
SUPPORT OF ASYNCHRONOUS HALF DUPLEX MODEMS	01 R	Jul 78
NFARS		
DAP ROUTINES CHANGE MODE DURING FILE TRANSFER	02 M	Feb 79
CHECK FOR BLOCK MODE TRANSFER	03 M	Feb 79
DAP DEFAULTS DO NOT ALLOW RECORDS TO SPAN BLOCKS	06 O	Jan 79
ASCII FILE ACCESS TO VAX/RSX SYSTEMS	08 M	Feb 79
INVALID FILE TYPE SENT TO VAX IN ASCII TRANSFER	10 M	Mar 79
NSP		
PROTOCOL VIOLATION IN NODE INITIALIZATION	01 M	Jan 79
NFT		
NFT ASCII FILE TRANSFER TO VAX/RSX SYSTEMS	03 M	Feb 79
LOGICAL BLOCK NUMBERS NOW START AT ONE	17.5 M	May 79
FEP-11, FORTRAN ENHANCEMENT PACKAGE (ALSO PERTAINS TO: RT-11/FORTRAN UPGRADE PACKAGE FOR MINC)		
FEP-11 INITIAL PROBLEMS, SOLUTIONS AND HINTS	01 M	May 79
PROBLEMS WITH IEEE-BUS SUBROUTINES	02 M	Feb 80

FMS-11 V1

CONSOLE TERMINAL SPECIAL MODE BIT CLEARED	01 M	Jun 79
INCORRECT MCDEMO FILE TYPES	02 O	Jun 79
TSKINI INPUT BUFFER TOO SMALL	03 M	Jun 79
ARTS ERROR MESSAGES LACK '?'	04 M	Jun 79
HANDLER FETCH CORRUPTS FORM FILE ID	05 M	Jul 79
ZERO-FILLED FIELD VALIDATION PROBLEM	06 M	Jul 79
FILED VIDEO ATTRIBUTES PROBLEM	07 M	Jul 79
FRED ERROR MESSAGES LACK '?'	08 M	Jul 79
ERROR IN SCROLL FORWARD/BACKWARD CODE	09 M	Jul 79
ERROR IN EXIT SCROLLED AREA FORWARD CODE	10 M	Jul 79
ANNOUNCING FMS-11 FORMS MANAGEMENT SYSTEM	11 F	Nov 79

<u>Component</u>	<u>Sequence</u>	<u>Mon/Yr</u>
FOCAL/RT-11 V1B		
FOR COMMAND WITHOUT AN ARGUMENT	01 M	Oct 75
OPERATE COMMAND CAUSES ERROR	04 M	Aug 76
FCLK ROUTINE GIVES INCORRECT TIME	05 O	Aug 76
"LIBRARY ASK" COMMAND	06 O	Feb 77
"/Z" SWITCH	07 M	Aug 77
@START NOT WORKING WHEN DOWN-LINE LOADING	08 M	Mar 78
LIBRARIES FROM FOCAL SOURCE DISK MUST BE REFORMATTED	09 N	Aug 78
CLOCK PROBLEM FOR PAPER TAPE (STAND-ALONE) FOCAL USERS	10 M	Nov 78
FORTRAN GRAPHICS PACKAGE, V1.1		
DECGRAPHIC		
NMBR SUBROUTINE IN DECgraphic	01 R	JAN 79
FORTRAN/RT-11 EXTENSIONS V1		
RUNNING PROGRAM WITH "SETR"	01 M	Oct 78
IBEF NOT PROPERLY DECREMENTED	02 R	Oct 78
LPS DEVICE CONFLICT CAUSED BY CALL SETR AFTER CALL RTS	03 R	Oct 78
IADC AFTER RTS DOES NOT WORK	04 M	Oct 78
SUBROUTINE NAMING CONFLICT	05 N	Oct 78
PLOT55 DESCRIPTION	06 N	Oct 78
ILLEGAL MEMORY REFERENCE ERROR	07 M	Oct 78
DEVICE CONFLICT ERROR	08 R	Oct 78
TWO PROBLEMS WITH THE RT-11/FORTRAN GRAPHICS EXTENSIONS	09 M	Oct 78
FORTRAN/RT-11 EXTENSIONS V1B		
FORTAN CRASHES AFTER RUNNING PROGRAM WITH "SETR"	01 M	Oct 78
TWO PROBLEMS WITH THE RT-11/FORTRAN GRAPHICS EXTENSIONS	02 M	Oct 78
NEGATIVE INTENSITY	03 N	Nov 78
PROGRAM TERMINATION ERROR USING RT-11 F/B	04 R	Apr 79
FORTRAN/RT-11 EXTENSIONS V2.1		
FORTAN CRASHES AFTER RUNNING PROGRAM WITH "SETR"	01 M	Mar 79
TWO PROBLEMS WITH THE RT-11/FORTRAN GRAPHICS EXTENSIONS	02 M	Mar 79
NEGATIVE INTENSITY	03 N	Mar 79
FORTRAN IV/RT-11 V2		
COMPILER		
DISPOSE = 'KEEP' OPTION	01 R	Jan 79
CRASH DUMPS	02 N	Jan 79
SYNTAX ERRORS IN SOURCE PROGRAM MAY CAUSE COMPILER TO ABORT	03 M	Jan 79
SIMRT	04 M	Jan 79
SIMRT CONTINUED	05 M	Jan 79
KNOWN FORTRAN IV V2 BUGS	06 N	Jan 79
USE OF THE FIND STATEMENT	07 M	Jan 79
RAISING COMPLEX NUMBERS	08 M	Jan 79
EXTRA CHARACTERS MAY RESULT IN COMPILER TRAPPING	09 M	Jan 79
TRANSMITTING ASCII DATA	10 R	Jan 79
IN-LINE CODE	11 N	Jan 79
ERRORS OCCUR WITH NO DO LOOP	12 M	Jan 79
FORTAN "ACCEPT" STATEMENT	13 R	Jan 79
FORTRAN IV/RT-11 V2.1		
FORTAN IV V2.1 MAINTENANCE RELEASE	01 N	Dec 78
PATCH 1	02 M	Feb 79
PATCH 2	03 M	Feb 79
PATCH 3	04 M	Feb 79
PATCH 4	05 M	Sep 79
CARRIAGE CONTROL OPTION - PATCH 5	06 M	May 79
OPEN FAILURE WITH TYPE='OLD' - PATCH 6	07 M	Sep 79

<u>Component</u>	<u>Sequence</u>	<u>Mon/Yr</u>
FORTTRAN LIBRARY FUNCTION ERRST - PATCH 7	08 M	Aug 79
REGISTER ALLOCATION - PATCH 8	09 M	Sep 79
SMALLER EXECUTION-TIME PROGRAMS	10 N	Jun 79
FORTTRAN OTS - PATCH 9	11 M	Sep 79
I/O FROM A FORTTRAN COMPLETION ROUTINE - PATCH 10	12 M	Aug 79
FORTTRAN FAILS TO COMPILE DO-LOOPS - PATCH 11	13 M	Aug 79
CALL CLOSE (FORTTRAN LIBRARY SUBROUTINE) - PATCH 12	14 M	Aug 79
UNFORMATTED BYTE I/O - PATCH 13	15 F	Aug 79
LIST DIRECTED INPUT ERRORS - PATCH 14	16 M	Aug 79
DISP='DELETE' OPTION - PATCH 15	17 M	Aug 79
FORMATTED RECORD OUTPUT - PATCH 16	18 M	Aug 79
COMMON SUBEXPRESSION OPTIMIZATION - PATCH 17	19 M	Aug 79
CALL ASSIGN CARRIAGE CONTROL - PATCH 18	20 M	Aug 79
NON-PLAS VIRTUAL ARRAY INITIALIZATION - PATCH 19	21 M	Aug 79
BYTE COMPARISON AND COMMON SUBEXPRESSION OPTIMIZATION - PATCH 20	22 M	Aug 79
DIRECT ACCESS READ - PATCH 21	23 M	Aug 79
COMPLEX VARIABLE TO CONSTANT COMPARISON - PATCH 22	24 M	Aug 79

GAMMA-11 F/B V2

DATA ANALYSIS PROGRAM	01 M	Feb 79
STUDY PROGRAM DISPLAYS TOO MANY INDEX LINES PER PAGE	02 M	Feb 77
BASIC AND FOCAL	03 M	Feb 77
BACKGROUND PROGRAM CAN HANG THE FOREGROUND TERMINAL	04 M	Feb 77
CNTL/C UNDER SINGLE JOB MONITOR	05 M	Feb 77
CROSSHAIRS FAIL TO APPEAR IN SLICE	06 M	Feb 77
UNDOCUMENTED PROGRAMS	07 N	Mar 77
FORTTRAN SUPPORT INCORRECTLY CONVERTS DATA AND TIME OF INQUISITION	08 M	May 77
"RS" COMMAND IS INCORRECTLY	09 N	Jun 77

GAMMA-11 F/B V2C

GATED LIST MODE IMAGES	01 O	Sep 78
TU16 SUPPORT	02 M	Sep 78
PROBLEMS WITH PLAYBACK BUFFER COMMENTS AND FLOOD CORRECTIONS	03 M	Oct 78
STATIC FOREGROUND ACQUISITION FAILS ON RK06 OR RL01 SYSTEMS	04 M	Oct 78
DYNAMIC CURVE CALCULATIONS MAY FAIL	05 M	Dec 79
RK06, 7 AND RL01 FOREGROUND ACQUISITIONS PROBLEMS	06 M	Dec 78
PROBLEMS WITH FLOOD CORRECTIONS	07 M	Dec 78
PROBLEMS WITH REGION OF INTEREST	08 M	Dec 78
KW11-P REAL-TIME CLOCK INCORRECTLY INITIALIZED	09 M	Dec 78
GAMMA-11 V2C NCV11 REAL-TIME CLOCK CAN BE DISABLED	10 M	Dec 78
KW11-P REAL-TIME CLOCK RUNS TOO FAST DURING GSA STUDIES	11 M	Dec 78
BUILDING AN RL01 GAMMA-11 V2C SYSTEM	12 M	Dec 78
PREDEFINED GATED LIST MODE STUDIES	13 M	Dec 78
GATED LIST MODE DATA ACQUISITION SET-UP	14 M	Dec 78
PROBLEMS WITH MAGTAPE DISTRIBUTION	15 N	Dec 78
SUBROUTINE 'GMXG' GENERATES ILLEGAL ADDRESS MESSAGE	16 F	Jul 79
FGAMMA/BGAMMA RACE CONDITION	17 M	Feb 79
DELAYED START LIST MODE STUDIES	18 M	Feb 79
FORMATTING GATED LIST MODE STUDIES	19 M	Feb 79
SLICE PROBLEMS	20 M	Feb 79
DOUBLE INTERPOLATION OF 64 X 64 MATRIX DATA	21 M	Feb 79
GAMMA-11 AND RT-11 DATE ROLLOVER	22 M	Feb 79
PROBLEMS WITH PATIENT MONITOR AND GSA ADMIN BLOCKS	23 M	Feb 79
FOREGROUND GATED LIST MODE STUDIES FAIL	24 M	Feb 79
NCV11 JOYSTICK AND LIST MODE PROBLEMS	25 M	May 79
SYSTEM SUMMARY FOR RK07 DISKS	26 O	May 79
MORE PROBLEMS WITH FLOOD CORRECTION	27 M	May 79
TWO MINOR PROBLEMS WITH PLAYBACK BUFFERS	28 M	May 79
TRANSFER STUDY CAN CORRUPT A DISK DIRECTORY	29 M	May 79
FOUR FRAME MINIMUM FOR GSA STUDIES	30 M	May 79
GAMMA-11/BASIC PATCHES	31 M	May 79
CONTINUE ANALYSIS CA) OCCASIONALLY FAILS	32 M	May 79
ASCII STRING VARIABLE TABLE (FORTTRAN AND BASIC) -- SUBROUTINE		
GPAR AND GPAW --	33 M	Jul 79
GAMMA-11 SYSTEMS WITH RK07 AS A DEVICE	34 M	Sep 79
INVOKING AN RT-11 INDIRECT COMMAND FILE FROM GAMMA-11	35 O	Oct 79
PROBLEM WITH ABORTING GAMMA-11	36 M	Oct 79
PROBLEMS WITH FORTTRAN SUBROUTINES 'GPFR' AND 'GPFW'	37 F	Nov 79
PROBLEMS WITH THE SAME COMMAND (S) IN RI	38 M	Nov 79

<u>Component</u>	<u>Sequence</u>	<u>Mon/Yr</u>
GAMMA-11 F/B V2.4		
CONTINUE ANALYSIS (CA) OCCASIONALLY FAILS	01 M	Oct 79
GAMMA-11 SYSTEMS WITH RK07 DISKS AS A DEVICE	02 M	Jan 80
PROBLEM WITH ABORTING GAMMA-11	03 M	Oct 79
PROBLEMS WITH FOUR BIT MAP ANALYSIS COMMANDS	04 M	Oct 79
PROBLEMS WITH FORTRAN SUBROUTINES 'GPFR' AND GPFW'	05 F	Jan 80
PROBLEMS WITH DATA ANALYSIS	06 M	Jan 80
PROBLEMS WITH DYNAMIC ACQUISITION ON RK05 GAMMA-11	07 M	Nov 79
PROBLEMS WITH DATA ACQUISITION	08 M	Nov 79
TRANSFER STUDIES WITH MAGTAPE PROBLEM	09 M	Nov 79
LABORATORY APPLICATIONS-11 V3		
A NEW MODULE TO ENHANCE DATA FLOW WITHIN LA-11	01 N	Oct 76
HISTO.MAC		
ACQUIRING AND PROCESSING HISTOGRAM DATA	01 M	Sep 76
LABMAC.SML		
ERRONEOUS MACRO	01 M	Sep 77
INCLUDING LABMAC.SML IN SYSMAC.SML	02 M	Mar 79
PEAK.MAC		
WIDE PEAKS	01 M	Mar 76
PEAK PROBLEMS AND CORRECTIONS	02 M	Jul 76
ARITHMETIC CORRECTION FOR PEAK AREA	03 M	Dec 76
MISSING PATCH IN RELEASE NOTES	04 M	Oct 77
SPARTA		
LPS AND AR-11 VECTOR AND STATUS REGISTER	01 N	Dec 75
USING SPARTA AND FLOATING POINT BUFFERS	02 N	Feb 76
AR-11 TIMING PROBLEMS WITH ADSAM AND SPARTA	03 O	Feb 76
FFT SCALING CORRECTION	04 M	Feb 76
SCALE FACTOR CORRECTION FOR SPARTA COMMANDS FAC AND FCC	05 M	Mar 76
DATA DISPLAYS USING LA-11	06 N	Mar 76
DATA PREPARATION FOR SPARTA COMMANDS FAC AND FCC	07 N	Apr 76
SPARTA CORRECTIONS FOR POINT-PLOT DISPLAY	08 M	Apr 76
ADDING COMMANDS TO SPARTA	09 M	May 76
CORRECTION FOR THE DPV COMMAND WITH POINT PLOT DISPLAY	10 M	Jun 76
GENERAL SUBROUTINE MODULE FOR EAE	11 O	Jun 76
INCORRECT PHASE ANGLE CALCULATION	12 M	Oct 76
"MOU" AND "MIN" COMMANDS CAN BE READ OUT AND IN CORRECTLY	13 N	Jan 77
MULTIPLE SYNCH PULSES	14 M	Jan 77
AUTO AND CROSS CORRELATION	15 M	Jan 77
ALLOCATING MORE THAN 16K BUFFERS IN SPARTA	16 M	Feb 77
A/D SAMPLING: FAST MODE	17 M	Jul 77
A/D SAMPLING: FAST MODE EXIT	19 M	Mar 78
SCALE FACTOR PRINT FOR THE FFT	20 M	Jan 79
SWEEP.MAC		
SWEEP SAMPLING: FAST MODE	01 M	Aug 77
THRU		
HOW TO START DATA ACQUISITION WHEN CSTART EQUALS ZERO	01 N	Jun 76
MULTICHANNEL SINGLE RATE SCHMIT TRIGGER SWITCH BOUNCE	02 M	Dec 76
CONTINUOUS SAMPLING: CONDITIONAL ASSEMBLY ERRORS	03 M	Jul 77
CONTINUOUS SAMPLING: DMA WITH DUAL SAMPLE + HOLD	04 M	Jul 77
DOCUMENTATION CORRECTIONS	05 M	Nov 77
LSP-11 V1		
PATCH NO. 1 - GENERAL CORRECTIONS NO. 1	01 M	Jun 79
PATCH NO. 2 - PEAK CORRECTION NO. 1	02 M	Jun 79
PATCH NO. 3 - PEAK CORRECTION NO. 2	03 M	Jun 79
LV11/RT-11 PLOTTING PACKAGE V2		
SUBROUTINE PLOT DOES NOT CORRECTLY REPRODUCT VT11 PICTURE	01 M	Apr 78

<u>Component</u>	<u>Sequence</u>	<u>Mon/Yr</u>
MSB-11 V1.0		
MSB-11 SOFTWARE ON THE PDP-11/03	01 M	Jul 79
MU BASIC/RT-11 V1		
BUILDING MU BASIC/RT-11 UNDER RT-11 V2C	01	Feb 76
REMOTE TERMINAL SUPPORT ON MODEMS	02	May 76
OVERLAY... LINE WORKS INCORRECTLY	03	May 76
USING IMMEDIATE MODE "GOSUBs"	04	Dec 76
CLOCK LOSES TIME ON RT-11 WHEN RUNNING MU BASIC	05	Jul 77
REM STATEMENTS	06	Feb 78
ADDITIONAL FILES ON RELEASE KIT (MUB*.*)	07 N	May 78
MU BASIC/RT-11 SYSTEM INSTALLATION GUIDE		
REPLACEMENT PAGES	01	Jan 77
REPLACEMENT PAGES	02 N	Jan 78
REPLACEMENT PAGES	03 N	Jan 78
MU BASIC-11/RT-11 V2		
MU BASIC-11/RT-11 V2 CONVERSION PROGRAM	01 R	Nov 78
OPERATION OF CTRL/C, RCTRLC AND SYS (6) FUNCTIONS AND THE CTRL/C COMMAND	02 N	Nov 78
MEMORY REQUIREMENTS OF OPTIONAL FUNCTIONS ETC.	03 O	Nov 78
MU BASIC-11/RT-11 V2 RELEASE NOTES AND INSTALLATION GUIDE CHANGES	04 N	Dec 78
ORDER OF COMMON STATEMENTS AT START OF MUCNFG.BOO, MUCNF1.BOO, MUCNF2.BOO	05 M	Dec 78
OPERATION OF OLD, RUN, CHAIN AND OVERLAY WHEN THE SPECIFIED FILE IS NOT FOUND	06 N	Feb 79
CREATING AND ACCESSING VIRTUAL ARRAY FILES	07 N	Feb 79
STORAGE OF THE NULL CHARACTER IN STRING VARIABLES AND VIRTUAL STRING ARRAYS	08 N	Feb 79
USE OF COMPILE COMMAND	09 N	Feb 79
MU BASIC-11/RT-11 V2 CONFIGURATION PROGRAM PATCH 1	10 O	Feb 79
CHAINING WITH COMMON - PATCH A	11 M	Feb 79
VIRTUAL FILE I/O - PATCH B	12 M	Feb 79
SYS (1,n) FUNCTION - PATCH C	13 M	Feb 79
RESEQ - PATCH D	14 M	Feb 79
VALUES IN PATCHES A, B, C	15 N	Feb 79
LISTNH /OLD - PATCH E	16 M	Mar 79
CALL - PATCH F	17 M	Mar 79
MU BASIC-11 DEVICE INDEPENDENCE FOR INIT.BOO - SPECIAL PATCH YY1	18 M	May 79
DOUBLE PRECISION INTEGER VARIABLES - PATCH G	19 M	May 79
INPUT #/PRINT # - PATCH H	20 M	May 79
OLD OF A ZERO BLOCK FILE - PATCH I	21 M	May 79
ADDITION TO PATCH B - PATCH J	22 M	May 79
MU BASIC-11/RT-11 V2 PERFORMANCE IMPROVEMENT PATCH NO. 1	23 M	May 79
MU BASIC-11/RT-11 V2 PERFORMANCE IMPROVEMENT PATCH NO. 2	24 M	May 79
MU BASIC-11/RT-11 V2 PERFORMANCE IMPROVEMENT PATCH NO. 3	25 M	May 79
MU BASIC-11/RT-11 V2 PERFORMANCE IMPROVEMENT PATCH NO. 4a	26 M	May 79
MU BASIC-11/RT-11 V2 PERFORMANCE IMPROVEMENT PATCH NO. 4b	27 M	May 79
MU BASIC-11/RT-11 V2 PERFORMANCE IMPROVEMENT PATCH NO. 4c	28 M	May 79
MU BASIC-11/RT-11 V2 PERFORMANCE IMPROVEMENT PATCH NO. 5	29 M	May 79
MU BASIC-11/RT-11 V2 PERFORMANCE IMPROVEMENT PATCH NO. 6	30 M	May 79
MU BASIC-11/RT-11 V2 PERFORMANCE IMPROVEMENT PATCH NO. 7	31 M	May 79
MU BASIC-11/RT-11 V2 PERFORMANCE IMPROVEMENT PATCH NO. 8	32 M	May 79
DEVICE MNEMONIC PROBLEM - PATCH K	33 M	Jul 79
CLOSE - PATCH L	34 M	Jul 79
REM STATEMENTS ON MULTI-STATEMENT LINES	35 M	Jul 79
DEASSIGNING A TERMINAL - PATCH N	36 M	Jul 79
OVERLAYING THE ERROR MESSAGE MODULE - SPECIAL PATCH YY1	37 M	Jul 79
UNEQUAL USER PARTITION SIZE ALLOCATION - SPECIAL PATCH XX1	38 M	Jul 79
HOW TO CHANGE INIT.BOO's DEVICE AFTER INSTALLING SPECIAL PATCH YY1	39 M	Jul 79
INTEGERS IN DOUBLE PRECISION MU BASIC-11	40 M	Jul 79
STRING MANIPULATION IN ASSEMBLY LANGUAGE ROUTINES	41 N	Aug 79
SIZING MU BASIC-11	42 N	Aug 79
ERROR IN TABLE 4-1 OF THE USER'S GUIDE	43 N	Aug 79
RESTRICTION OF USR RESIDENCY WHEN RUNNING IN FOREGROUND	44 N	Aug 79
NOTES ON PERFORMANCE PATCHES NO. 4a, NO. 4b, NO. 4c	45 N	Aug 79
MAXIMUM ARRAY SUBSCRIPT SIZE	46 N	Aug 79

<u>Component</u>	<u>Sequence</u>	<u>Mon/Yr</u>
ASSEMBLING SOURCE FILES (SOURCE LICENSE HOLDERS ONLY)	47 M	Sep 79
USE OF SYS (1,n) FUNCTION WHEN ',n' IS OMITTED	48 M	Sep 79
DISABLING CR/LF USING TTYSET - PATCH P	49 M	Dec 79
HANDLER FETCH ERROR MAY LEAD TO MONITOR FAULT - PATCH Q	50 M	Jan 80
PDL/RT-11 V1B		
CLARIFICATION OF SEARCH FAILURE IN SUBROUTINE FIND	01 N	Jul 78
FIND SUBROUTINE	02 R	Jul 78
PATCHES TO PDL	03 M	Jul 78
SUBROUTINE QKGT	04 M	Jul 78
PDL SUBROUTINE 'RDAA'	05 M	Sep 78
PDL PEAK ALGORITHM WILL NOT RECOGNIZE VALID PEAKS	06 M	Sep 78
PEAK-11 V1		
"MREPR" AND "REPR" GET CONFUSED	01 M	Aug 78
REMOTE/RT-11 V1		
SCHEDULER DOES NOT PROPERLY SET PROCESSOR PRIORITY	01 M	May 76
NOEDIT- 0 HALTS	02 M	May 76
NUSERS=1 STAYS IN A FILE MESSAGE LOOP	03 M	May 76
INCORRECT SWAP AREA ALLOCATION FOR FOUR OR MORE USERS	04 M	May 76
REBOOT FROM SATELLITE DURING EDIT HANGS HOST	05 M	Jun 76
HARD ERROR ON LOOKUP IS FATAL	06 M	Jun 76
SECONDARY MODE PROGRAM LOAD FEATURE NOT COMPLETELY FUNCTIONAL	07 M	Jun 76
ONE SECOND TIMER FOR LINE TIMEOUTS IS SET INCORRECTLY	08 M	Aug 76
LINE FEEDS MAY CAUSE SYSTEM ERRORS--ASSEMBLY ERROR WITH DIAL AND NODDC	09 M	Aug 76
PROPER GENERATION OF REMOTE IS DEPENDENT ON MODULE ORDER	10 M	Aug 76
ASCII CODES 173 AND 174 DO NOT PRINT	11 M	Aug 76
IMPROPER FILLER HANDLING FOR VT05	12 O	Aug 76
SYSTEM CRASHES IF RUN IN FOREGROUND WITHOUT /N	13 O	Aug 76
"UNSAVE" COMMAND CAUSES SYSTEM ERRORS	14 M	Dec 76
FLET WILL REMOVE MORE THAN ONE USER FROM THE WAIT QUEUE	15 M	Dec 76
STACK FOR USER THREE IMPROPERLY SET	16 O	Dec 76
SECONDARY MODE LOADS DO NOT OPERATE PROPERLY	17 M	Jan 77
@START COMMAND GIVEN ON TERMINAL WITHOUT SATELLITE CAUSES CRASH	18 O	Jan 77
"RTSIM" DOES NOT SUPPORT 50 Hz LINE CLOCK	19 O	Jan 77
CHANNEL ACTIVE ERROR	20 M	Mar 77
THREE WORDS LOST ON DOWNLINE LOAD	21 M	Mar 77
CSISPC NOT PROPERLY SIMULATED	22 M	May 77
EXCEEDING CHARACTERS PER LINE LIMIT	23 M	Oct 77
UNASSIGNED	24	XXX XX
@RE IN THE SATELLITE DOES NOT WORK	25 R	Mar 78
"HANG" CONDITIONS	26 R	Apr 78
UNASSIGNED	27	XXX XX
USING KG-11 CRC CALCULATOR	28 M	Aug 78
PASTE CAUSES LINE DUPLICATION	29 M	Aug 78
"DAISY CHAIN" ARRANGEMENT IN RTSIM.MAC	30 M	Aug 78
OPTIONAL RMON IS OMITTED FROM RTSIM BY DEFINING NORMON=0	31 M	Oct 78
DL-11 ERROR AND CRC ERROR IN HOST	32 M	Oct 78
RT-11 V3		
DOCUMENTATION		
TYPOGRAPHICAL ERRORS	01 N	Mar 78
ERROR IN FOREGROUND/BACKGROUND DEMONSTRATION	02 M	Aug 78
THE /LIST OPTION FOR THE DIBOL, FORTRAN, AND MACRO KEYBOARD MONITOR COMMANDS	03 M	Nov 78
EDIT		
EDIT DOES NOT OPERATE CORRECTLY UNDER XM MONITOR	01 M	Mar 78
MACRO		
.NARG FAILS WHEN AUTOMATIC LABEL GENERATION IS USED	01 M	Apr 78

<u>Component</u>	<u>Sequence</u>	<u>Mon/Yr</u>
MISCELLANEOUS		
GETSTR AND PUTSTR ROUTINES FOR IN-LINE CODE	01 M	Jun 78
ERROR IN THE CONCAT ROUTINE	02 M	Jun 78
ERROR IN MTATCH ROUTINE	03 M	Nov 78
ODD RING BUFFER SIZES CAUSE ASSEMBLY ERRORS	04 R	Jun 79
MONITOR		
INCORRECT IDENTIFIER IN .TWAIT REQUEST CAUSES PROBLEMS	01 M	Mar 78
.CHAIN, .EXIT FROM VIRTUAL JOB; USR MOVING INTO PAR1 AREA	02 M	Apr 78
PATCH TO INTERRUPT EXIT ROUTINE	03 M	Apr 78
IMPROPER HANDLING OF THE KW11-P CLOCK	04 M	May 78
SPECIFYING 50-CYCLE CLOCK SUPPORT DURING SYSGEN OPERATIONS	05 M	Jun 78
EDITORS AND V3B MONITORS	06 M	Jun 78
TYPING NON-ASCII FILES TO CONSOLE AFTER ISSUING A GTON HANGS THE SYSTEM	07 M	Jun 78
LINK/FRUN FAILS WHEN PROGRAM IS OVERLAYED AND USES LIBRARIES	08 M	Jul 78
MULTITERMINAL CORRECTIONS	09 M	Aug 78
PATCH TO XM ADDRESS CHECKING	10 M	Aug 78
FIXES FOR TWO FB/XM PROBLEMS	11 M	Aug 78
TERMINATING CONSOLE OUTPUT	12 M	Aug 78
ISSUING SEEKS TO DX HANDLER IN XM CAUSES RANDOM SYSTEM FAILURES	13 M	Oct 78
CERTAIN EXTENDED MEMORY REQUESTS CANNOT BE ISSUED FROM BOTH MAINLINE CODE AND COMPLETION ROUTINES	14 M	Oct 78
THE "RUN" AND "GET" MONITOR COMMANDS DO NOT CORRECTLY LOAD THE PORTION OF A PROGRAM THAT OVERLAYS KMON	15 M	Oct 78
DX SJ MONITOR BOOTSTRAP CORRECTIONS	16 O	Oct 78
TYPING CTRL/O TO THE CONSOLE TERMINAL SOMETIMES CRASHES	17 M	Nov 78
LINK CAUSES ODD MONITOR ADDRESS TRAP	18 M	Nov 78
CHAINING FROM A VIRTUAL JOB AND RELATED PROBLEMS	19 M	Dec 78
DIRECTORY CORRUPTION	20 M	Dec 78
FIXES FOR FB/XM PROBLEM IN V03.02	21 M	Apr 79
CORRECTION TO "DIRECTORY CORRUPTION" PATCH	22 M	May 79
FLOPPY SYSGEN WITH KW11-P CLOCK	23 M	May 79
INPUT FILE LOST WHEN USING CSIGEN	24 M	Jun 79
SOURCES		
UNRESOLVED DIFFERENCES IN DEMOX1.MAC	01 M	Aug 78
DISTRIBUTED MAGTAPE HANDLER CORRECTIONS	02 M	Sep 78
MAGTAPE XM AND FSM CORRECTIONS	03 M	May 79
SYSTEM HANDLERS		
DM HANDLER CORRECTIONS	01 M	Oct 78
DM SYSTEM HANDLERS CORRECTIONS	02 M	Dec 78
DM HANDLER ERROR HANDLING CORRECTIONS	03 M	Jan 79
DM CTO AND SPFUN 376 CORRECTIONS	04 M	May 79
UTILITIES		
DUP DEFAULT FILE SIZE AND NULL FILE TYPES ARE INCORRECT	01 M	Mar 78
DIR MAY INCORRECTLY LIST DIRECTORIES OF MAGTAPES	02 M	Mar 78
/L OPTION TO PIP MAY CUASE SYSTEM CRASH	03 M	Mar 78
LINK OUTPUT INVALID IF OBJ HAS AN EMPTY GSD RECORD	04 M	Mar 78
PAT GIVES FATAL ERROR IF OBJ HAS AN EMPTY RECORD	05 M	Apr 78
UNASSIGNED	06	XXX XX
EDIT VT11 DISPLAY FUNCTIONS WILL NOT OPERATE UNDER XM MONITOR	07 M/R	Apr 78
TRANSFERS IN INTERCHANGE FORMAT WHEN NO SYSTEM DATE IS GIVEN	08 M	Jun 78
DUP SCAN RATE FOR FLOPPY	09 M	Jun 78
DUP /I AND /W SWITCHES DO NOT WORK PROPERLY	10 M	Jun 78
LINK/FRUN FAILS WHEN PROGRAM IS OVERLAYED AND USES LIBRARIES	11 M	Jul 78
DUP DOES NOT DIFFERENTIATE BETWEEN DELETED .BAD FILES AND PERMANENT ONES	12 M	Jul 78
ERRORS IN FILEX INTERCHANGE FORMAT	13 M	Jul 78
LINK PRODUCES INCORRECT .LDA FILES	14 M	Sep 78
DUP DOES NOT DETECT END OF SEGMENT IF IT IS FIRST ENTRY IN A DIRECTORY SEGMENT DURING A SQUEEZE OPERATION	15 M	Oct 78
LIBR CLEARING OF LOCATION ZERO	16 M	Oct 78
LINK ERROR IN PSECTS MOVED TO ROOT	17 M	Oct 78
PIP ERRONEOUSLY DELETES FILES	18 M	Oct 78

Component	Sequence	Mon/Yr
LIBR BLOCK BOUNDARY PROBLEM	19 M	Dec 78
LINK CAN CAUSE TRAP TO 4	20 M	Feb 79
CORRECTIONS TO FILEX	21 M	May 79
DIR CORRECTIONS	22 M	Nov 79
BAD BLOCK REPLACEMENT ON RK06s	23 N	Oct 79
WILD CARD MAGTAPE COPY ERROR PROCESSING CORRECTION	24 M	Oct 79
RT-11 V3B		
DOCUMENTATION		
ERROR IN FOREGROUND/BACKGROUND DEMONSTRATION	01 M	Aug 78
THE /LIST OPTION FOR THE DIBOL, FORTRAN, AND MACRO KEYBOARD		
MONITOR COMMANDS	02 M	Nov 78
UPDATE PAGES	03 N	Dec 78
RT-11 SOFTWARE SUPPORT DOCUMENTATION	04 M	Feb 79
SUMMARY OF UPDATES FOR RT-11 V03B DOCUMENTATION	05 M	Feb 79
NEW DEVICE RELEASE DOCUMENTATION, RT-11 V03B	06 N	Jun 79
.FORK AND .SYNCH BLOCK DOCUMENTATION	07 N	Jul 79
THE DEVICE TIME-OUT FEATURE	08 N	Sep 79
CORRECTION OF ERROR RETURNS IN .SYNCH CALL	09 M	Aug 79
EXAMPLE CODE IN .FORK DOCUMENTATION IS INCORRECT	10 N	Aug 79
EXTENDED MEMORY RESTRICTIONS	11 N	Dec 79
MISCELLANEOUS		
ERRORS IN THE SYSGEN CONDITIONAL FILE	01 M	Jul 78
ERRORS IN MTATCH ROUTINE	02 M	Nov 78
ODD RING BUFFER SIZES CAUSE ASSEMBLY ERRORS	03 R	Jun 79
INCORRECT NULL HANDLER DEVICE IDENTIFIER	04 M	Jun 79
GENERATING A SINGLE JOB MONITOR MAY CAUSE AN UNDEFINED GLOBAL	05 M	Aug 79
INCORRECT DEVICE IDENTIFIER FOR PC11	06 M	Sep 79
ERROR IN MTIN AND MTOU ROUTINES	07 M	Sep 79
HIGH SPEED RING BUFFER PROBLEM ON SYSTEMS WITH ONE DL11	08 M	Jan 80
MONITOR		
SOURCE PATCHING PROCEDURES FOR V3B	01 M	Aug 78
MULTITERMINAL CORRECTIONS	02 M	Aug 78
SINGLE JOB TIMER SUPPORT CORRECTIONS	03 M	Aug 78
FIXES FOR TWO FB/XM PROBLEMS IN VP3B	04 M	Aug 78
TERMINATING CONSOLE OUTPUT	05 M	Aug 78
EDITORS AND V03B MONITORS	06 O	Aug 78
SEEK IN RK DRIVER	07 M	Aug 78
RL01 CONTROLLER VECTOR AT 160	08 M	Aug 78
FPU EXCEPTION HANDLING IN XM MONITOR	09 M	Sep 78
TWO EXTENDED MEMORY MONITOR PROBLEMS	10 M	Oct 78
TYPING CTRL/O TO THE CONSOLE TERMINAL SOMETIMES CRASHES RT-11	11 M	Oct 78
DX SJ MONITOR BOOTSTRAP CORRECTIONS	12 O	Oct 78
THE EDIT AND HELP MONITOR COMMANDS FAIL AFTER A VIRTUAL JOB HAS RUN	13 M	Nov 78
DIRECTORY CORRUPTION AND .UNPROTECT CORRECTIONS	14 M	Jan 79
FB AND XM MONITOR CLOCK SUPPORT	15 M	Apr 79
CHANGING CLOCK RATE ON GENERATED MONITORS	16 M	Apr 79
MULTI-TERMINAL CORRECTIONS TO DECREASE INTERRUPT LATENCY	17 M	Apr 79
FIXES FOR FB/XM PROBLEM IN V03B.00	18 M	Apr 79
FLOPPY SYSGEN WITH KW11-P CLOCK	19 M	May 79
DISTRIBUTED FB MONITOR CLOCK SUPPORT	20 M	May 79
OPTIONAL PATCH TO IMPROVE PERFORMANCE ON PDP-11/03 SYSTEMS	21 O	May 79
DISTRIBUTED PD AND DD FB MONITORS CLOCK SUPPORT	22 M	May 79
OPTIONAL PATCH TO IMPROVE PERFORMANCE ON PDP-11/03 AND PDT		
SYSTEMS FOR DD AND PD FB MONITORS	23 O	May 79
INPUT FILE LOST WHEN USING CSIGEN	24 M	Jun 79
NON-STANDARD VECTOR ADDRESSES FOR RX01 AND RX02 SECOND CONTROLLER	25 M	Nov 79
ABORT DURING COMPLETION CAUSES SYSTEM FAILURES	26 M	Nov 79
.ELRG CAN CAUSE THE SYSTEM TO CRASH	27 M	Sep 79
CORRECTION TO BOOTSTRAP TO RECOGNIZE LSI-11/23 PROCESSOR	28 M	Oct 79
FPU SAVE AREA IN XM MONITOR	29 M	Dec 79
BACKGROUND JOB MAY TRAP WHEN FOREGROUND ISSUES .SYNCH FROM		
INTERRUPT ROUTINE	30 M	Dec 79
PROBLEM WHEN FOREGROUND AND BACKGROUND JOB USE CSI AT SAME TIME	31 M	Jan 80
SOURCES		
UNRESOLVED DIFFERENCES IN DEMOX1.MAC	01 M	Jul 78
ISSUING SEEKS TO DX HANDLER IN XM CAUSES RANDOM SYSTEM FAILURES	02 M	Sep 78
DISTRIBUTED MAGTAPE HANDLER CORRECTIONS	03 M	Sep 78
DY HANDLER DOUBLE DENSITY ONLY SUPPORT	04 M	Apr 79

<u>Component</u>	<u>Sequence</u>	<u>Mon/Yr</u>
DL QUEUE ELEMENT AND XM ZERO FILL CORRECTIONS	05 M	Apr 79
MAGTAPE XM AND FSM CORRECTIONS	06 M	May 79
DL HANDLER SEEK AND UNIT CORRECTIONS	07 M	Aug 79
MAGTAPE ABORT ENTRY CORRECTION	08 M	Sep 79
MAGTAPE ABORT ENTRY CORRECTION IN XM	09 M	Dec 79
DL HANDLER SEEK CORRECTION	10 M	Jan 80
FILE SEQUENCE NUMBER SEARCH CORRECTION	11 M	Feb 80
SYSTEM HANDLERS		
RLO1 HANDLER CORRECTIONS	01 M	Sep 78
ISSUING A SEEK TO THE DY HANDLER CAUSES THE SYSTEM TO CRASH	02 M	Oct 78
DM HANDLER CORRECTIONS	03 M	Oct 78
DM SYSTEM HANDLERS CORRECTIONS	04 M	Dec 78
DY HANDLER SPFUN CORRECTION	05 M	Dec 78
DM HANDLER ERROR HANDLING CORRECTIONS	06 M	Jan 79
RLO1 PATCH CLARIFICATION	07 N	Jan 79
DM CTO AND SPFUN 376 CORRECTIONS	08 M	May 79
UTILITIES		
ERRORS IN FILEX INTERCHANGE FORMAT	01 M	Jul 78
LINK PRODUCES INCORRECT .LDA FILES	02 M	Sep 78
LIBR CLEARING OF LOCATION ZERO	03 M	Oct 78
LINK ERROR IN PSECTS MOVED TO ROOT	04 M	Oct 78
DUP DOES NOT DETECT END OF SEGMENT	05 M	Oct 78
COPY/DEVICE FAILS ON DISK TO MAGTAPE	06 M	Oct 78
LINK CAUSES MONITOR ODD ADDRESS TRAP	07 M	Nov 78
LIBR BLOCK BOUNDARY PROBLEM	08 M	Jan 79
EDIT ESCAPE CODE CORRECTION	09 O	Dec 78
ERROR IN ODT	10 M	Feb 79
ERROR IN EDIT	11 M	Feb 79
LINK CAN CAUSE TRAP TO 4	12 M	Feb 79
CORRECTIONS AND ADDITIONS TO FILEX	13 M	May 79
RESORC DISPLAYS STATUS OF FIRST 14 TERMINALS	15 M	Jun 79
LIBR /U SWITCH PROBLEM	16 M	Aug 79
IMPORTANT RESTRICTIONS FOR SQUEEZE OPERATIONS	17 M	Aug 79
DIR PROBLEMS	18 M	Oct 79
BAD BLOCK REPLACEMENT ON RK06s	19 N	Oct 79
WILD CARD MAGTAPE COPY ERROR PROCESSING CORRECTION	20 M	Oct 79
PROBLEM WITH PSECTS MOVED TO ROOT DURING LIBRARY PASS	21 M	Jan 80
PIP PROBLEMS	22 M	Feb 80
DIR PROBLEM	23 M	Feb 80

RT-11/2780 V2

CORRECTIONS TO 2780 PACKAGE	01	Sep 77
RUNNING 2780 ON RT-11 V3	02	Nov 77
PATCHING THE 2780 IN RT-11 V3	03 M	Jan 79
CHECK FOR ZERO LENGTH RECORD	04 M	Jan 79
RESTRICTION OF THE CONSOLE AS AN INPUT/OUTPUT DEVICE	05 R	Jan 79

digital

Software Product Description

PRODUCT NAME: FORTRAN/RT-11 Extensions, Version 2.1

SPD 12.12.6

DESCRIPTION:

The FORTRAN/RT-11 Extensions consist of:

- FORTRAN IV/RT-11, Version 2.1
- A library of graphics subroutines supporting the VT11 and VS60 display processors
- A library of laboratory subroutines supporting the LPS11 Laboratory Peripheral System, the AR11 Analog Real Time Subsystem, and the AD11-K, KW11-K, and DR11-K laboratory I/O modules
- A FORTRAN debugger

The FORTRAN/RT-11 graphics library is a comprehensive set of FORTRAN-callable subroutines that enable the user to create and interact with graphic output on the VT11 and VS60 display processors. The subroutines enable the programmer to use many of the features of the VS60. If the library is configured for the VT11, the subroutines emulate the VS60 features whenever possible. Programs can thus be written for either device. The user need only link the program with the appropriate library. For additional flexibility, most subroutines are written in FORTRAN to facilitate maintenance and modification.

The FORTRAN/RT-11 VT55 subroutine provides access to all of the graphics features of the VT55 graphics terminal. In addition, single subroutine calls can be used to plot lines or complete data curves.

The laboratory subroutine library provides the capability of acquiring data in all of the modes provided by the LPS11 and AR11 hardware and to operate a CRT display through the digital-to-analog converters provided in these units. A completion routine capability allows the user to write subroutines which are activated asynchronously upon completion of many actions, such as the filling of a data buffer. DR11-K support allows up to eight of these interfaces to be operated simultaneously. The AD11-K (with optional AM11-K), AA11-K, and KW11-K are supported in a fashion compatible with the LPS11 support. The library is easily configured for the particular set of hardware on the user's machine.

The FORTRAN debugger enables users at the console terminal to debug the programs at the FORTRAN level.

MINIMUM HARDWARE REQUIRED:

Any valid RT-11 configuration with at least 32K bytes of memory. 48K bytes of memory are recommended for

large graphics display files such as may be encountered with the VS60.

OPTIONAL HARDWARE:

Any optional devices supported by the operating system and FORTRAN IV/RT-11, Version 2.1.

VT11A	Graphics Display Processor
VS60	Graphics Display Processor
VT55	Graphics Terminal
LPS-11	Laboratory Peripheral System
AR11	Analog Real-Time Subsystem
DR11-K	Digital I/O System (up to 8)
AD11-K	Analog-to-digital converter
KW11-K	Real-time clock
AM11-K	Multiplexer
AA11-K	Digital-to-analog converter

PREREQUISITE SOFTWARE:

RT-11 Operating System, Version 03B (with the exception of the XM feature under the Foreground/Background monitor).

OPTIONAL SOFTWARE:

None

TRAINING CREDITS:

None

SUPPORT CATEGORY:

FORTRAN/RT-11 Extensions is a DIGITAL Supported Software Product.

SOFTWARE INSTALLATION:

FORTRAN/RT-11 Extensions is a software product engineered to be installed by the customer and includes other Software Product Support services listed below.

SOFTWARE PRODUCT SUPPORT:

FORTRAN/RT-11 Extensions includes Standard Services as defined in the Software Support Categories Addendum of this SPD.

ORDERING INFORMATION:

Options with no support services are only available after the purchase of one supported license.

A single-use license only option is a license to copy the software previously obtained under license.

Source and/or listing options are only available after the purchase of at least one supported license and after a source license agreement is in effect.

-2-

The following key (D, E, Q, R, T, Y, Z) represents the distribution media for the product and must be specified at the end of the order number, e.g., QJ980-AD = binaries on 9-track 800 BPI Magtape (NRZI).

D = 9-track 800 BPI Magtape (NRZI)
 E = RK05 Disk Cartridge
 Q = RL01 Disk Cartridge
 R = Microfiche
 T = RK06 Disk Cartridge
 Y = RX01 Floppy Diskette
 Z = No hardware dependency

QJ980 -A— Single-use license, binaries, documentation, support services (media: D, E, Q, T, Y)

QJ980 -C— Single-use license, binaries, documentation, no support services (media: D, E, Q, T, Y)

QJ980 -D— Single-use license only, no binaries, no documentation, no support services (media: Z)

Source/Listing Options

QJ980 -E— All sources (media: D, E, Q, T)

QJ980 -F— Listings (media: R)

Update Options

Users of FORTRAN/RT-11 Extensions, Version 1.0 or 1B, whose specified Support Category warranty has expired may order under license the following software update at the then current charge for such update. The update is distributed in source or binary form on the appropriate medium and includes no installation or other services unless specifically stated.

QJ980 -H— Binaries, documentation (media: D, E, Q, T, Y)

QJ980 -H— Right to copy for single-use (under existing license), no binaries, no documentation, no support services (media: Z)

QJ980 -N— Sources update (media: D, E, Q, T)

Users of FORTRAN/RT-11 Extensions, Version 1.0 or 1B, whose specified Support Category warranty has not expired may order under license the following software update for the then current media charge. The update is distributed in source or binary form on the appropriate medium and includes no installation or other services unless specifically stated.

QJ980 -W— Binaries, documentation (media: D, E, Q, T, Y)

ADDITIONAL SERVICES:

The following additional service is available:

- Binary Program Update Service

digital

Software Product Description

PRODUCT NAME: DAP/CTS-300, Version 1.0, DIGITAL Agency Partner

SPD 15.31.0

DESCRIPTION:

DAP is an application software package that provides a base of the functions required by property and casualty insurance agents. It is an application package tool around which a turnkey package can be developed. The product consists of a series of DIBOL programs which gather data, perform activities, accumulate files, and produce reports. Using this system many of the accounting, management and marketing requirements of a property and casualty insurance agency can be performed as outlined below:

Recordkeeping System:

These programs provide the user with a means of entering and maintaining master files of information as follows:

Customer File

Contains pertinent information about any entity which may be billed by the agency whether customer, broker, mortgagee, or other.

Policy File

A representation of the major information contained on the declaration page of the policies for customers of the agency.

Company File

The header record for the companies represented by the agency with summary data on premium and commission amounts for the company.

Producer File

The header record for the producers representing the agency with summary data on premium and commission amounts for the producer.

Class of Business File

Contains the line of insurance codes, and names used by the agency.

Transaction File

Contains the codes and names of the activity with general ledger reference for billings other than premium amounts.

General Ledger Chart of Accounts

Contains the name and account number including the financial code, which positions the account on the P & L or balance sheet.

This information is used to assist in the entry and processing of data and to provide a base for inquiry and analysis.

Daily Activity Systems:

These programs are used by the operator to gather the data required to invoice, record cash receipts and cash disbursements, and complete adjusting entries. Data is entered through the following sequence:

1. Screen prompts for information
2. Entry validated where possible
3. Option to change at end of screen
4. Transaction moved to "in process" file
5. Printing of edit list possible
6. Change or delete if necessary

By printing an edit list and auditing the transaction an operator can validate the accuracy of the data before it enters the system. Printed output provides the beginning of an audit trail as well as the required documents. Data gathered through the daily activity system is used to update the main data files (Accounts Receivable, Company/Producer, & General Ledger) on an "as requested" basis.

Accounts Receivable System:

The accounts receivable system is equipped with the following features:

Open Item Accounting

Each transaction is matched and aged by invoice number allowing detail to be displayed on statements, aged listings and at time of inquiry.

Application of Cash

By account only, if necessary, and the ability to assign the invoice reference when available.

Late Charge Generation

The ability to selectively generate late charges based on the number of late days assigned to an account.

Statements

Can be generated on a daily, weekly, or monthly basis, detailed, with aging.

Inquiry

Any account can be viewed on the CRT or printed out upon request with the latest transaction detail.

Adjustments

Cash can be applied or reapplied to an invoice within individual accounts without effecting the overall balance. Adjustments can also be made between accounts and between the A/R and General Ledger without allowing an "out of balance" condition to occur.

-2-

Dual Date Recognition

Both the date of the transaction and the effective date are maintained allowing future billings to be recognized at any time.

Company and Producer System

This system is based on a file containing all of the premium transactions generated by the invoicing activity. Each transaction contains pertinent information about those particular premium dollars. Produced from the file is the company account current (payables) report, the producer commission report and other reports of premiums by line of business, transaction code, company producer and either the effective date or the transaction date. Information from this file is available for production reports or historical summaries.

General Ledger System

The general ledger is fully integrated with all other Agency Partner systems. It receives transactions from the daily Activity System and maintains an item-by-item recording of entries until purged. All information contained in the general ledger is source referenced to allow complete audit beginning with point of entry. Reports can be produced at any time during the accounting period without corrupting the integrity of the system or normal period endings reports. The chart of accounts and the report formats are variable and are determined at the time the system is initialized.

The balance sheet, profit and loss statement, and trial balance are available in either detail or summary format. Individual account detail within accounts payable and commission income and expense are used to itemize the detail in these areas. Transaction codes can be used to identify what account is updated when non-premium amounts are invoiced. Journal entries are only accepted in balance to assure the integrity of the system.

One week of product training will be provided with the initial license of the software by the Commercial Group.

MINIMUM HARDWARE REQUIRED:

Any CTS-300, Version 5.0 or later configuration with:

- A minimum of 56K bytes of memory
- A VT100 Console Terminal
- A line printer
- Two hard disk drives

OPTIONAL HARDWARE:

Supports any unit record, terminal or mass storage device supported by the prerequisite software.

PREREQUISITE SOFTWARE:

CTS-300, Version 5.0 Commercial Operating System

OPTIONAL SOFTWARE:

None

TRAINING CREDITS:

None

SUPPORT CATEGORY:

DAP/CTS-300 is provided on an "as is" basis without warranty expressed or implied. Any software services, if available, will be provided at the then current charges.

ORDERING INFORMATION:

A single-use license only option is a license to copy the software previously obtained under license.

The following key (E, Q, T, V) represents the distribution media for the product and must be specified at the end of the order number, e. g., QJA07-CE = RK05 Disk.

E = RK05 Disk Cartridge

Q = RL01 Disk Cartridge

T = RK06 Disk Cartridge

V = RK07 Disk Cartridge

QJA07 -C— DAP/CTS-300 complete package, single-use license, binaries, documentation; also includes single-use license for a support kit subject to the binary licensing conditions of DIGITAL's Standard Terms and Conditions of Sale. (media: E, Q, T, V)

QJA07 -D— DAP/CTS-300 complete package single-use license only (for both binaries and support kit) no code, no documentation no support services. (media: Z)

ADDITIONAL SERVICES:

None

digital

Software Product Description

PRODUCT NAME: GAMMA-11 F/B, Version 3.0

SPD 15.60.5

DESCRIPTION:

GAMMA-11 F/B is a hardware/software system for nuclear medicine. GAMMA-11 F/B is designed to acquire, store, display, and manipulate images from the gamma camera in order to supply quantitative, meaningful clinical information.

In the foreground/background configuration, gamma camera data acquisition can take place independently of another process. This configuration includes two terminals. One terminal is designated the foreground acquisition terminal for the gamma camera and controls the setup and initiation of data collection. The other terminal, designated the background terminal, can be used simultaneously with the foreground terminal for data analysis by GAMMA-11 F/B programs, for program development in BASIC or FORTRAN, or for running any other programs that do not need immediate access to the disks for successful completion.

Only one terminal is included in the single-job configuration. This configuration has all the capabilities of the foreground/background system, except that data acquisition and processing can not be carried out simultaneously.

A transportable configuration (MDA11) also exists which provides data acquisition capabilities only.

Data Acquisition

GAMMA-11 F/B programs allow data acquired to be stored in seven different size matrices for static studies and four different size matrices for dynamic studies. Thus a user can choose the proper size and resolution for the job at hand. List mode acquisition (i.e., unstructured data) is also available. Static studies can be collected and terminated by a preset time, preset count, or matrix element overflow. Static studies can be linked to provide easy collection of and access to sequential static views. Dynamic studies are collected at a specified frame rate. List mode studies can be acquired with an effective frame rate of 100 frames per second.

An external synchronizing time marker can be included when acquiring either dynamic or list mode studies. When acquired with the time marker, these modes are called Gate Synchronized Acquisition (GSA) and Physiological List Mode (PLM), respectively, and are used primarily for cardiac studies.

GSA data is stored in 32 x 32, 64 x 64, or 128 x 128 matrices. The maximum number of images per study is determined by the amount of memory. During GSA acquisition (background) images are displayed 'line' on the video display.

The heart cycle time (or time between external synchronized events) is continuously monitored and displayed. During GSA acquisition (foreground) there is no line display of images, however, heart cycle time is monitored and displayed.

For GSA data acquisition, the operator can either choose fixed time intervals for each image or allow the program to divide the heart cycle time (averaged over 30 seconds) by the number of images chosen. A heart cycle time window can be selected so that if a given cycle time falls outside of this window, then the following cycle is rejected.

Acquisition in 128 x 128 word and 256 x 256 byte require the NCV11 interface. 256 x 256 byte acquisition requires a minimum of 64KW of memory. For display of 256 x 256 images, two additional M7068 bit maps are required (four total).

NOTE: List mode studies and 256 x 256 byte acquisition are not possible on the MDA11.

Physiological List Mode studies are acquired with one millisecond time intervals.

Data is reframed by creating a number of images based on the interval between successive external time markers.

With dual isotope collection, two separate images (one for each isotope) can be collected simultaneously. This capability does not apply to GSA or PLM.

NOTE: This gamma camera must also have the dual isotope option.

Once collection parameters and procedures are established, they can be set up as protocols or predefined studies. Up to 20 predefined studies can be used to speed setup, minimize error, and standardize collection procedures.

Patient Study Index

Once collected, patient studies are identified by a system-generated index file. Each study is identified by patient name, number, organ, study type, and

acquisition date. Studies are selected for analysis by index number; the user need not be concerned with the physical location of disk data.

Patient Monitor

Patient Monitor (background) displays line camera data prior to acquisition. It allows for patient positioning and validation of external trigger input for GSA or PLM. MDA11 and foreground patient monitors have a pseudo display. The display is made up of 4-5 ASCII characters.

Data Analysis and Display

Data is displayed on the VSV01 color video monitor. The VSV01 color display includes a hardware character generator permitting display, along with the image, of patient identification and image counting statistics. All photographs taken from the display are thus positively identified.

NOTE: No data analysis or display is possible on the MDA11 system.

Display Features:

- Color or monochrome display
- 64 colors; 16 colors displayed simultaneously
- Up to 31 color spectra defined
- Intensity or isometric display
- 4- or 8-image display (16 with optional VSV01 bit maps)
- Normal or magnified display
- Lower and upper thresholding with or without contrast enhancement
- Dual/full size image display (split screen or overlaid)
- Negative image display
- Display 256 x 256 byte data

Data Manipulation Features:

- Skip frames (forward or backward)
- Sequential frame add
- Image rotation (90-degree steps)
- Image translation (horizontal and vertical)
- Non-uniformity correction
- Frame algebra — add, subtract, multiply, divide or merge frames; add, subtract, or multiply frames by a constant
- 9-point smoothing
- 9 save areas for temporary storage of images or ROI curves
- Up to 55 optional save areas for temporary storage of images
- Slice profiles (vertical or horizontal)
- Isocontour generation
- Interpolation of images (optional VSV01 bit maps required for 256 x 256 byte interpolation)
- Select quarter of image

Region of Interest Features:

- Regular (keyboard controlled)
- Irregular (joystick controlled)
- Circumference or fill mode definition (irregular)
- Pertinent count rate information for each region displayed with image

- Up to 12 regions displayed
- Simultaneous display of curves and images with ROIs outlined
- Select regions by thresholding (irregular)
- Select regions in magnified mode (irregular)
- Time/activity curves displayed normally, averaged, or overlaid
- Ability to expand selected portions of ROI curves

Dynamic Playback:

- Sequences of preprocessed images can be displayed in cine mode.
- 2 to 4 playback buffers can be combined into one and displayed synchronously.
- Speed and direction of playback can be controlled via the joystick or keyboard.

Predefined Analysis Features:

- Multiple commands can be entered on a single line
- Predefined analysis procedures (macros) can be created, edited, saved, and executed from the system disk
- Predefined analysis can be linked with predefined study acquisition to semiautomate the system.
- Macros can call FORTRAN or BASIC programs; special calls allow macro reentry.

Miscellaneous Features:

- Dual isotope display and processing
- Additional disk space not required for reconstructed images in list mode analysis
- Comment editor

Utility Programs

Study Deletion — This function requires user verification to prevent accidental deletion of important data.

Study Transfer — This function transfers patient studies between any two RT-11 file-structured devices (disks, magnetic tape, floppy disks, etc.)

Application Programs

Included with GAMMA-11 F/B is the GAMMA-11 Applications package that provides the user with a series of application programs for nuclear medicine written in BASIC or FORTRAN. This application software is provided on an "as is" basis.

MINIMUM HARDWARE REQUIRED:

Any UNIBUS PDP-11 (except PDP 11/70) with line frequency clock that meets the following main memory requirements:

- 32K bytes for single-job operation with RK05 as system disk
- 64K bytes for foreground/background operation with RK05 as system disk
- 64K bytes for single job operation with RL01, RK06, or RK07 as system disks
- 96K bytes for foreground/background operation with RL01, RK06, or RK07 disks

and includes,

Mass Storage (one of the following):

- One RK05, RL01, or RK06 disk with a second disk or RT-11 supported magnetic tape unit
- One RK07 disk and an RT-11 supported magnetic tape unit (except TS-11)
- Two RK05, RL01, or RK06 disks

-3-

Terminals:

- Any console terminal supported by the prerequisite software. (Two terminals are required for foreground/background operation. The foreground terminal must operate at 1200 baud or greater.) Foreground terminal requires a DL11 and must be VT52 or VT100.

Display:

- VSV01 Video Display

Interface: (one of the following)

- NC11 gamma camera interface with KW11-P (AR11 needed for foreground/background operation and/or GSA or PLM), or
- NCV11 gamma camera interface (includes KWV11; AR11 not needed)

OPTIONAL HARDWARE:

- Any RT-11 supported mass storage device for off-line data storage except TA11 cassette
- A system total of 256K bytes main memory
- MDA11 acquisition system
- MDA11 software for the MDA11 system is distributed with the GAMMA-11 F/B software. Each MDA11 system includes a DZ license to copy this MDA software for use on that MDA11 system. RX02 drive is required on the host system for communication.

PREREQUISITE SOFTWARE:

None

OPTIONAL SOFTWARE:

FORTTRAN IV/RT-11, Version 2.1

TRAINING CREDITS:

TWO (2) — Applies only to options that include support services. Consult the latest Educational Services Catalog at your local office for the available courses, course requirements, and guidelines.

SUPPORT CATEGORY:

GAMMA-11 F/B is a DIGITAL Supported Software Product.

SOFTWARE INSTALLATION:

DIGITAL installation is required for Software Product Support. There is no charge for installation if performed at the time of system installation. DIGITAL installed software products, except for operating systems, are subject to an add-on installation fee when purchased subsequent to system installation.

SOFTWARE PRODUCT SUPPORT:

GAMMA-11 F/B includes Standard Services as defined in the Software Support Categories Addendum of this SPD.

The GAMMA-11 Applications package is offered on an "as is" basis. The above DIGITAL INSTALLED does not apply to the GAMMA-11 Applications package.

ORDERING INFORMATION:

Source and/or listing options are only available after the purchase of at least one supported license and after a source license agreement is in effect.

The following key (A, D) represents the form of power source for the product and must be specified at the end of the number, i.e., GMA11-AA = system using 115 volt/60 Hertz power.

A = 115 volt/60 Hertz

D = 230 volt/50 Hertz

The following key (D, E, Q, T, Z) represents the distribution media for the product and must be specified at the end of the order number, e.g., QJ723-AD = binaries on 9-track 800 BPI Magtape (NRZI).

D = 9-track 800 BPI Magtape (NRZI)

E = RK05 Disk Cartridge

Q = RL01 Disk Cartridge

T = RK06 Disk Cartridge

Z = No hardware dependency

GMA11 -C— GAMMA-11 single job system includes hardware, single-use license for GAMMA-11, RT-11, BASIC-11/RT-11, binaries on RL01 disk, documentation, support services (power: A, D)

Source/Listing Options

QJ721 -E— All GAMMA-11 sources (media: D, E, Q, T)

Upgrade Options

The following option is available as an upgrade kit from GAMMA-11, Version 7.0, for use on the same single CPU on which GAMMA-11, Version 7.0, is licensed. The license previously granted for GAMMA-11, Version 7.0 shall be extended to cover this upgrade.

QJ723 -A— Single-use license for GAMMA-11 F/B, RT-11, BASIC-11/RT-11, binaries, documentation, support services (media: D, E)

Update Options

Users of GAMMA-11 F/B, Version 2.0, whose specified Support Category warranty has expired may order under license the following software update at the then current media charge for such update. The update is distributed in source or binary form on the appropriate medium and includes no installation or other services unless specifically stated.

QJ721 -H— Binaries, documentation (media: D, E, Q, T)

QJ721 -H— Right to copy for single-use (under existing license), no binaries, no documentation (media: Z)

Users of GAMMA-11 F/B, Version 2.0, whose specified Support Category warranty has not expired may order under license the following software update for the then current media charge. The update is distributed in source or binary form on the appropriate medium and includes no installation or other services unless specifically stated.

NOTE: RT-11 and BASIC Updates and Upgrades are not included in GAMMA-11.

Miscellaneous

QJ721 -G— Documentation only kit(media: Z)

ADDITIONAL SERVICES:

The following additional service is available:

- Binary Program Update Service



DIGITAL EQUIPMENT COMPUTER USERS SOCIETY

INTRODUCTION

DECUS, the Digital Equipment Computer Users Society, was established in March of 1961 to advance the effective use of DIGITAL computers. It is a not-for-profit users group supported in part by Digital Equipment Corporation.

OBJECTIVES

The objectives of the Society are to advance the effective utilization of computers, computer peripheral equipment, and software manufactured and marketed by Digital Equipment Corporation, by promoting the interchange of information concerning their uses; advance the art of computation through mutual education and exchange of ideas and information; establish standards and provide channels to facilitate the exchange of computer programs among DECUS members; provide feedback to the computer industry on equipment and software needs; and to reduce the duplication of development efforts.

ORGANIZATION

The Digital Equipment Computer Users Society is a federation of chapters, whose membership is determined by geographic location. The membership is organized to meet the specific needs of members in its area such as Symposia and Special User Group activities. The DECUS chapters are:

- *AUSTRALIAN CHAPTER (Australia, Indonesia, Malaysia, New Zealand, PNG, Singapore,)*
- *EUROPEAN CHAPTER (Europe, Middle East, North Africa, Russia)*
- *CANADIAN CHAPTER (Canada)*
- *U.S. CHAPTER (U.S. and All Others)*

ACTIVITIES

1. SYMPOSIA

Symposia are sponsored throughout the year by each of the DECUS Chapters and Regional/National User Groups. These meetings provide an opportunity for users of DIGITAL computers to meet with other users and with DIGITAL management, engineers, and customer service representatives. They provide a forum for users to exchange information on technique and approaches to issues of common interest and to provide feedback to DIGITAL on existing and future products and services. Sessions at the symposia include user-driven workshops, tutorials, product panels, as well as application/system-specific presentations.

The technical papers and presentations from each symposium are published as DECUS Proceedings.

2. SPECIAL USER GROUPS

DECUS encourages subgrouping of users with common interests and/or geographical proximity.

Special Interest Groups (SIGs) promote the interchange of specialized information for application areas, subject areas (such as languages), or specific operating systems. A group of users must petition the Chapter Executive Board for recognition as a Special Interest Group. The group must have a chairman, a DIGITAL representative, and its organization must meet the guidelines of the Chapter Executive Board.

Geographic subgroupings are formed to service the DECUS members within a specific area although they may also be based on interests as in SIGs. There are four types of geographic subgroupings:

1. *LUGs — Local User Groups*
2. *NUGs — National User Groups*
3. *RUGs — Regional User Groups*
4. *SLUGs — Student Local User Groups*

3. STANDARDS

DECUS promotes user activity in reviewing DIGITAL standards. Users are given the opportunity to comment on DIGITAL standards prior to their finalization.

4. PROGRAM LIBRARY

One of the major activities of the users group is the DECUS Program Library. The Library contains programs written and submitted by users and is maintained and operated separate from the Digital Software Distribution Center. A wide range of software is available, including languages, editors, numerical functions, utilities, display routines, and various other types of application software.

MEMBERSHIP

Membership in DECUS is voluntary and is not subject to membership fee. Members are invited to take an active interest in the Society by contributing to the Program Library, to newsletters, and by participating in its Special User Groups and Symposia. There are two types of membership: Installation Membership and Association Membership.

INSTALLATION MEMBERSHIP

An organization, institution, or individual that has purchased, leased or has on order a computer manufactured by Digital Equipment Corporation is eligible for Installation Membership in DECUS.

An Installation should appoint a person immediately concerned with the use of the computer to act as delegate to the Society. A delegate receives all official communications and has a vote on DECUS policies and elections. An organization or company is eligible for as many voting delegates as it has DIGITAL computers. Each delegate must file an application for Installation Membership.

ASSOCIATE MEMBERSHIP

Any person who is not an appointed Installation Delegate, who has a bona fide interest in DECUS is eligible for Associate Membership.

Membership status is acquired by submitting the enclosed application to the appropriate Chapter Executive Secretary for approval by the Chapter Executive Board.

To obtain a membership form for DECUS, please return this form to the appropriate Chapter office listed below.

NAME: _____
(First) (Last/Family Name)

COMPANY: (INSTALLATION): _____

ADDRESS 1: _____

2: _____

3: _____

4: _____

(City Town, State Province, and Zip/Postal Code)

COUNTRY: _____

TELEPHONE: _____ TELEX: _____

I obtained this form from _____

DECUS OFFICES

DECUS Australia
P.O. Box 384
Chatswood
NSW 2067
Australia

DECUS Canada
P.O. Box 11500
Ottawa, Ontario K2H 8K8
Canada

DECUS Europe
P.O. Box 510
12, avenue des Morgines
CH-1213 Petit-Lancy 1/GE
Switzerland

DECUS U.S. and
Office of the Executive Director
One Iron Way
Marlboro, Massachusetts 01752
USA

SOFTWARE PROBLEMS OR ENHANCEMENTS

Questions, problems, and enhancements to DIGITAL software should be reported on a Software Performance Report (SPR) form and mailed to the SPR Center at one of the following Digital Offices: *(SPR forms are available from the SPR Center).*

<u>Areas Covered</u>	<u>SPR Center</u>	<u>Areas Covered</u>	<u>SPR Center</u>
United States; remainder of Far East, Middle East, Africa Latin America	Administrative Services Group, SWS P.O. Box F Maynard, Ma 01754	Japan	Digital Equipment Corp. INTL 3rd Floor Kowa Bldg. 8-7 Sanban Cho Chiyoda Ku Tokyo 102 Japan
Canada	Digital Equipment Canada P.O. Box 11500 Ottawa, Ontario Canada K2H 8K8	New Zealand	Digital Equipment N.Z. LTD P.O. Box 17093 Greenlane, Auckland 5, New Zealand
United Kingdom, Bahrain, Egypt, Iraq, Jordan, Kuwait, Lebanon, Libya, Qatar, Oman, Saudi Arabia, Syria, United Arab Emirates, Yemen, Arab Republic.	Digital Equipment Corp. LTD Fountain House Butts Centre GB - Reading RG17QN England	Belgium, Holland, Luxemburg	Digital Equipment B.V. KAAP Horndreef 38 NL - Utrecht/Overvecht Holland
Australia-Melbourne	Digital Equipment Aust. PTY. LTD 60 Park Street So. Melbourne Victoria Australia 3205	Sweden	Digital Equipment Corp. AB Englundavägen 7 S-171 24 Solna, Sweden
Australia-Sydney	Digital Equipment Aust. PTY. LTD 123 125 Willoughby Rd. P. O. Box 491 Crows Nest NSW Australia 2065	Denmark	Digital Equipment Corp. APS Kristineberg 3 DK-2100 Copenhagen Ø Denmark
Brazil	Digital Equipment Comercio Ind. Rua Batatais 429 Esq AL Campin 01423 Jardim Paulista Sao Paulo 0100 Brazil	Finland	Digital Equipment Corp. OY PL16 SF - 02201 ESPOO 20 Finland
Caribbean	De Latin America P. O. Box 11038 Fernando Juncos Sta. Santurce PR 00910	Norway	Digital Equipment Corp. A/S Pottenmakerveien 8 N - Oslo 5 Norway
France	Digital Equipment France 18, rue Saarinen France Silic 225 F - 94528 Rungis - Cedex France	Austria, East Germany, West Germany, Poland, Hungary, Rumania, Czechoslovakia, Russia, Bulgaria	Digital Equipment Corp. GMBH Wallsteinplatz 2 D - 8 Munich 40 West Germany
Italy	Digital Equipment S.P.A. Viale Fulvio Testi 117 I-20092 Cinisillo Balsamo Milan, Italy	Israël	DECSYS Computers LTD. 4, Yirmiyahou Str. P.O. Box 6359 IL - Tel-Aviv 63505 Israël

Areas Covered

Greece, Portugal,
Spain, Switzerland,
Yugoslavia & Sina
(Morocco, Algeria,
Tunisia, Cyprus,
Turkey, Malta)

SPR Center

Digital Equipment Corp. SA
9, route des Jeunes
1211 Geneva 26
Switzerland

DIGITAL EQUIPMENT CORPORATION, Corporate Headquarters: Maynard, Massachusetts 01754, Telephone: (617)897-5111—SALES AND SERVICE OFFICES: UNITED STATES—ALABAMA, Huntsville • ARIZONA, Phoenix and Tucson • CALIFORNIA, El Segundo, Los Angeles, Oakland, Ridgecrest, San Diego, San Francisco (Mountain View), Santa Ana, Santa Clara, Stanford, Sunnyvale and Woodland Hills • COLORADO, Englewood • CONNECTICUT, Fairfield and Meriden • DISTRICT OF COLUMBIA, Washington (Lanham, MD) • FLORIDA, Ft. Lauderdale and Orlando • GEORGIA, Atlanta • HAWAII, Honolulu • ILLINOIS, Chicago (Rolling Meadows) • INDIANA, Indianapolis • IOWA, Bettendorf • KENTUCKY, Louisville • LOUISIANA, New Orleans (Metairie) • MARYLAND, Odenton • MASSACHUSETTS, Marlborough, Waltham and Westfield • MICHIGAN, Detroit (Farmington Hills) • MINNESOTA, Minneapolis • MISSOURI, Kansas City (Independence) and St. Louis • NEW HAMPSHIRE, Manchester • NEW JERSEY, Cherry Hill, Fairfield, Metuchen and Princeton • NEW MEXICO, Albuquerque • NEW YORK, Albany, Buffalo (Cheektowaga), Long Island (Huntington Station), Manhattan, Rochester and Syracuse • NORTH CAROLINA, Durham/Chapel Hill • OHIO, Cleveland (Euclid), Columbus and Dayton • OKLAHOMA, Tulsa • OREGON, Eugene and Portland • PENNSYLVANIA, Allentown, Philadelphia (Bluebell) and Pittsburgh • SOUTH CAROLINA, Columbia • TENNESSEE, Knoxville and Nashville • TEXAS, Austin, Dallas and Houston • UTAH, Salt Lake City • VIRGINIA, Richmond • WASHINGTON, Bellevue • WISCONSIN, Milwaukee (Brookfield) • INTERNATIONAL—ARGENTINA, Buenos Aires • AUSTRALIA, Adelaide, Brisbane, Canberra, Melbourne, Perth and Sydney • AUSTRIA, Vienna • BELGIUM, Brussels • BOLIVIA, La Paz • BRAZIL, Rio de Janeiro and Sao Paulo • CANADA, Calgary, Edmonton, Halifax, London, Montreal, Ottawa, Toronto, Vancouver and Winnipeg • CHILE, Santiago • DENMARK, Copenhagen • FINLAND, Helsinki • FRANCE, Lyon, Grenoble and Paris • GERMAN FEDERAL REPUBLIC, Cologne, Frankfurt, Hamburg, Hannover, Munich, Nuremburg, Stuttgart and West Berlin • HONG KONG • INDIA, Bombay • INDONESIA, Djakarta • IRELAND, Dublin • ITALY, Milan, Rome and Turin • IRAN, Tehran • JAPAN, Osaka and Tokyo • MALAYSIA, Kuala Lumpur • MEXICO, Mexico City • NETHERLANDS, Utrecht • NEW ZEALAND, Auckland and Christchurch • NORWAY, Oslo • PUERTO RICO, Santurce • SINGAPORE • SPAIN, Madrid • SWEDEN, Gothenburg and Stockholm • SWITZERLAND, Geneva and Zurich • UNITED KINGDOM, Birmingham, Bristol, Epsom, Edinburgh, Leeds, Leicester, London, Manchester and Reading • VENEZUELA, Caracas •