




RK15

Engineering Drawings


Digital Equipment Corporation

The material herein is for information purposes only and is subject to change without notice. Digital Equipment Corporation assumes no responsibility for any errors which may appear herein.

These drawings and specifications herein are the property of Digital Equipment Corporation and shall not be reproduced or copied or used in whole or in part as the basis for the manufacture or sale of items without written permission.
Copyright © 1975, Digital Equipment Corporation



TITLE	REVISION	DATE	BY	CHKD	APP'D
DRAWING DIRECTORY RK15	001	07 3	0	00	0015-0
					C



FIRST USED OR OPTION/MODEL		QTY	DESCRIPTION	PART NO	REV
PDP15					
UNLESS OTHERWISE SPECIFIED DIMENSION IN INCHES TOLERANCES				EQUIPMENT CORPORATION	
DECIMALS	ANGLES			TITLE	
XXX - .005	10° 30'			DISK CARTRIDGE SYSTEM	
XX - .002				RK05	
X - .001				DUA RK15 - U - C	
REMOVE BURRS AND BREAK SHARP CORNERS. SURFACE QUALITY					
MATERIAL					
FINISH					

ENGINEERING SPECIFICATION



CONTINUATION SHEET

TITLE RK15 ENGINEERING SPECIFICATION

6.0	<u>NUMBER</u>	<u>VARIATION</u>
	RK15-HE	8K 115V 60HZ
	RK15-HF	8K 230V 50HZ
	RK15-HH	8K 230V 60HZ
	RK15-HJ	8K 115V 50HZ
	RK15-HK	12K 115V 60HZ
	RK15-HL	12K 230V 50HZ
	RK15-HM	12K 230V 60HZ
	RK15-HN	12K 115V 50HZ

0125

CODS
SP

NUMBER
RK15-0-1

REV
0



TITLE

RK15 CUSTOMER ACCEPTANCE PROCEDURE

Appendix II

Software Check List for the RK15

All UC15 documentation
RK15 customer print set
RK05 Disk Drive Maintenance Manual DEC-00-RK05-DA
RK05 customer print set
H743 customer print set
RK11E customer print set
RK11 Data and Static Test Listing 11-D5HA-D
RK11 Data Test 11-D5HA-PB2
RK11 Static Test 11-D5HA-PB1
RK11 Random Exercisor 11-DZRKG-A-PB
RK11 Random Exercisot 11-DZRKG-A-D
RK11-D Maintenance Manual DEC-11-HRKDA-A-D

Keysheet with ECO status contained
Customer Acceptance Form
Installation Report

SIZE
A


CODE
SP

NUMBER
RK15-0-4

REV
A

0-0-919002 04 2


SEE NOTE #1




WIRING DIAGRAM

LEGEND	
NUMBER	VARIATION
7006115-0	ROTRON REGULAR FAN OR IMC REGULAR FAN
7006115-1	ROTRON WHISPER FAN OR IMC QUIET FAN

- NOTES:
1. PLACE APPROXIMATELY 3/16 INCH LONG PIECE NY-SHRINK TUBING OVER EACH CONN OF WIRE TO FAN.
 2. USE ITEM 15 WITH 12-05032-02 (IMC) & ITEM 13, 14 & 15 WITH 12-05032-01 (ROTRON) FANS.
 3. USE ITEM #15 WITH FAN #1209942-02 (IMC) & ITEM 13, 14 & 16 WITH FAN #1209942-01 (ROTRON).




DIRECTION OF AIRFLOW



REV	DATE	BY	CHKD	DESCRIPTION
1	19-00015	A		1. CHANGE TO 1/2 INCH LONG NY-SHRINK TUBING
2	15-00040	B		2. CHANGE TO 1/2 INCH LONG NY-SHRINK TUBING
3	15-00057	E		3. CHANGE TO 1/2 INCH LONG NY-SHRINK TUBING
4	15-00079	H		4. CHANGE TO 1/2 INCH LONG NY-SHRINK TUBING
5	15-00080	I		5. CHANGE TO 1/2 INCH LONG NY-SHRINK TUBING
6	15-00081	J		6. CHANGE TO 1/2 INCH LONG NY-SHRINK TUBING
7	15-00082	K		7. CHANGE TO 1/2 INCH LONG NY-SHRINK TUBING
8	15-00083	L		8. CHANGE TO 1/2 INCH LONG NY-SHRINK TUBING
9	15-00084	M		9. CHANGE TO 1/2 INCH LONG NY-SHRINK TUBING
10	15-00085	N		10. CHANGE TO 1/2 INCH LONG NY-SHRINK TUBING
11	15-00086	O		11. CHANGE TO 1/2 INCH LONG NY-SHRINK TUBING
12	15-00087	P		12. CHANGE TO 1/2 INCH LONG NY-SHRINK TUBING
13	15-00088	Q		13. CHANGE TO 1/2 INCH LONG NY-SHRINK TUBING
14	15-00089	R		14. CHANGE TO 1/2 INCH LONG NY-SHRINK TUBING
15	15-00090	S		15. CHANGE TO 1/2 INCH LONG NY-SHRINK TUBING
16	15-00091	T		16. CHANGE TO 1/2 INCH LONG NY-SHRINK TUBING
17	15-00092	U		17. CHANGE TO 1/2 INCH LONG NY-SHRINK TUBING
18	15-00093	V		18. CHANGE TO 1/2 INCH LONG NY-SHRINK TUBING
19	15-00094	W		19. CHANGE TO 1/2 INCH LONG NY-SHRINK TUBING
20	15-00095	X		20. CHANGE TO 1/2 INCH LONG NY-SHRINK TUBING
21	15-00096	Y		21. CHANGE TO 1/2 INCH LONG NY-SHRINK TUBING
22	15-00097	Z		22. CHANGE TO 1/2 INCH LONG NY-SHRINK TUBING
23	15-00098	AA		23. CHANGE TO 1/2 INCH LONG NY-SHRINK TUBING
24	15-00099	AB		24. CHANGE TO 1/2 INCH LONG NY-SHRINK TUBING
25	15-00100	AC		25. CHANGE TO 1/2 INCH LONG NY-SHRINK TUBING
26	15-00101	AD		26. CHANGE TO 1/2 INCH LONG NY-SHRINK TUBING
27	15-00102	AE		27. CHANGE TO 1/2 INCH LONG NY-SHRINK TUBING
28	15-00103	AF		28. CHANGE TO 1/2 INCH LONG NY-SHRINK TUBING
29	15-00104	AG		29. CHANGE TO 1/2 INCH LONG NY-SHRINK TUBING
30	15-00105	AH		30. CHANGE TO 1/2 INCH LONG NY-SHRINK TUBING
31	15-00106	AI		31. CHANGE TO 1/2 INCH LONG NY-SHRINK TUBING
32	15-00107	AJ		32. CHANGE TO 1/2 INCH LONG NY-SHRINK TUBING
33	15-00108	AK		33. CHANGE TO 1/2 INCH LONG NY-SHRINK TUBING
34	15-00109	AL		34. CHANGE TO 1/2 INCH LONG NY-SHRINK TUBING
35	15-00110	AM		35. CHANGE TO 1/2 INCH LONG NY-SHRINK TUBING

DIGITAL EQUIPMENT CORPORATION MAYNARD MASSACHUSETTS				QUANTITY / VARIATION														
PARTS LIST																		
MADE BY J. DEVIN		CHECKED J. MADDEN		SECTION														
DATE 4/11/69		DATE 4/17/69		1														
ENG <i>Dr. Butte</i>		PROD/		ISSUED SECT.														
DATE 7/1/69		DATE		1														
ITEM NO	DWG NO. / PART NO.	DESCRIPTION		7006115-0	7006115-1													
1	D-IA-7407287-0-0	FAN HOUSING		1	1													
	1205033-01 OR -02	FAN,		3														
	9006024-1	SCR, PHL, 1 PHL, 6-32 X 1/2 LG SST		12														
	9006540	NUT, KEPS HEX #6-32 SST		12														
	9007231	PUSH, JUNC TERM RED #DC-202-3 HEYMAN		3	3													
	9007235	BUSH, JUNC TERM WHT #DC-202-3 HEYMAN		3	3													
	9007238	TAB, SOLDER #T-202-S HEYMAN		6	6													
	910760-22	#18 AWG STRD TFF RED		A/R	A/R													
	910760-99	#18 AWG STRD TFF WHT		A/R	A/R													
	9107305-02	HY-SHRINK TUBING RED 9/16 LG		6	6													
	A-DC-7407311-0-0	DECAL, FAN HOUSING		1	1													
	9008121-00	SCR, PHL, 6-32 X 1/2 LG		12														
	9008202	FAN CLIP		12	12													
	9006024-2	SCR, PHL FLAT HEAD 6-32 X 1/2		12	12													
	9008275-0	SCR, "TAP TITE" PHL FLAT H 8-32 X 1/2		12	12													
	9008270-0	WASHER, EXT. TOOTH CS		12	12													
	1209942-01 OR -02	FAN, ROTRON OR IMC			3													
TITLE		ASSY NO.		SIZE CODE		NUMBER				REV				ECO NO.				
FAN HOUSING ASSEMBLY		D-AD-7006115-0-0		A PL		7006115-0-0				H				12-00079				
		SHEET 1 OF 1		DIST. G														

CONT'D FROM SHT 3



TITLE	SHEET	OF	SIZE CODE	NUMBER	REV
UC15-0 DRAWING DIRECTORY	4	8	B DD	UC15-0	H

ENGINEERING SPECIFICATION		CONTINUATION SHEET	
TITLE UNI CHANNEL 15			
UC15 Front		UC15 Rear	
DR15-C			
MX15-B			
Blank			
Blank			
Blank or 10" 11/05		10" 11/05	
PDP-11/05 & 2 DR11-C's		PDP-11/05	
Note 1			
H740-D		H740-D	
		861.PC	
Figure 1.1			
Note 1: This space may be used to mount a Ball expander box. If an RK15 has previously been mounted in the space, the fan assembly, mounting frame, and RK11-E must be removed and the RK11-E remounted inside the Ball box. See Note 4 on drawing D-UA-RK15-F Sheet 2 of 2.			
SIZE A		CODE SP	NUMBER UC15-0-1
REV B			
DEC FORM NO DEC 16-(381)-1022-N370 DRA 108			
SHEET 5 OF 25			

ENGINEERING SPECIFICATION		CONTINUATION SHEET	
TITLE UNI CHANNEL 15			
1.3.1 Cable Specifications			
BC08R - 10		DR11-C #1 CONN2	DR15-C B 18
BC08R - 10		DR11-C #1 CONN1	DR15-C B 17
BC08R - 10		DR11-C #0 CONN2	DR15-C A 18
BC08R - 10		DR11-C #0 CONN1	DR15-C A 17
BC11A - 8F		PDP11/05 A7/B7	MX15-B A01B01
SIZE A		CODE SP	NUMBER UC15-0-1
REV B			
DEC FORM NO DEC 16-(381)-1022-N370 DRA 108			
SHEET 6 OF 25			

ENGINEERING SPECIFICATION		CONTINUATION SHEET	
TITLE UNI CHANNEL 15			
General Description			
The UC15 configuration Specifications are designed to be an aid in installing the memory data line (MDL), I/O bus and UNIBUS cables. Under no circumstances should any section of MDL exceed 25 feet.			
1.3.1.1 MDL Configurations			
This section gives a breakdown of the various MDL cable configurations. The cables are listed in the order in which they must be run in the system. All cables are BC08A's unless otherwise noted. H8519 #1 connector block is the block insert for the first 48K, H8519, #2 is the block used for the second 48K.			
15 MDL Cables from KP to MX15B			
15 without KM/KT15 or FP15			
From		To	
Device	LOC	Device	LOC
KP15	JO2	MX15B	A17
KP15	JO3	MX15B	B17
15 with KM/KT 15			
KP15	JO2	BB15	BO2
KP15	JO3	BB15	BO3
BB15	A02	MX15B	A17
BB15	A03	MX15B	B17
15 with FP15			
KP15	JO2	FP15	H29
KP15	JO3	FP15	H30
SIZE A		CODE SP	NUMBER UC15-0-1
REV B			
DEC FORM NO DEC 16-(381)-1022-N370 DRA 108			
SHEET 7 OF 25			

ENGINEERING SPECIFICATION		CONTINUATION SHEET	
TITLE UNI CHANNEL 15			
FP15		J29	MX15B
FP15		J30	MX15B
15 with KM/KT15 and FP15			
KP15		JO2	FP15
KP15		JO3	FP15
FP15		J29	BB15
FP15		J30	BB15
BB15		A02	MX15B
BB15		A03	MX15B
1.3.1.2 MDL Cables from MX15B to Memory			
Up to 32K MM15			
MX15B		A08	MM15A
MX15B		B08	MM15A
MM15A		A02	MM15B
MM15A		A03	MM15B
MM15B		BO2	MM15C
MM15B		BO3	MM15C
One MX15 A up to 56K MM15			
MX15B		A08	MX15A#1
MX15B		B08	MX15A#1
SIZE A		CODE SP	NUMBER UC15-0-1
REV B			
DEC FORM NO DEC 16-(381)-1022-N370 DRA 108			
SHEET 8 OF 25			

ENGINEERING SPECIFICATION

0100101

CONTINUATION SHEET

TITLE UNI CHANNEL 15

4. Interface specifications

All interfaces are standard to the Particular options of which they are a part.


SIZE
A

CODE
SP

NUMBER
UC15-0-1

REV
B

This drawing and specification, together with the accompanying data, constitute the entire contract and shall not be modified or changed in whole or in part without the written consent of the customer.



REV	DATE	BY	CHK
1	11/15/72	W. J. DOL	W. J. DOL
2	11/15/72	W. J. DOL	W. J. DOL
3	11/15/72	W. J. DOL	W. J. DOL
4	11/15/72	W. J. DOL	W. J. DOL
5	11/15/72	W. J. DOL	W. J. DOL
6	11/15/72	W. J. DOL	W. J. DOL
7	11/15/72	W. J. DOL	W. J. DOL
8	11/15/72	W. J. DOL	W. J. DOL

DEC 102 A

FIRST USED ON OPT/MOD	QTY.	DESCRIPTION	PART NO.	ITEM NO.
UC15				
UNLESS OTHERWISE SPECIFIED	DATE	DATE	DATE	DATE
UNLESS OTHERWISE SPECIFIED	11/15/72	11/15/72	11/15/72	11/15/72
DIMENSION IN INCHES	11/15/72	11/15/72	11/15/72	11/15/72
TOLERANCES	11/15/72	11/15/72	11/15/72	11/15/72
DECIMALS FRACTIONS ANGLES	11/15/72	11/15/72	11/15/72	11/15/72
± .005 ± .001 ± .005	11/15/72	11/15/72	11/15/72	11/15/72
FINAL SURFACE QUALITY	11/15/72	11/15/72	11/15/72	11/15/72
REMOVE BURRS AND BREAK SHARP CORNERS	11/15/72	11/15/72	11/15/72	11/15/72
MATERIAL	11/15/72	11/15/72	11/15/72	11/15/72
FINISH	11/15/72	11/15/72	11/15/72	11/15/72
SCALE	11/15/72	11/15/72	11/15/72	11/15/72
SHEET	11/15/72	11/15/72	11/15/72	11/15/72
OF	11/15/72	11/15/72	11/15/72	11/15/72
1	11/15/72	11/15/72	11/15/72	11/15/72
2	11/15/72	11/15/72	11/15/72	11/15/72
3	11/15/72	11/15/72	11/15/72	11/15/72
4	11/15/72	11/15/72	11/15/72	11/15/72
5	11/15/72	11/15/72	11/15/72	11/15/72
6	11/15/72	11/15/72	11/15/72	11/15/72
7	11/15/72	11/15/72	11/15/72	11/15/72
8	11/15/72	11/15/72	11/15/72	11/15/72


















II ARRIVING
(HIGH ORDER BITS)

DBS MX15-B-03

REV. A

This drawing and its specifications are the property of Digital Equipment Corporation and shall not be reproduced or copied in whole or in part without the express written permission of Digital Equipment Corporation. © DEC. 1972

D



A

BRUNING 40 527 15840	REV. NO.	DATE	BY	CHK	APP
UC15-C-Ø2	1	12/1/72	R. E. Hay		
UC15-C-Ø2	2	12/1/72	R. E. Hay		
UC15-C-Ø2	3	12/1/72	R. E. Hay		
UC15-C-Ø2	4	12/1/72	R. E. Hay		
UC15-C-Ø2	5	12/1/72	R. E. Hay		
UC15-C-Ø2	6	12/1/72	R. E. Hay		
UC15-C-Ø2	7	12/1/72	R. E. Hay		
UC15-C-Ø2	8	12/1/72	R. E. Hay		

DRØ 102-B

8

7

6

5

4

3

2

1

FIRST USED ON OPTION MODEL	QTY	DESCRIPTION	PART NO.	ITEM NO.
UC15				
UNLESS OTHERWISE SPECIFIED: DIMENSION IN INCHES TOLERANCES				
DECIMALS	ANGLES	DATE	TITLE	
XXX - .005	10 30	12/1/72	I/O BUS IN	
XX - .02		12/1/72		
X - .1		12/1/72		
REMOVE BURRS AND BREAK SHARP CORNERS SURFACE QUALITY		DATE		
MATERIAL		DATE		
NEXT HIGHER ASSY		DATE		

This drawing and specifications herein are the property of Digital Equipment Corporation and shall not be reproduced or copied or used in whole or in part as the basis for the manufacture or sale of items without written permission.
DEC 1972

V
A18
80-0-0180
S4
2

DR01 DS 00 H P2 MS10 Q V1 DR03 DR DS 00 L
E27 J1 DR03 DR DS 00 H

DR01 SD 01 H H2 MS10 Q H1 DR03 DR SD 01 L
E28 F1 DR03 DR SD 01 H

DR01 API 2 GR H D2 MS10 Q D1 DR03 DR API 2 GR L
E29 C1 DR03 DR API 2 GR H

DR01 DS 01 H M2 MS10 Q M1 DR03 DR DS 01 L
E27 L1 DR03 DR DS 01 H

DR01 IOP 1 H K2 MS10 Q K1 DR03 DR IOP 1 L
E28 J1 DR03 DR IOP 1 H

DR01 API 3 GR H H2 MS10 Q H1 DR03 DR API 3 GR L
E29 F1 DR03 DR API 3 GR H

DR01 DS 02 H P2 MS10 Q P1 DR03 DR DS 02 L
E27 N1 DR03 DR DS 02 H

DR01 IOP 2 H M2 MS10 Q M1 DR03 DR IOP 2 L
E28 L1 DR03 DR IOP 2 H

DR01 I/O SYNC H K2 MS10 Q K1 DR03 DR I/O SYNC L
E29 J1 DR03 DR I/O SYNC H

DR01 DS 03 H R2 MS10 Q T2 DR03 DR DS 03 L
E27 U2 DR03 DR DS 03 H

DR01 IOP 4 H P2 MS10 Q P1 DR03 DR IOP 4 L
E28 N1 DR03 DR IOP 4 H

DR01 DS 04 H S2 MS10 Q S1 DR03 DR DS 04 L
E27 R1 DR03 DR DS 04 H

DR01 I/O PWR CLR H R2 MS10 Q T2 DR03 DR I/O PWR CLR L
E28 U2 DR03 DR I/O PWR CLR H

DR01 DS 05 H U1 MS10 Q V2 DR03 DR DS 05 L
E27 V1 DR03 DR DS 05 H

DR01 API 0 GR H S2 MS10 Q S1 DR03 DR API 0 GR L
E28 R1 DR03 DR API 0 GR H

DR01 SD 00 H E2 MS10 Q D1 DR03 DR SD 00 L
E27 C1 DR03 DR SD 00 H

DR01 API 1 GR H U1 MS10 Q V2 DR03 DR API 1 GR L
E28 V1 DR03 DR API 1 GR H

REVISIONS	
CHG	NO
1	UC15F 00003
2	UC15F 00003
3	UC15F 00003
4	UC15F 00003
5	UC15F 00003
6	UC15F 00003
7	UC15F 00003
8	UC15F 00003

JRD 102-B


FIRST USED ON OPTION MODEL		QTY	DESCRIPTION	PART NO	REV
UC15					
UNLESS OTHERWISE SPECIFIED DIMENSIONS IN INCHES TOLERANCES		DRN	DATE	digital EQUIPMENT CORPORATION MAYNARD, MASSACHUSETTS	
DECIMALS		CHKD	DATE		
ANGLES		ENG	DATE	TITLE	
XXX + .005		PROJ ENG	DATE		
XX + .02		PROJ	DATE	CONTROL IN	
X + .1		PROD	DATE		
REMOVE BURRS AND BREAK SHARP CORNERS SURFACE QUALITY		DRN	DATE	SIZE CODE	
		DRN	DATE		
MATERIAL		NEXT HIGHER ASSY		NUMBER	
		B-DD-UC15-0		REV	
FINISH		SCALE NONE		DIST	
		SHEET 1 OF 1		PART NO	

This drawing and specifications, herein, are the property of Digital Equipment Corporation and shall not be reproduced or copied or used in whole or in part as the basis for the manufacture or sale of items without written permission. © DEC. 1972

FIRST USED ON OPTION MODEL		QTY.	DESCRIPTION	PART NO.	ITEM NO.
UC15			PARTS LIST		
DRN.	DATE	 DIGITAL EQUIPMENT CORPORATION MAYNARD, MASSACHUSETTS			
CHK'D	DATE				
ENG.	DATE				
PROJ. ENG.	DATE				
PROD.	DATE				
NEXT HIGHER ASSEMBLY		TITLE WIRE LIST (DR15-C)			
D-AD-7009166-0-0					
SCALE $++$					
SHEET 1 OF 1					
SIZE CODE		NUMBER		REV.	
K WL		DR15-C-WL		A	
DIST.					

REVISIONS	
CHANGE NO.	REV.
UC15F-00003	A
E. Remond 6-17-74	
F. DOLL	
7. 12/25/74	

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1970 BY DIGITAL EQUIPMENT CORPORATION



UNLESS OTHERWISE INDICATED:
 RESISTORS ARE 10K, 1/4W, 5%
 CAPACITORS ARE .01UF, 100V, 20%
 DIODES ARE D664
 ⚡ = SPLIT LUG
 GND = C2, T1

FORM NO. 102

DRN
jeanne french
DATE
8/27/70
CHK'D
Crawley
DATE
9/11/70
ENG'D
B. Burkner
DATE
9/21/70
PROD
T. H. H. H.

TRANSISTOR & DIODE CONVERSION CHART			
DEC	EIA	DEC	EIA
D664	IN3606		
D662	IN645		









digital
 EQUIPMENT
 CORPORATION
 MAYNARD, MASSACHUSETTS

TITLE DISK SELECTION G740
 SIZE CODE NUMBER REV
 C CS G740-0-1
 PRINTED CIRCUIT REV A


DIST. 324,434,435 3 5 PINK

REV
 NUMBER
 G740-0-1
 SIZE CODE
 C CS

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1970 BY DIGITAL EQUIPMENT CORPORATION



UNLESS OTHERWISE INDICATED:
RESISTORS ARE 1/4W, 5%
CAPACITORS ARE .01UF, 100V, 20%
IC'S ARE DEC1074H74
PIN 7 = GND
PIN 14 = +5V ON EACH IC



11	9208337-06	HANDLE, FLIP CHIP - MAGENTA	1
10	9006732	EYELET #GS 4-7	2
9	1910553	I.C. DEC1074H74	3
8	1300295	RES. 330, 1/4W, 5% CC	1
7	1300271	RES. 220, 1/4W, 5% CC	1
6	1001610	CAP. .01UF, 100V, 20% DISC	4
5	1000076	CAP. 39UF, 10V, 10% S. TANT	1
4	5009357	ETCHED CIRCUIT BOARD	1
3	B-MH-M246-0-6	MODULE ECO HISTORY	
2	C-AH-M246-0-5	ASSY/DRILLING HOLE LAYOUT	
1	K-CO-M246-0-4	X-Y COORDINATE HOLE LOCATION	

ITEM NO.	DEC PART NO.	DESCRIPTION

PARTS LIST

REVISIONS	CHKD	NO	REV
1	W	0001	A

DEC FORM NO. DRC 102


DRN	DATE
5	12/18/70
CHKD	DATE
W	1/2/71
ENG	DATE
W	1/2/71
PROD.	DATE

TRANSISTOR & DIODE CONVERSION CHART			
DEC	EIA	DEC	EIA

EQUIPMENT CORPORATION
MAYNARD, MASSACHUSETTS

TITLE			
5 D FLIP FLOPS M246			
SIZE	CODE	NUMBER	REV
C	CS	M246-0-1	A
PRINTED CIRCUIT REV			A

REV A
NUMBER
M246-0-1
U.S.



FIRST USED ON OPTION MODEL		QTY	DESCRIPTION	PART NO.	ITEM NO.
PDP 11					
UNLESS OTHERWISE SPECIFIED		DATE	digital EQUIPMENT CORPORATION		
DIMENSION IN INCHES		DATE			
TOLERANCES		DATE			
DECIMALS	ANGLES	DATE	HUBUS POWER FAIL DRIVERS		
XXX - .005	10 30	DATE			
XX - .02		DATE	D C S M 6 8 8 - 0 - 1		
X - .1		DATE			
REMOVE BURRS AND BREAK SHARP CORNERS TO SURFACE QUALITY		DATE	E		
MATERIAL		DATE			
FINISH		DATE	SHEET 2 OF 3		
		DATE			

