




**KA8-E positive
I/O bus interface
engineering drawings**








[illegible]

LEGEND		
NUMBER	ITEM NO.	DIM "X"
BC08J-0-06	7007036-20	6 FT ± 2 IN
BC08J-0-10	7007036-12	10 FT ± 2 IN
BC08J-0-15	7007036-15	15 FT ± 3 IN
BC08J-0-25	7007036-25	25 FT ± 3 IN
BC08J-0-50	7007036-50	50 FT ± 1 FT

NOTES:

1. CONNECTORS P1 AND J1 ARE TO BE WIRED POINT TO POINT P1-A TO J1 -A THRU P1-VV TO J1 -VV.
2. *ASTERISKS INDICATE CAVITIES NOT USED OR DESIGNATED BY LETTERS
3. ALL P1 & P2 CONNECTIONS NOT LISTED ON THE WIRE TABLE ARE GROUNDED.



1	ETCH BOARD CONNECTOR	1210073-0	3
1	M953 I/O CABLE BD	M953-0-5	2
1	I/O CABLE	SEE LEGEND	
QTY.	DESCRIPTION	PART NO.	UNIT
PARTS LIST			
DATE 9-27-70 BY J. J. [Signature] CHKD J. J. [Signature] ROLL ENG J. J. [Signature] PERS MacDonald 9/27/70	DATE 9-27-70 DATE 9-27-70 DATE 9-27-70 DATE 9-27-70 DATE 9-27-70	 EQUIPMENT CORPORATION NATYARD, MASSACHUSETTS	
TITLE			
I/O CABLE (BC08J.)			
NEXT HIGHER ASSY			
SCALE NONE			REV.
DWA BC08J-0-0		B	
SHEET 1 OF 1			

REVISIONS	
CHK	CHANGE NO.
1	ECR-00001 A
DATE 10/1/71	
TARTNER	
DATE 10/1/71	
ECR-00005 B	
DATE 5/17/71	
GARDNER	
DATE 5-25-71	

DEC FORM NO
1 1991