

digital

R X8

Engineering Drawings

Digital Equipment Corporation

The material herein is for information purposes only and is subject to change without notice. Digital Equipment Corporation assumes no responsibility for any errors which may appear herein.

These drawings and specifications herein are the property of Digital Equipment Corporation and shall not be reproduced or copied or used in whole or in part as the basis for the manufacture or sale of items without written permission.

Copyright © 1975, Digital Equipment Corporation

THIS IS PRINT SET


--	--	--	--

SEQUENCE

B-DD-RX8-Ø
A-PL-RX8-Ø-1
D-UA-RX8-Ø-Ø
D-CS-M8357-Ø-1
A-PL-RX8-Ø-Ø

REVISIONS		CHG. NO.	REV
DATE	16 June 75	RX8 - I	A

USED ON OPTION/MODEL		DRN. J. Fleming	DATE 2/18/75	TITLE RX8 FLOPPY DISK SYSTEM									
		CHK'D. MC + by	DATE 5/29/75										
		PROG ENG	DATE 5/13/75										
		PROD	DATE 5-77										
		FIELD SERV.	DATE										
SHEET 1	OF 3			SIZE B	CODE DD	NUMBER RX8-0						REV A	
				DIST									



TITLE	SHEET 2 OF 3	SIZE	CODE	NUMBER	REV
RX8 FLOPPY DISK SYSTEM	B	DD	RX8-Ø	A	

PARTS LIST

DESCRIPTION

GUIDANCE PACKAGING INSTRUCTIONS

QUANTITY / VARIATION

RX8-E

10

1

1

1

1

1

1

ECO NO.	
---------	--

DIST.

THE DRAWING AND SPECIFICATIONS HEREIN ARE THE PROPERTY OF DIGITAL EQUIPMENT CORPORATION AND SHALL NOT BE REPRODUCED OR COPIED OR USED IN WHOLE OR IN PART AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION.
COPYRIGHT © 1975, DIGITAL EQUIPMENT CORPORATION



LEGEND

NUMBER	VARIATION
RX8-AA	RX01-AA ≠ RX8-E INTERFACE, 115 V, 60 HZ
RX8-AC	RX01-AC ≠ RX8-E INTERFACE, LOW V, 50 HZ
RX8-AD	RX01-AD ≠ RX8-E INTERFACE, HIGH V, 50 HZ
RX8-BA	RX01-BA ≠ RX8-E INTERFACE, 115 V, 60 HZ
RX8-BC	RX01-BC ≠ RX8-E INTERFACE, LOW V, 50 HZ
RX8-BD	RX01-BD ≠ RX8-E INTERFACE, HIGH V, 50 HZ
RX8-DA	RX01-DA ≠ RX8-E INTERFACE, 115 V, 60 HZ
RX8-DC	RX01-DC ≠ RX8-E INTERFACE, LOW V, 50 HZ
RX8-DD	RX01-DD ≠ RX8-E INTERFACE, HIGH V, 50 HZ
RX8-E	OMNIBUS INTERFACE (M8357)

NOTES:

- ONE (1) BC05L CABLE SUPPLIED WITH EACH RX01.
- ONE (1) M8357 (RX8-E) MODULE REQ'D FOR EACH RX01. FOR TWO (2) OR MORE RX01'S, CHANGE IOT CODES PER DRAWING D-CS-M8357-0-1 FOR EACH RX01 BEYOND #1.
- RED STRIPE ON BC05L CABLE INDICATES PIN "A" ON CONNECTOR.


VIEW A-A



DESCRIPTION		DWG./PART NO.		ITEM NO.	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES					
ANGLES 30° 30'		CLASS OF ACCURACY (CHECK ONE)			
SURFACE QUALITY IN		MICROMETERS PREFERRED			
QUANTITY & VARIATION		FIRST USED ON PDP8 FAMILY			
THIRD ANGLE PROJECTION		TITLE RX8 FLOPPY DISK SYSTEM			
REMOVE BURRS AND BREAK SHARP CORNERS		MATERIAL A-PL-RX8-0-0			
DO NOT SCALE DWG		SCALE NONE			
FINISH		SHEET 1 OF 1			

SEMICONDUCTOR CONVERSION CHART


C



REVISIONS		
CHK	CHANGE NO.	REV.

(DEVICE SELECT, IOT DECODE & RXOI CONTROL LOGIC)

VIEW SELECT, IOT DECODE & RX01 CONTROL LOGIC									
TITLE		RX8-E (D2)		SIZE	CODE	NUMBER		REV.	
OMNIBUS INTERFACE		D	CS	M8357-0-1		B			
SCALE	1/1	SHEET	2 OF 3	DIST.					



MAYNARD, MASSACHUSETTS

MADE BY B. McCarthy	CHECKED	SECTION
DATE 5/12/75	DATE <i>B. McCarthy</i> 5/29/75	1
ENG	PROD	ISSUED SECT.
DATE <i>Chas. C. Thompson</i>	DATE <i>J. Miller</i> 6/13/75	1

DEC FORM DEC 16 (325) 1031 N870
DRA 110