


```

BBBBBBBBB      AAAAAA      SSSSSSSS      EEEEEEEEEEE      RRRRRRRR      RRRRRRRR      MM      MM      SSSSSSSS      GGGGGGGG
BBBBBBBBB      AAAAAA      SSSSSSSS      EEEEEEEEEEE      RRRRRRRR      RRRRRRRR      MM      MM      SSSSSSSS      GGGGGGGG
BB          BB  AA          AA  SS          EE          RR          RR  RR          RR  MMMM      MMMM      SS          GG
BB          BB  AA          AA  SS          EE          RR          RR  RR          RR  MMMM      MMMM      SS          GG
BB          BB  AA          AA  SS          EE          RR          RR  RR          RR  MM      MM      SS          GG
BB          BB  AA          AA  SS          EE          RR          RR  RR          RR  MM      MM      SS          GG
BBBBBBBBB      AA          AA      SSSSSS      EEEEEEEEEEE      RRRRRRRR      RRRRRRRR      MM      MM      SSSSSS      GG
BBBBBBBBB      AA          AA      SSSSSS      EEEEEEEEEEE      RRRRRRRR      RRRRRRRR      MM      MM      SSSSSS      GG
BB          BB  AAAAAAAAAA      SS          EE          RR          RR  RR          RR  MM      MM      SS          GG      GGGGGG
BB          BB  AAAAAAAAAA      SS          EE          RR          RR  RR          RR  MM      MM      SS          GG      GGGGGG
BB          BB  AA          AA      SS          EE          RR          RR  RR          RR  MM      MM      SS          GG      GG
BB          BB  AA          AA      SS          EE          RR          RR  RR          RR  MM      MM      SS          GG      GG
BBBBBBBBB      AA          AA      SSSSSSSS      EEEEEEEEEEE      RR          RR  RR          RR  MM      MM      SSSSSSSS      GGGGGG
BBBBBBBBB      AA          AA      SSSSSSSS      EEEEEEEEEEE      RR          RR  RR          RR  MM      MM      SSSSSSSS      GGGGGG

```

...

...

...

...

```

RRRRRRRR      EEEEEEEEEEE      QQQQQQ
RRRRRRRR      EEEEEEEEEEE      QQQQQQ
RR          RR  EE          QQ          QQ
RR          RR  EE          QQ          QQ
RR          RR  EE          QQ          QQ
RR          RR  EE          QQ          QQ
RRRRRRRR      EEEEEEEEEEE      QQ          QQ
RRRRRRRR      EEEEEEEEEEE      QQ          QQ
RR          RR  EE          QQ          QQ
RR          RR  EE          QQ          QQ
RR          RR  EE          QQ          QQ
RR          RR  EE          QQ          QQ
RR          RR  EE          QQ          QQ
RR          RR  EEEEEEEEEEE      QQQQ      QQ
RR          RR  EEEEEEEEEEE      QQQQ      QQ

```

⌘ This file, BASERRMSG.REQ, contains the error codes for VAX-11 BASIC
Edit: MDL1037

* COPYRIGHT (c) 1978, 1980, 1982, 1984 BY *
* DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS. *
* ALL RIGHTS RESERVED. *
* THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED *
* ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE *
* INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER *
* COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY *
* OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY *
* TRANSFERRED. *
* THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE *
* AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT *
* CORPORATION. *
* DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS *
* SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL. *

⌘ These codes correspond to those in the BASIC-PLUS-2
Language Reference Manual, order number AA-H074A-TC.
Additional codes were taken from table B-1 of the
BASIC-PLUS-2/RSX User's Guide, order number AA-0157B-TC.
They are marked "RSX". Some codes were taken from the
error message file used by BASIC-PLUS-2 on 04-JAN-1979
They are marked "UNDOC". Two codes have been added for VAX:
they are marked "VAX/VMS"

Edit History:

0-001 - Initial coding JBS 15-OCT-78
0-002 - Update herald JBS 31-OCT-78
0-003 - Put a comma after each call to ERR to
improve the appearance JBS 02-NOV-78
0-004 - Converted message text to mostly lower case for
compatibility with BASIC-PLUS JBS 13-NOV-78
0-005 - Recast comments and edit history into standard form JBS 19-NOV-78
1-001 - Correct file name in initial and final comment. JBS 27-NOV-78
1-002 - Correct spelling of UNUERR069. JBS 27-NOV-78
1-003 - Correct wording of ILLALLCLA message. JBS 11-DEC-78
1-004 - Add codes 174 and 175. JBS 11-DEC-78
1-005 - Add system error handling item. JBS 28-DEC-78
1-006 - Update to latest BASIC-PLUS-2/11 codes. JBS 04-JAN-1979
1-007 - Update to latest BASIC-PLUS-2/11 codes. JBS 16-JAN-1979
1-008 - Update to latest BASIC-PLUS-2/11 codes. JBS 18-JAN-1979
1-009 - Make "Illegal number" be a warning. JBS 24-JAN-1979

- 1-010 - Add the ILLEGAL RESUME error message. JBS 11-FEB-1979
- 1-011 - Change the wording of ILLEGAL RESUME to agree with the PDP-11. JBS 02-APR-1979
- 1-012 - Make the arithmetic messages (48, 49, 51, 53, 54, 61) errors instead of warnings, so they will not continue unless the user has an error handler. JBS 04-MAY-1979
- 1-013 - Correct a typo in edit 012. JBS 07-MAY-1979
- 1-014 - Make the WHAT message information. JBS 10-MAY-1979
- 1-015 - Make message 86 ERROR rather than SEVERE, since the compiler wishes to use it for internal signalling. JBS 07-JUN-1979
- 1-016 - Correct some typos (by comparison with the PDP-11) and add message 246. JBS 24-JUL-1979
- 1-017 - Make message 52 an error. 10-AUG-1979
- 1-018 - Change message 0 to correspond to the new name of the product. It does not contain the version number. JBS 29-AUG-1979
- 1-019 - Add message 245. JBS 18-SEP-1979
- 1-020 - Change the wording of message 125 to make it more specific to VAX. JBS 19-SEP-1979
- 1-021 - Put message 125 back, and define a new message to take its place. JBS 02-OCT-1979
- 1-022 - Remove the PRINT statement, for the new BLISS compiler. JBS 02-OCT-1979
- 1-023 - Add error 228, record attributes not matched. JBS 03-OCT-1979
- 1-024 - Add error 227, string too long. JBS 18-OCT-1979
- 1-025 - Make Illegal Operation non-trappable (severe). JBS 14-JAN-1980
- 1-026 - Make error 174, 175 ERROR instead of SEVERE. FM 16-FEB-81.
- 1-027 - Change error 141 from SEVERE to ERROR. PL 12-Jun-81
- 1-028 - Add errors 176 and 177. PL 15-Oct-81
- 1-029 - Add error 178. PL 27-Oct-81
- 1-030 - Add errors 179, 180, 181. PLL 12-Feb-82
- 1-031 - Truncate unused error messages (to save space on the VMS kits). Add errors 182, 183. PLL 1-Mar-1982
- 1-032 - Add errors 184, 185, 186, and 187. PLL 2-Jun-1982
- 1-033 - add error 188. MDL 19-Jul-1982
- 1-034 - Change error 176 to info. PLL 23-Jul-1982
- 1-035 - Change error 177 to info. Add 189. PLL 29-Jul-1982
- 1-036 - change error 177 to warning and RESTART. MDL 3-Dec-1982
- 1-037 - change error 176 to warning. MDL 11-Feb-1983
- 1-037 - change text of error 178 and name to EXRMSSHR. MDL 29-Aug-1983

NOTE: Any changes to this module must also be reflected in BASMSG.MSG

The first argument to the ERR macro is the error number.
The second is the nine-character message code used by VAX/VMS. The third is the message text. The fourth is the severity. The fifth is the system error handling option.

```
MACRO ERROR_LIST =  
  ERR (0, VAXBAS, 'VAX-11 BASIC', INFO, CONT),  
  ERR (1, BADDIRDEV, 'Bad directory for device', ERROR, EXIT),  
  ERR (2, ILLFILNAM, 'illegal file name', ERROR, EXIT),
```

ERR (3, ACCDEVUSE, 'Account or device in use', ERROR, EXIT),
ERR (4, NO_ROOMUSE, 'No room for user on device', ERROR, EXIT),
ERR (5, CANFINFIL, 'Can't find file or account', ERROR, EXIT),
ERR (6, NOTVALDEV, 'Not a valid device', ERROR, EXIT),
ERR (7, IO_CHAALR, 'I/O channel already open', ERROR, EXIT),
ERR (8, DEVNOTAVA, 'Device not available', ERROR, EXIT),
ERR (9, IO_CHANOT, 'I/O channel not open', ERROR, EXIT),
ERR (10, PROVIO, 'Protection violation', ERROR, EXIT),
ERR (11, ENDFILDEV, 'End of file on device', ERROR, EXIT),
ERR (12, FATSYSIO_, 'Fatal system I/O failure', ERROR, EXIT),
ERR (13, USEDATERR, 'User data error on device', ERROR, EXIT),
ERR (14, DE VHUNWRI, 'Device hung or write locked', ERROR, EXIT),
ERR (15, KEYWAIEXH, 'Keyboard wait exhausted', ERROR, EXIT),
ERR (16, NAMACCNOW, 'Name or account now exists', ERROR, EXIT),
ERR (17, TOOMANOPE, 'Too many open files on unit', ERROR, EXIT),
ERR (18, ILLSYSUSA, 'Illegal SYS() usage', ERROR, EXIT),
ERR (19, DISBLOINT, 'Disk block is interlocked', ERROR, EXIT),
ERR (20, PACIDSDON, 'Pack IDs don't match', ERROR, EXIT),
ERR (21, DISPACNOT, 'Disk pack is not mounted', ERROR, EXIT),
ERR (22, DISPACLOC, 'Disk pack is locked out', ERROR, EXIT),
ERR (23, ILLCLUSIZ, 'Illegal cluster size', ERROR, EXIT),
ERR (24, DISPACPRI, 'Disk pack is private', ERROR, EXIT),
ERR (25, DISPACNEE, 'Disk pack needs ''CLEANing'', ERROR, EXIT),
ERR (26, FATDISPAC, 'Fatal disk pack mount error', ERROR, EXIT),
ERR (27, IO_TO_DET, 'I/O to detached keyboard', ERROR, EXIT),
ERR (28, PROC__TRA, 'Programmable ^C trap', ERROR, EXIT),
ERR (29, CORFILSTR, 'Corrupted file structure', ERROR, EXIT),
ERR (30, DEVNOTFIL, 'Device not file-structured', ERROR, EXIT),

ERR (31, ILLBYTCOU, 'Illegal byte count for I/O', ERROR, EXIT),
ERR (32, NO_BUFSPA, 'No buffer space available', ERROR, EXIT),
ERR (33, ODDADDTRA, 'Odd address trap', ERROR, EXIT),
ERR (34, RESINSTRA, 'Reserved instruction trap', SEVERE, EXIT),
ERR (35, MEMMANVIO, 'Memory management violation', SEVERE, EXIT),
ERR (36, SP_STAOVE, 'SP stack Overflow', SEVERE, EXIT),
ERR (37, DISERRDUR, 'Disk error during swap', SEVERE, EXIT),
ERR (38, MEMPARFAI, 'Memory parity (or ECC) failure', SEVERE, EXIT),
ERR (39, MAGSELERR, 'Magtape select error', ERROR, EXIT),
ERR (40, MAGRECLN, 'Magtape record length error', ERROR, EXIT),
ERR (41, NONRESRUN, 'Non-res run-time system', ERROR, EXIT),
ERR (42, VIRBUFTOO, 'Virtual buffer too large', ERROR, EXIT),
ERR (43, VIRARRDIS, 'Virtual array not on disk', ERROR, EXIT),
ERR (44, MATARRTOO, 'Matrix or array too big', ERROR, EXIT),
ERR (45, VIRARROPE, 'Virtual array not yet open', ERROR, EXIT),
ERR (46, ILLIO_CHA, 'Illegal I/O channel', ERROR, EXIT),
ERR (47, L'INTOOLON, 'Line too long', ERROR, EXIT),
ERR (48, FLOPOIERR, 'Floating point error or overflow', ERROR, EXIT),
ERR (49, ARGTOOLAR, 'Argument too large in EXP', ERROR, EXIT),
ERR (50, DATFORERR, 'Data format error', WARNING, RESTART),
ERR (51, INTERR, 'Integer error or overflow', ERROR, EXIT),
ERR (52, ILLNUM, 'Illegal number', ERROR, RESTART),
ERR (53, ILLARGLOG, 'Illegal argument in LOG', ERROR, EXIT),
ERR (54, IMASQUROO, 'Imaginary square roots', ERROR, EXIT),
ERR (55, SUBOUTRAN, 'Subscript out of range', ERROR, EXIT),
ERR (56, CANINVMAT, 'Can't invert matrix', ERROR, EXIT),
ERR (57, OUTOF_DAT, 'Out of data', ERROR, EXIT),
ERR (58, ON_STAOUT, 'ON statement out of range', ERROR, EXIT),

ERR (59, NOTENODAT, 'Not enough data in record', ERROR, EXIT),
ERR (60, INTOVEFOR, 'Integer overflow, FOR loop', ERROR, EXIT),
ERR (61, DIVBY_ZER, 'Division by 0', ERROR, EXIT),
ERR (62, NO_RUNSYS, 'No run-time system', ERROR, EXIT),
ERR (63, FIEOVEBUF, 'FIELD overflows buffer', ERROR, EXIT),
ERR (64, NOTRANACC, 'Not a random access device', ERROR, EXIT),
ERR (65, ILLMAGUSA, 'Illegal MAGTAPE() usage', ERROR, EXIT),
ERR (66, MISSPEFEA, 'Missing special feature', ERROR, EXIT),
ERR (67, ILLSWIUSA, 'Illegal switch usage', ERROR, EXIT),
ERR (68, UNUERR068, 'Unused', SEVERE, EXIT),
ERR (69, UNUERR069, 'Unused', SEVERE, EXIT),
ERR (70, UNUERR070, 'Unused', SEVERE, EXIT),
ERR (71, STANOTFOU, 'Statement not found', SEVERE, EXIT),
ERR (72, RETWITGOS, 'RETURN without GOSUB', SEVERE, EXIT),
ERR (73, FNEWITFUN, 'FNEND without function call', SEVERE, EXIT),
ERR (74, UNDFUNCAL, 'Undefined function called', SEVERE, EXIT),
ERR (75, ILLSYM, 'Illegal symbol', SEVERE, EXIT),
ERR (76, ILLVER, 'Illegal verb', SEVERE, EXIT),
ERR (77, ILLEXP, 'Illegal expression', SEVERE, EXIT),
ERR (78, ILLMODMIX, 'Illegal mode mixing', SEVERE, EXIT),
ERR (79, ILLIF_STA, 'Illegal IF statement', SEVERE, EXIT),
ERR (80, ILLCONCLA, 'Illegal conditional clause', SEVERE, EXIT),
ERR (81, ILLFUNNAM, 'Illegal function name', SEVERE, EXIT),
ERR (82, ILLDUMVAR, 'Illegal dummy variable', SEVERE, EXIT),
ERR (83, ILLFN_RED, 'Illegal FN redefinition', SEVERE, EXIT),
ERR (84, ILLLINNUM, 'Illegal line number(s)', SEVERE, EXIT),
ERR (85, MODERR, 'Modifier error', SEVERE, EXIT),
ERR (86, CANCOMSTA, 'Can't compile statement', ERROR, EXIT),

```
ERR (87, EXPTOOCOM, 'Expression too complicated', SEVERE, EXIT),
ERR (88, ARGDONMAT, 'Arguments don''t match', SEVERE, EXIT),
ERR (89, TOOMANARG, 'Too many arguments', SEVERE, EXIT),
ERR (90, INCFUNUSA, 'Inconsistent function usage', WARNING, CONT),
ERR (91, ILLDEFNES, 'Illegal DEF nesting', SEVERE, EXIT),
ERR (92, FORWITNEX, 'FOR without NEXT', SEVERE, EXIT),
ERR (93, NEXWITFOR, 'NEXT without FOR', SEVERE, EXIT),
ERR (94, DEFWITFNE, 'DEF without FNEND', SEVERE, EXIT),
ERR (95, FNEWITDEF, 'FNEND without DEF', SEVERE, EXIT),
ERR (96, LITSTRNEE, 'Literal string needed', SEVERE, EXIT),
ERR (97, TOOFEWARG, 'Too few arguments', SEVERE, EXIT),
ERR (98, SYNERR, 'Syntax error', SEVERE, EXIT),
ERR (99, STRIS_NEE, 'String is needed', SEVERE, EXIT),
ERR (100, NUMIS_NEE, 'Number is needed', SEVERE, EXIT),
ERR (101, DATTYPERR, 'Data type error', SEVERE, EXIT),
ERR (102, ONEOR_TWO, 'One or two dimensions only', SEVERE, EXIT),
ERR (103, PROLOSSOR, 'Program lost-Sorry', SEVERE, EXIT),
ERR (104, RESNO_ERR, 'RESUME and no error', SEVERE, EXIT),
ERR (105, REDARR, 'Redimensioned array', ERROR, EXIT),
ERR (106, INCSUBUSE, 'Inconsistent subscript use', WARNING, CONT),
ERR (107, ON_STANEE, 'ON statement needs GOTO', SEVERE, EXIT),
ERR (108, ENDOF_STA, 'End of statement not seen', SEVERE, EXIT),
ERR (109, WHA, 'What?', INFO, CONT),
ERR (110, BADLINNUM, 'Bad line number pair', SEVERE, EXIT),
ERR (111, NOTENOAVA, 'Not enough available memory', SEVERE, EXIT),
ERR (112, EXEONLFIL, 'Execute only file', SEVERE, EXIT),
ERR (113, PLEUSERUN, 'Please use the RUN command', SEVERE, EXIT),
ERR (114, CANCON, 'Can''t CONTinue', SEVERE, EXIT),
```

```
ERR (115, FILEXIREN, 'File exists-RENAME/REPLACE', SEVERE, EXIT),
ERR (116, PRIUSIFOR, 'PRINT-USING format error', SEVERE, EXIT),
ERR (117, MATARRWIT, 'Matrix or array without DIM', SEVERE, EXIT),
ERR (118, BADNUMPRI, 'Bad number in PRINT-USING', SEVERE, EXIT),
ERR (119, ILLIN_IMM, 'Illegal in immediate mode', SEVERE, EXIT),
ERR (120, PRIUSIBUF, 'PRINT-USING buffer overflow', SEVERE, EXIT),
ERR (121, ILLSTA, 'Illegal statement', SEVERE, EXIT),
ERR (122, ILLFIEVAR, 'Illegal FIELD variable', SEVERE, EXIT),
ERR (123, STO, 'Stop', INFO, CONT),
ERR (124, MATDIMERR, 'Matrix dimension error', SEVERE, EXIT),
ERR (125, WROMATPAC, 'Wrong math package', SEVERE, EXIT),
ERR (126, MAXMEMEXC, 'Maximum memory exceeded', SEVERE, EXIT),
ERR (127, SCAFACINT, 'SCALE factor interlock', SEVERE, EXIT),
ERR (128, TAPRECNOT, 'Tape records not ANSI', ERROR, EXIT),
ERR (129, TAPBOTDET, 'Tape BOT detected', ERROR, EXIT),
ERR (130, KEYNOTCHA, 'Key not changeable', ERROR, EXIT),
ERR (131, NO_CURREC, 'No current record', ERROR, EXIT),
ERR (132, RECHASBEE, 'Record has been deleted', ERROR, EXIT),
ERR (133, ILLUSADEV, 'Illegal usage for device', ERROR, EXIT),
ERR (134, DUPKEYDET, 'Duplicate key detected', ERROR, EXIT),
ERR (135, ILLUSA, 'Illegal usage', ERROR, EXIT),
ERR (136, ILLILLACC, 'Illegal or illogical access', ERROR, EXIT),
ERR (137, ILLKEYATT, 'Illegal key attributes', ERROR, EXIT),
ERR (138, FILIS_LOC, 'File is locked', ERROR, EXIT),
ERR (139, INVFILOPT, 'Invalid file options', ERROR, EXIT),
ERR (140, INDNOTINI, 'Index not initialized', ERROR, EXIT),
ERR (141, ILLOPE, 'Illegal operation', ERROR, EXIT),
ERR (142, ILLRECFIL, 'Illegal record on file', ERROR, EXIT),
```

ERR (143, BADRECIDE, 'Bad record identifier', ERROR, EXIT),
ERR (144, INVKEYREF, 'Invalid key of reference', ERROR, EXIT),
ERR (145, KEYSIZTOO, 'Key size too large', ERROR, EXIT),
ERR (146, TAPNOTANS, 'Tape not ANSI labelled', ERROR, EXIT),
ERR (147, RECNUMEXC, 'RECORD number exceeds maximum', ERROR, EXIT),
ERR (148, BADRECVAL, 'Bad RECORDSIZE value on OPEN', ERROR, EXIT),
ERR (149, NOTENDFIL, 'Not at end of file', ERROR, EXIT),
ERR (150, NO_PRIKEY, 'No primary key specified', ERROR, EXIT),
ERR (151, KEYFIEBEY, 'Key field beyond end of record', ERROR, EXIT),
ERR (152, ILLRECACC, 'Illogical record accessing', ERROR, EXIT),
ERR (153, RECALREXI, 'Record already exists', ERROR, EXIT),
ERR (154, RECBUCLOC, 'Record/bucket locked', ERROR, EXIT),
ERR (155, RECNOTFOU, 'Record not found', ERROR, EXIT),
ERR (156, SIZRECINV, 'Size of record invalid', ERROR, EXIT),
ERR (157, RECFILTOO, 'Record on file too big', ERROR, EXIT),
ERR (158, PRIKEYOUT, 'Primary key out of sequence', ERROR, EXIT),
ERR (159, KEYLARTHA, 'Key larger than record', ERROR, EXIT),
ERR (160, FILATTNOT, 'File attributes not matched', ERROR, EXIT),
ERR (161, MOVEVEBUF, 'Move overflows buffer', ERROR, EXIT),
ERR (162, CANOPEFIL, 'Cannot open file', ERROR, EXIT),
ERR (163, NO_FILNAM, 'No file name', ERROR, EXIT),
ERR (164, TERFORFIL, 'Terminal format file required', ERROR, EXIT),
ERR (165, CANPOSEOF, 'Cannot position to EOF', ERROR, EXIT),
ERR (166, NEGFILSTR, 'Negative fill or string length', ERROR, EXIT),
ERR (167, ILLRECFOR, 'Illegal record format', ERROR, EXIT),
ERR (168, ILLALLCLA, 'Illegal ALLOW clause', ERROR, EXIT),
ERR (169, UNUERR169, 'Unused', SEVERE, EXIT),
ERR (170, INDNOTFUL, 'Index not fully optimized', ERROR, EXIT),

Wrongly documented

```
ERR (171, RRVNOTFUL, 'RRV not fully updated', ERROR, EXIT),
ERR (172, RECLOCFAI, 'Record lock failed', ERROR, EXIT),
ERR (173, INVRFAFIE, 'Invalid RFA field', ERROR, EXIT),
ERR (174, FILEXPDAT, 'File expiration date not yet reached', ERROR, EXIT),
ERR (175, NODNAMERR, 'Node name error', ERROR, EXIT),
ERR (176, NEGZERTAB, 'Negative or zero TAB', WARNING, CONT),
ERR (177, TOOMUCDAT, 'Too much data in record', WARNING, RESTART),
ERR (178, EXRMSSHR, 'System memory for file sharing exhausted', ERROR, EXIT),
ERR (179, UNEFILDAT, 'Unexpired file date', ERROR, EXIT),
ERR (180, NOSUPFOR, 'No support for operation in task', ERROR, EXIT),
ERR (181, DECERR, 'Decimal error or overflow', ERROR, EXIT),
ERR (182, NETOPEREJ, 'Network operation rejected', ERROR, EXIT),
ERR (183, REMOVEBUF, 'REMAP overflows buffer', ERROR, EXIT),
ERR (184, UNAREMVAR, 'Unaligned REMAP variable', SEVERE, EXIT),
ERR (185, RECOVEMAP, 'RECORDSIZE overflows MAP buffer', SEVERE, EXIT),
ERR (186, IMPERRHAN, 'Improper error handling', SEVERE, EXIT),
ERR (187, ILLRECLOC, 'Illegal record locking clause', SEVERE, EXIT),
ERR (188, REQRECSIZ, 'UNLOCK EXPLICIT requires RECORDSIZE 512', ERROR, EXIT),
ERR (189, TOOLITDAT, 'Too little data in record', WARNING, RESTART),
ERR (190, UNUERR190, 'Unused', SEVERE, EXIT),
ERR (191, UNUERR191, 'Unused', SEVERE, EXIT),
ERR (192, UNUERR192, 'Unused', SEVERE, EXIT),
ERR (193, UNUERR193, 'Unused', SEVERE, EXIT),
ERR (194, UNUERR194, 'Unused', SEVERE, EXIT),
ERR (195, UNUERR195, 'Unused', SEVERE, EXIT),
ERR (196, UNUERR196, 'Unused', SEVERE, EXIT),
ERR (197, UNUERR197, 'Unused', SEVERE, EXIT),
ERR (198, UNUERR198, 'Unused', SEVERE, EXIT),
```

ERR (199, UNUERR199, 'Unused', SEVERE, EXIT),
ERR (200, UNUERR200, 'Unused', SEVERE, EXIT),
ERR (201, UNUERR201, 'Unused', SEVERE, EXIT),
ERR (202, UNUERR202, 'Unused', SEVERE, EXIT),
ERR (203, UNUERR203, 'Unused', SEVERE, EXIT),
ERR (204, UNUERR204, 'Unused', SEVERE, EXIT),
ERR (205, UNUERR205, 'Unused', SEVERE, EXIT),
ERR (206, UNUERR206, 'Unused', SEVERE, EXIT),
ERR (207, UNUERR207, 'Unused', SEVERE, EXIT),
ERR (208, UNUERR208, 'Unused', SEVERE, EXIT),
ERR (209, UNUERR209, 'Unused', SEVERE, EXIT),
ERR (210, UNUERR210, 'Unused', SEVERE, EXIT),
ERR (211, UNUERR211, 'Unused', SEVERE, EXIT),
ERR (212, UNUERR212, 'Unused', SEVERE, EXIT),
ERR (213, UNUERR213, 'Unused', SEVERE, EXIT),
ERR (214, UNUERR214, 'Unused', SEVERE, EXIT),
ERR (215, UNUERR215, 'Unused', SEVERE, EXIT),
ERR (216, UNUERR216, 'Unused', SEVERE, EXIT),
ERR (217, UNUERR217, 'Unused', SEVERE, EXIT),
ERR (218, UNUERR218, 'Unused', SEVERE, EXIT),
ERR (219, UNUERR219, 'Unused', SEVERE, EXIT),
ERR (220, UNUERR220, 'Unused', SEVERE, EXIT),
ERR (221, UNUERR221, 'Unused', SEVERE, EXIT),
ERR (222, UNUERR222, 'Unused', SEVERE, EXIT),
ERR (223, UNUERR223, 'Unused', SEVERE, EXIT),
ERR (224, UNUERR224, 'Unused', SEVERE, EXIT),
ERR (225, UNUERR225, 'Unused', SEVERE, EXIT),
ERR (226, UNUERR226, 'Unused', SEVERE, EXIT),

ERR (227, STRTOOLON, 'String too long', ERROR, EXIT),
ERR (228, RECATNOT, 'Record attributes not matched', ERROR, EXIT),
ERR (229, DIFUSELON, 'Differing use of LONG/WORD or SINGLE/DOUBLE qualifiers', SEVERE, EXIT),
ERR (230, NO_FIEIMA, 'No fields in image', ERROR, EXIT),
ERR (231, ILLSTRIMA, 'Illegal string image', ERROR, EXIT),
ERR (232, NULIMA, 'Null image', ERROR, EXIT),
ERR (233, ILLNUMIMA, 'Illegal numeric image', ERROR, EXIT),
ERR (234, NUMIMASTR, 'Numeric image for string', ERROR, EXIT),
ERR (235, STRIMANUM, 'String image for numeric', ERROR, EXIT),
ERR (236, TIMLIMEXC, 'TIME limit exceeded', ERROR, EXIT),
ERR (237, FIRARGSEQ, 'First arg to SEG\$ greater than second', ERROR, EXIT),
ERR (238, ARRMUSSAM, 'Arrays must be same dimension', ERROR, EXIT),
ERR (239, ARRMUSSQU, 'Arrays must be square', ERROR, EXIT),
ERR (240, CANCHAARR, 'Cannot change array dimensions', ERROR, EXIT),
ERR (241, FLOOVE, 'Floating overflow', ERROR, EXIT),
ERR (242, FLOUND, 'Floating underflow', ERROR, EXIT),
ERR (243, CHATO_NON, 'CHAIN to non-existent line number', ERROR, EXIT),
ERR (244, EXPERR, 'Exponentiation error', ERROR, EXIT),
ERR (245, ILLEXIDF, 'Illegal exit from DEF*', SEVERE, EXIT),
ERR (246, ERRTRANEE, 'ERROR trap needs RESUME', SEVERE, EXIT),
ERR (247, ILLRESSUB, 'Illegal RESUME to subroutine', SEVERE, EXIT),
ERR (248, ILLRETSUB, 'Illegal return from subroutine', ERROR, EXIT),
ERR (249, ARGOUTBOU, 'Argument out of bounds', ERROR, EXIT),
ERR (250, NOTIMP, 'Not implemented', ERROR, EXIT),
ERR (251, RECSUBCAL, 'Recursive subroutine call', ERROR, EXIT),
ERR (252, FILACPFAI, 'FILE ACP failure', ERROR, EXIT),
ERR (253, DIRERR, 'Directive error', ERROR, EXIT),
ERR (254, UNUERR254, 'Unused', SEVERE, EXIT),

ERR (255, UNUERR255, 'Unused', SEVERE, EXIT) !

%;
!;

End of file BASERRMSG.REQ

0019

AH-BT13A-SE
 VAX/VMS V4.0

DIGITAL EQUIPMENT CORPORATION
CONFIDENTIAL AND PROPRIETARY