




REVISIONS		
CHK	CHANGE NO.	REV.


TRUTH TABLE		
74194		
SI	SO	FUNCTION
L	L	NO OP
L	H	SHF RIGHT
H	L	SHF LEFT
H	H	LOAD

FIRST USED ON OPTION/MODEL		QTY.		DESCRIPTION		PART NO.		ITEM NO.	
K 011 - A						PARTS LIST			
UNLESS OTHERWISE SPECIFIED DIMENSIONS IN INCHES. TOLERANCES				DRN		DATE			
DECIMALS				CHD		DATE			
ANGLES				DATE		DATE			
.XXX = .006				DATE		DATE			
.XX = .02				DATE		DATE			
X = .1				DATE		DATE			
REMOVE BURRS AND BREAK SHARP CORNERS SURFACE QUALITY				DATE		DATE			
MATERIAL				DATE		DATE			
NEXT HIGHER ASSY.				DATE		DATE			
K 011 - F				DATE		DATE			
SCALE				DATE		DATE			
SHEET 2 OF 12				DATE		DATE			
FINISH				DATE		DATE			
DIST.				DATE		DATE			
SIZE CODE				DATE		DATE			
CS				DATE		DATE			
NUMBER				DATE		DATE			
M7233-0-1				DATE		DATE			
REV.				DATE		DATE			
B				DATE		DATE			



BRUNNEN		C	
1	BRUNNEN	1	BRUNNEN
2	BRUNNEN	2	BRUNNEN
3	BRUNNEN	3	BRUNNEN
4	BRUNNEN	4	BRUNNEN
5	BRUNNEN	5	BRUNNEN
6	BRUNNEN	6	BRUNNEN
7	BRUNNEN	7	BRUNNEN
8	BRUNNEN	8	BRUNNEN
9	BRUNNEN	9	BRUNNEN
10	BRUNNEN	10	BRUNNEN
11	BRUNNEN	11	BRUNNEN
12	BRUNNEN	12	BRUNNEN
13	BRUNNEN	13	BRUNNEN
14	BRUNNEN	14	BRUNNEN
15	BRUNNEN	15	BRUNNEN
16	BRUNNEN	16	BRUNNEN
17	BRUNNEN	17	BRUNNEN
18	BRUNNEN	18	BRUNNEN
19	BRUNNEN	19	BRUNNEN
20	BRUNNEN	20	BRUNNEN
21	BRUNNEN	21	BRUNNEN
22	BRUNNEN	22	BRUNNEN
23	BRUNNEN	23	BRUNNEN
24	BRUNNEN	24	BRUNNEN
25	BRUNNEN	25	BRUNNEN
26	BRUNNEN	26	BRUNNEN
27	BRUNNEN	27	BRUNNEN
28	BRUNNEN	28	BRUNNEN
29	BRUNNEN	29	BRUNNEN
30	BRUNNEN	30	BRUNNEN
31	BRUNNEN	31	BRUNNEN
32	BRUNNEN	32	BRUNNEN
33	BRUNNEN	33	BRUNNEN
34	BRUNNEN	34	BRUNNEN
35	BRUNNEN	35	BRUNNEN
36	BRUNNEN	36	BRUNNEN
37	BRUNNEN	37	BRUNNEN
38	BRUNNEN	38	BRUNNEN
39	BRUNNEN	39	BRUNNEN
40	BRUNNEN	40	BRUNNEN
41	BRUNNEN	41	BRUNNEN
42	BRUNNEN	42	BRUNNEN
43	BRUNNEN	43	BRUNNEN
44	BRUNNEN	44	BRUNNEN
45	BRUNNEN	45	BRUNNEN
46	BRUNNEN	46	BRUNNEN
47	BRUNNEN	47	BRUNNEN
48	BRUNNEN	48	BRUNNEN
49	BRUNNEN	49	BRUNNEN
50	BRUNNEN	50	BRUNNEN
51	BRUNNEN	51	BRUNNEN
52	BRUNNEN	52	BRUNNEN
53	BRUNNEN	53	BRUNNEN
54	BRUNNEN	54	BRUNNEN
55	BRUNNEN	55	BRUNNEN
56	BRUNNEN	56	BRUNNEN
57	BRUNNEN	57	BRUNNEN
58	BRUNNEN	58	BRUNNEN
59	BRUNNEN	59	BRUNNEN
60	BRUNNEN	60	BRUNNEN
61	BRUNNEN	61	BRUNNEN
62	BRUNNEN	62	BRUNNEN
63	BRUNNEN	63	BRUNNEN
64	BRUNNEN	64	BRUNNEN
65	BRUNNEN	65	BRUNNEN
66	BRUNNEN	66	BRUNNEN
67	BRUNNEN	67	BRUNNEN
68	BRUNNEN	68	BRUNNEN
69	BRUNNEN	69	BRUNNEN
70	BRUNNEN	70	BRUNNEN
71	BRUNNEN	71	BRUNNEN
72	BRUNNEN	72	BRUNNEN
73	BRUNNEN	73	BRUNNEN
74	BRUNNEN	74	BRUNNEN
75	BRUNNEN	75	BRUNNEN
76	BRUNNEN	76	BRUNNEN
77	BRUNNEN	77	BRUNNEN
78	BRUNNEN	78	BRUNNEN
79	BRUNNEN	79	BRUNNEN
80	BRUNNEN	80	BRUNNEN
81	BRUNNEN	81	BRUNNEN
82	BRUNNEN	82	BRUNNEN
83	BRUNNEN	83	BRUNNEN
84	BRUNNEN	84	BRUNNEN
85	BRUNNEN	85	BRUNNEN
86	BRUNNEN	86	BRUNNEN
87	BRUNNEN	87	BRUNNEN
88	BRUNNEN	88	BRUNNEN
89	BRUNNEN	89	BRUNNEN
90	BRUNNEN	90	BRUNNEN
91	BRUNNEN	91	BRUNNEN
92	BRUNNEN	92	BRUNNEN
93	BRUNNEN	93	BRUNNEN
94	BRUNNEN	94	BRUNNEN
95	BRUNNEN	95	BRUNNEN

STB N	SI	SØ	fN
H	—	—	L
L	L	L	AN
L	L	H	BN
L	H	L	CN
L	H	H	DN



FUBC BUT CHART					
STB	S2	S1	S0	BUT	
EUBF4	EUBF2	EUBF1	EUBF0	FN	(FUBC)
H	—	—	—	L	
L	L	L	L	D6	ARGA
L	L	L	H	D1	MSP01
L	L	H	L	D2	ZB+FEF(z)
L	L	H	H	D3	COUNT > 30
L	H	L	L	D4	NORMALIZED
L	H	L	H	D5	MSP00
L	H	H	L	D6	
L	H	H	H	D7	

FIRST USED ON OPTION/MODEL		QTY.		DESCRIPTION		PART NO.		ITEM NO.	
K011-A									
UNLESS OTHERWISE SPECIFIED DIMENSION IN INCHES. TOLERANCES		DRD		DATE		 DIGITAL EQUIPMENT CORPORATION WATFORD, MASSACHUSETTS			
DECIMALS		DATE		DATE					
ANGLES		DATE		DATE					
.XXX - .005 .XX = .02 X = .1		DATE		DATE					
REMOVE BURRS AND BREAK SHARP CORNERS SURFACE QUALITY		DATE		DATE					
MATERIAL		NEXT HIGHER ASSY.		DATE					
FINISH		SCALE		DATE					

This drawing and specifications, herein, are the property of Digital Equipment Corporation and shall not be reproduced or copied or used in whole or in part as the basis for the manufacture or sale of items without written permission.

FLWS	STATE	ADR	CLK	CIR	WR	CB	CD	CBA	BUS	DAD	SPS	ALU	SBC	SBM	SDM	SBA	UBF	SRX	RIF	UPF
E3	MUL7	000	2	0	0	0	0	0	0	00	0	00	00	00	0	0	00	10	00	204
E3	MUL19	001	2	0	0	0	0	0	0	00	0	00	00	00	0	0	00	00	00	133
E3	MUL2	002	2	0	0	0	0	0	0	00	0	00	00	00	0	0	00	10	00	015
E3	MUL4	003	2	0	0	0	0	0	0	00	0	00	00	00	0	0	00	01	12	075
F5	FDV1	004	2	0	0	1	0	0	0	00	0	00	00	00	0	0	00	01	15	006
E3	MUL16	005	4	0	0	0	1	0	0	00	0	00	00	00	0	0	00	00	00	011
F5	FDV2	006	6	0	0	1	1	0	0	10	0	06	00	00	2	0	00	01	14	160
E3	MUL12	007	4	0	0	0	1	0	0	00	0	00	00	00	0	0	00	00	00	016
E3	MUL15	010	2	0	0	0	0	0	0	00	0	00	00	00	0	0	00	00	00	177
E3	MUL18	011	2	0	3	0	0	0	0	00	0	00	00	00	2	0	00	11	01	177
E3	MUL14	012	2	0	0	0	0	0	0	00	0	00	00	00	0	0	00	00	00	177
E3	MUL17	013	2	0	3	0	0	0	0	00	0	00	00	00	2	0	00	11	01	177
E3	MUL1	014	4	0	0	0	1	0	0	10	0	06	00	00	0	0	00	00	00	000
E3	MUL3	015	4	0	0	0	1	0	0	00	0	00	00	00	0	0	00	10	00	001
E3	MUL13	016	2	0	3	0	0	0	0	00	0	00	00	00	2	0	00	11	01	010
F3	ADD23	017	6	0	3	0	1	0	0	00	0	14	00	00	2	0	00	01	11	361
E4	DIV20	020	2	0	0	1	0	0	0	00	0	00	00	00	0	0	00	11	01	076
E5	DIV23	021	4	0	0	0	1	0	0	00	0	20	00	00	0	0	00	00	00	071
E4	DIV4	022	2	0	0	0	0	0	0	00	0	00	00	00	0	0	00	00	00	177
E5	DIV33	023	4	0	0	0	1	0	0	00	0	20	00	00	0	0	00	00	00	070
E4	DIV13	024	2	0	0	0	0	0	0	00	0	00	00	00	0	0	00	11	01	147
E5	DIV27	025	4	0	0	0	1	0	0	00	0	11	00	00	0	0	00	00	00	101
E4	DIV7	026	2	0	0	1	0	0	0	00	0	00	00	00	0	0	00	10	00	057
E5	DIV31	027	4	0	0	0	1	0	0	10	0	06	00	00	0	0	00	00	00	103
E2	ASH2	030	2	0	0	0	0	0	0	00	0	00	00	00	0	0	00	00	00	177
E4	DIV16	031	6	0	0	0	1	0	0	14	0	00	00	00	2	0	00	00	00	065
F5	FDV21	032	2	0	0	1	0	0	0	00	0	00	00	00	0	0	00	01	11	372
E4	DIV11	033	2	0	0	0	0	0	0	00	0	00	00	00	0	0	00	00	00	037
E2	ASH5	034	2	0	0	0	0	0	0	00	0	00	00	00	0	0	00	00	00	123
E4	DIV19	035	6	0	0	0	1	0	0	14	0	00	00	00	2	0	00	00	00	153
E2	ASH3	036	2	0	0	0	0	0	0	00	0	00	00	00	0	0	00	00	00	063
E4	DIV12	037	2	0	0	0	0	0	0	00	0	00	00	00	0	0	00	00	00	177

NOTE:

THE COMPLEMENT OF THE ACTUAL ROM OUTPUT FOR THE UPF, WR, SPS (HIGH 2 BITS), BUS (LOW BIT), AND CLK (LOW BIT) FIELD IS LISTED FOR CLARITY.

FLWS	STATE	ADR	CON	FC1	FUB	MHR	FRD	ERD	SRD	SDR	CVM	NZM	CCC	GPC	CEE	CNT	EUB	CBR
E3	MUL7	000	0	0	0	0	0	0	0	0	0	0	0	0	0	0	00	1
E3	MUL19	001	0	0	0	0	0	0	3	0	0	0	0	0	0	1	00	1
E3	MUL2	002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	01	1
E3	MUL4	003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	01	1
F5	FDV1	004	0	0	0	0	0	0	0	0	2	4	0	0	0	0	14	0
E3	MUL16	005	0	0	0	0	0	1	1	0	1	0	1	0	0	0	00	0
F5	FDV2	006	0	0	0	0	0	0	0	0	0	0	0	0	6	0	00	0
E3	MUL12	007	0	0	0	0	0	1	1	0	0	0	0	0	0	0	04	0
E3	MUL15	010	0	0	0	0	0	0	0	0	1	0	1	0	0	0	00	0
E3	MUL18	011	0	0	0	0	0	0	0	0	3	4	0	0	0	0	00	0
E3	MUL14	012	0	0	0	0	0	0	0	0	5	0	1	0	0	0	00	0
E3	MUL17	013	0	0	0	0	0	0	0	0	5	2	5	0	0	0	00	0
E3	MUL1	014	0	0	0	0	0	0	0	0	5	0	1	0	0	2	00	0
E3	MUL3	015	0	0	0	0	0	0	0	3	0	0	0	0	0	0	00	0
E3	MUL13	016	0	0	0	0	0	0	0	0	2	3	6	0	0	0	00	0
F3	ADD23	017	0	0	0	0	0	0	2	0	0	0	0	4	0	0	00	0
E4	DIV20	020	0	0	0	0	0	0	0	0	3	4	0	0	0	0	03	0
E5	DIV23	021	0	0	0	0	0	1	3	0	0	0	0	0	0	0	02	0
E4	DIV4	022	0	0	0	0	0	0	0	0	1	1	7	0	0	0	00	0
E5	DIV33	023	0	0	0	0	0	1	3	0	0	0	0	0	0	0	02	0
E4	DIV13	024	0	0	0	0	0	0	0	0	0	0	0	0	0	0	00	1
E5	DIV27	025	0	0	0	0	0	1	3	0	0	0	0	0	0	0	00	0
E4	DIV7	026	0	0	0	0	0	0	0	0	0	0	0	0	0	0	00	0
E5	DIV31	027	0	0	0	0	0	1	3	0	0	0	0	0	0	0	00	0
E2	ASH2	030	0	0	0	0	0	0	0	0	5	2	7	0	0	0	00	0
E4	DIV16	031	0	0	0	0	0	1	2	2	0	0	0	0	0	1	00	1
F5	FDV21	032	0	0	0	0	0	0	1	0	0	0	0	0	0	1	00	0
E4	DIV11	033	0	0	0	0	0	0	0	0	0	0	0	0	0	0	00	0
E2	ASH5	034	0	0	0	0	0	0	0	0	0	0	0	0	0	1	10	0
E4	DIV19	035	0	0	0	0	0	1	2	2	0	0	0	2	0	1	00	1
E2	ASH3	036	0	0	0	0	0	0	0	0	0	0	0	0	0	1	10	0
E4	DIV12	037	0	0	0	0	0	0	0	0	1	0	2	0	0	0	00	0

REVISIONS	CHANGE NO.	REV.
CHK		

DRN G. Boudelle	DATE 8-16-72
CHK'D. J. Boudelle	DATE 8-17-72
ENG. J. Boudelle	DATE 8-17-72
PROJ. ENG. J. Boudelle	DATE 8-17-72
PROD. J. Boudelle	DATE 8-17-72

digital EQUIPMENT CORPORATION MAYNARD, MASSACHUSETTS	
TITLE FIS BOARD (ADRS 000-037)	
SIZE CODE C CS	NUMBER M7239-041
REV. B	

FLWS	STATE	ADR	CLK	CIR	WR	CB	CD	CBA	BUS	DAD	SPS	ALU	SBC	SBM	SDM	SBA	UBF	SRX	RIF	UPF
E2	ASH9	040	4	0	0	0	1	0	0	00	0	00	00	00	0	0	00	11	01	030
F4	FML4	041	2	0	0	1	0	0	0	00	0	00	00	00	0	0	00	00	00	150
F5	FDV23	042	2	0	0	1	0	0	0	00	0	00	00	00	0	0	00	01	13	211
F4	FML3	043	6	0	3	1	1	0	0	00	0	00	00	00	2	0	00	01	15	176
E2	ASH16	044	2	0	0	0	0	0	0	00	0	00	00	00	0	0	00	00	00	243
E5	DIV25	045	6	0	0	0	1	0	0	00	0	00	00	00	0	0	00	00	00	053
E2	ASH10	046	2	0	0	0	0	0	0	00	0	00	00	00	0	0	00	00	00	223
E5	DIV29	047	4	0	0	0	1	0	0	00	0	11	01	17	0	0	00	00	00	104
E5	DIV37	050	4	0	0	0	1	0	0	00	0	20	00	00	0	0	00	00	00	106
E5	DIV40	051	2	0	0	0	0	0	0	00	0	00	00	00	0	0	00	00	00	054
E5	DIV35	052	4	0	0	0	1	0	0	00	0	11	01	17	0	0	00	00	00	105
E5	DIV26	053	2	0	3	0	0	0	0	00	0	00	00	00	2	0	00	10	00	177
E5	DIV41	054	2	0	0	0	0	0	0	00	0	00	00	00	0	0	00	00	00	037
E4	DIV2	055	2	0	0	0	0	0	0	00	0	00	00	00	0	0	00	10	00	231
E5	DIV42	056	2	0	0	0	0	0	0	00	0	00	00	00	0	0	00	00	00	177
E4	DIV8	057	6	0	0	0	1	0	0	00	0	06	00	00	2	0	00	00	00	060
E4	DIV9	060	2	0	0	0	0	0	0	00	0	00	00	00	0	0	00	00	00	061
E4	DIV10	061	2	0	0	1	0	0	0	00	0	00	00	00	0	0	00	01	12	031
E4	DIV15	062	2	0	0	1	0	0	0	00	0	00	00	00	0	0	00	01	12	031
E2	ASH4	063	6	0	3	1	1	0	0	00	0	00	00	00	3	0	00	10	00	063
F2	ADD3	064	6	0	0	0	1	0	0	10	0	06	00	00	2	0	00	00	00	320
E4	DIV17	065	2	0	0	0	0	0	0	00	0	00	00	00	0	0	00	00	00	066
E4	DIV18	066	2	0	0	0	0	0	0	00	0	00	00	00	0	0	00	00	00	035
E2	ASH14	067	4	0	0	0	1	0	0	00	0	32	00	00	0	0	00	00	00	127
E5	DIV34	070	2	0	0	1	0	0	0	00	0	00	00	00	2	0	00	00	00	050
E5	DIV24	071	2	0	0	1	0	0	0	00	0	00	00	00	2	0	00	00	00	045
F2	ADD17	072	4	0	0	0	1	0	0	00	0	00	00	00	0	0	00	00	00	301
		073	0	0	0	0	0	0	0	00	0	00	00	00	0	0	00	00	00	000
E5	DIV39	074	6	0	3	0	1	0	0	00	0	11	01	17	2	0	00	10	00	051
E3	MUL5	075	2	0	0	0	0	0	0	00	0	00	00	00	0	0	00	00	00	110
E4	DIV6	076	6	0	0	0	1	0	0	10	0	06	00	00	2	0	00	00	00	024
E2	ASH13	077	2	0	3	0	0	0	0	00	0	00	00	00	2	0	00	11	01	206

This drawing and specifications, herein, are the property of Digital Equipment Corporation and shall not be reproduced or copied or used in whole or in part as the basis for the manufacture or sale of items without written permission.

NOTE:

THE COMPLEMENT OF THE ACTUAL ROM OUTPUT FOR THE UPF, WR, SPS(HIGH 2 BITS), BUS (LOW BIT), AND CLK (LOW BIT) FIELD IS LISTED FOR CLARITY.

FLWS	STATE	ADR	CON	FC1	FUB	MHR	FRD	ERD	SRD	SDR	CVM	NZM	CCC	GPC	CEE	CNT	EUB	CBR
E2	ASH9	040	0	0	0	0	0	1	3	0	0	0	0	0	0	0	00	0
F4	FML4	041	0	0	0	0	1	0	3	0	0	0	0	0	0	0	10	0
F5	FDV23	042	0	0	0	0	0	0	1	0	0	0	0	0	0	0	00	0
F4	FML3	043	0	0	0	0	0	0	0	0	0	0	0	0	0	0	00	1
E2	ASH16	044	0	0	0	0	0	0	0	0	0	0	0	0	0	1	10	0
E5	DIV25	045	0	0	0	0	0	1	1	0	0	0	0	0	0	0	00	1
E2	ASH10	046	0	0	0	0	0	0	0	0	0	0	0	0	0	1	10	0
E5	DIV29	047	0	0	0	0	0	1	3	0	0	0	0	0	0	0	00	0
E5	DIV37	050	0	0	0	0	0	1	1	0	0	0	0	0	0	0	00	0
E5	DIV40	051	0	0	0	0	0	0	0	0	5	2	7	0	0	0	00	0
E5	DIV35	052	0	0	0	0	0	1	3	0	0	0	0	0	0	0	00	0
E5	DIV26	053	0	0	0	0	0	0	0	0	5	2	7	0	0	0	00	0
E5	DIV41	054	0	0	0	0	0	0	0	0	1	0	2	0	0	0	00	0
E4	DIV2	055	0	0	0	0	0	0	0	0	0	0	0	0	0	2	04	1
E5	DIV42	056	0	0	0	0	0	0	0	0	0	0	0	0	0	0	00	0
E4	DIV8	057	0	0	0	0	0	0	0	3	0	0	0	4	0	0	00	1
E4	DIV9	060	0	0	0	0	0	0	0	0	1	1	7	0	0	0	03	0
E4	DIV10	061	0	0	0	0	0	0	2	0	0	0	0	0	0	0	00	0
E4	DIV15	062	0	0	0	0	0	0	2	0	0	0	0	0	0	0	00	0
E2	ASH4	063	0	0	0	0	0	0	0	0	7	0	1	0	0	1	10	1
F2	ADD3	064	0	0	0	3	0	0	0	0	4	0	1	0	0	0	10	1
E4	DIV17	065	0	0	0	0	0	0	0	0	0	0	0	0	0	0	07	0
E4	DIV18	066	0	0	0	0	0	0	2	0	5	0	1	0	0	1	00	0
E2	ASH14	067	0	0	0	0	0	0	0	0	0	0	0	0	0	0	00	0
E5	DIV34	070	0	0	0	0	0	0	3	0	0	0	0	0	0	0	00	1
E5	DIV24	071	0	0	0	0	0	0	3	0	0	0	0	0	0	0	00	1
F2	ADD17	072	0	0	0	3	0	1	1	0	0	0	0	0	0	0	00	0
		073	0	0	0	0	0	0	0	0	0	0	0	0	0	0	00	0
E5	DIV39	074	0	0	0	0	0	0	0	0	0	0	0	0	0	0	01	1
E3	MUL5	075	0	0	0	0	0	0	0	3	0	0	0	0	0	0	00	1
E4	DIV6	076	0	0	0	0	0	0	0	0	4	0	1	0	0	0	10	1
E2	ASH13	077	0	0	0	0	0	0	3	0	0	0	0	0	0	0	00	0

REV.	CHANGE NO.	CHK

digital EQUIPMENT CORPORATION MAYNARD, MASSACHUSETTS	
TITLE	
FIS BOARD	
(ADRS 040-077)	
DRN. <i>R. P. DeLor</i> CHK'D. <i>J. B. Bumpush</i> ENG. <i>J. B. Bumpush</i> PROD. <i>H. Stinger</i>	DATE 8-16-72 DATE 8-17-72 DATE 7-17-72 DATE 8-17-72 DATE 8-18-72
SIZE CODE	NUMBER
C C S	M7239-0-1
SHEET 6 OF 12	DIST.
REV.	8

FLWS	STATE	ADR	CLK	CIR	WR	CB	CD	CBA	BUS	DAD	SPS	ALU	SBC	SBM	SDM	SBA	UBF	SRX	RIF	UPF
E1	EI0	100	2	0	0	0	0	0	0	00	0	00	00	00	0	0	00	00	00	377
E5	DIV28	101	2	0	3	0	0	0	0	00	0	00	00	00	2	0	00	11	01	021
E1	EI3	102	2	0	3	1	0	0	0	00	0	00	00	00	2	0	00	01	14	007
E5	DIV32	103	2	0	3	0	0	0	0	00	0	00	00	00	2	0	00	11	01	023
E5	DIV30	104	2	0	3	0	0	0	0	00	0	00	00	00	2	0	00	11	01	050
E5	DIV36	105	2	0	3	0	0	0	0	00	0	00	00	00	2	0	00	11	01	045
E5	DIV38	106	2	0	3	1	0	0	0	00	0	00	00	00	2	0	00	10	00	074
E5	DIV22	107	2	0	3	0	0	0	0	00	0	00	00	00	2	0	00	11	01	021
E3	MUL6	110	2	0	0	1	0	0	0	00	0	00	00	00	0	0	00	10	00	133
E3	MUL22	111	4	0	0	0	1	0	0	00	0	23	00	00	0	0	00	00	00	113
E3	MUL21	112	4	0	0	0	1	0	0	10	0	06	00	00	0	0	00	00	00	111
E3	MUL23	113	2	0	3	0	0	0	0	00	0	00	00	00	2	0	00	11	01	114
E3	MUL27	114	2	0	0	1	0	0	0	00	0	00	00	00	0	0	00	10	00	133
E3	MUL25	115	4	0	0	0	1	0	0	00	0	00	00	00	0	0	00	00	00	141
E3	MUL24	116	2	0	0	0	0	0	0	00	0	00	00	00	0	0	00	00	00	115
		117	0	0	0	0	0	0	0	00	0	00	00	00	0	0	00	00	00	000
F2	ADD0	120	2	0	0	1	0	0	0	00	0	00	00	00	0	0	00	01	13	251
F1	FP1	121	2	0	3	1	0	0	0	00	0	00	00	00	1	0	00	01	11	125
F2	SUB0	122	6	0	0	0	1	0	0	00	0	20	00	00	2	0	00	00	00	120
E2	ASH6	123	6	0	3	1	1	0	0	00	0	11	00	00	2	0	00	10	00	123
F4	FML0	124	6	0	0	0	0	0	0	00	0	00	00	00	2	0	00	00	00	130
F1	FP2	125	7	0	3	0	1	1	1	00	0	11	02	17	2	0	00	04	00	131
F5	FDV0	126	2	0	0	0	0	0	0	00	0	00	00	00	2	0	00	00	00	004
E2	ASH20	127	2	0	0	0	0	0	0	00	0	00	00	00	0	0	00	00	00	177
F4	FML1	130	2	0	0	1	0	0	0	00	0	00	00	00	0	0	00	01	14	132
F1	FP3	131	2	0	3	1	0	0	0	00	0	00	00	00	1	0	00	01	13	151
F4	FML2	132	6	0	3	0	1	0	0	00	0	11	00	00	2	0	00	01	15	041
E3	MUL9	133	6	0	0	0	1	0	0	14	0	00	00	00	3	0	00	00	00	133
F5	FDV20	134	2	0	0	1	0	0	0	00	0	00	00	00	0	0	00	00	00	154
F1	FP5	135	2	0	0	1	0	0	0	00	0	00	00	00	0	0	00	01	11	155
F6	NOM6	136	2	0	3	0	0	0	0	00	0	00	00	00	2	0	00	01	15	305
E3	MUL10	137	4	0	0	0	1	0	0	00	0	00	00	00	0	0	00	00	00	167

This drawing and specifications, herein, are the property of Digital Equipment Corporation and shall not be reproduced or copied or used in whole or in part as the basis for the manufacture or sale of items without written permission.

NOTE:

THE COMPLEMENT OF THE ACTUAL ROM OUTPUT FOR THE UPF, WR, SPS (HIGH 2 BITS), BUS (LOW BIT), AND CLK (LOW BITS) FIELD IS LISTED FOR CLARITY.

FLWS	STATE	ADR	CON	FC1	FUB	MHR	FRD	ERD	SRD	SDR	CVM	NZM	CCC	GPC	CEE	CNT	EUB	CBR
E1	EI0	100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	17	1
E5	DIV28	101	0	0	0	0	0	0	3	0	0	0	0	0	0	0	00	1
E1	EI3	102	0	0	0	0	0	0	0	0	0	0	0	0	0	0	00	0
E5	DIV32	103	0	0	0	0	0	0	3	0	0	0	0	0	0	0	00	1
E5	DIV30	104	0	0	0	0	0	0	1	0	0	0	0	0	0	0	00	0
E5	DIV36	105	0	0	0	0	0	0	0	0	0	0	0	0	0	0	00	0
E5	DIV38	106	0	0	0	0	0	0	0	0	0	0	0	0	0	0	01	0
E5	DIV22	107	0	0	0	0	0	0	3	0	0	0	0	0	0	0	00	0
E3	MUL6	110	0	0	0	0	0	0	3	0	0	0	0	0	0	1	00	0
E3	MUL22	111	0	0	0	0	0	0	0	0	0	0	0	0	0	0	04	0
E3	MUL21	112	0	0	0	0	0	1	1	0	0	0	0	0	0	0	10	0
E3	MUL23	113	0	0	0	0	0	0	0	0	0	0	0	0	0	0	00	0
E3	MUL27	114	0	0	0	0	0	0	3	0	0	0	0	0	0	1	00	0
E3	MUL25	115	0	0	0	0	0	1	1	0	2	0	2	0	0	0	00	0
E3	MUL24	116	0	0	0	0	0	0	1	1	0	0	0	0	0	0	00	0
		117	0	0	0	0	0	0	0	0	0	0	0	0	0	0	00	0
F2	ADD0	120	0	0	0	0	0	0	0	0	0	0	0	0	0	0	03	0
F1	FP1	121	0	0	0	0	0	0	0	0	0	0	0	0	0	0	00	1
F2	SUB0	122	0	0	0	0	1	0	0	0	0	0	0	0	0	0	00	1
E2	ASH6	123	0	0	0	0	0	0	0	0	3	0	3	0	0	1	10	1
F4	FML0	124	0	0	0	0	0	0	0	0	0	0	0	0	0	0	00	1
F1	FP2	125	0	0	0	0	0	0	3	0	0	0	0	0	0	0	00	0
F5	FDV0	126	0	0	0	0	0	0	0	0	0	0	0	0	0	0	00	1
E2	ASH20	127	0	0	0	0	0	0	0	0	2	4	0	0	0	0	00	0
F4	FML1	130	0	0	1	0	0	0	0	0	2	4	0	0	0	0	02	0
F1	FP3	131	0	0	0	0	0	0	0	0	0	0	0	0	0	0	00	0
F4	FML2	132	0	0	0	0	0	0	3	0	0	0	0	6	0	0	00	0
E3	MUL9	133	0	0	0	0	0	1	3	1	2	0	1	2	0	1	10	1
F5	FDV20	134	0	0	0	3	0	0	0	0	0	0	0	0	0	0	00	1
F1	FP5	135	0	0	0	0	0	0	0	0	0	0	0	0	0	0	00	0
F6	NOM6	136	0	0	0	0	0	0	0	0	0	0	0	0	0	0	10	0
E3	MUL10	137	0	0	0	0	0	1	3	0	0	0	0	0	0	0	00	0

REV.	CHANGE NO.	CHK

DRN <i>R. B. B. B.</i>	DATE 8-16-72
CHK'D <i>J. B. B. B.</i>	DATE 8-17-72
ENG <i>J. B. B. B.</i>	DATE 8-17-72
PROD. ENG. <i>J. B. B. B.</i>	DATE 8-17-72
PROD. Q.C. <i>J. B. B. B.</i>	DATE 8-18-72

digital EQUIPMENT CORPORATION MAYNARD, MASSACHUSETTS	
TITLE FIS BOARD (ADRS 100-137)	
SIZE CODE C CS	NUMBER M7239-0-1
REV. 3	
SHEET 7 OF 12	
DIST.	

This drawing and specifications, herein, are the property of Digital Equipment Corporation and shall not be reproduced or copied or used in whole or in part as the basis for the manufacture or sale of items without written permission.

FLWS	STATE	ADR	CLK	CIR	WR	CB	CD	CBA	BUS	DAD	SPS	ALU	SBC	SBM	SDM	SBA	UBF	SRX	RIF	UPF
F6	NOM14	140	6	0	3	1	1	0	0	00	0	11	01	17	2	0	00	01	15	142
E3	MUL26	141	2	0	3	0	0	0	0	00	0	00	00	00	2	0	00	10	00	177
F6	EXI0	142	2	0	0	0	0	0	0	00	0	00	00	00	0	0	00	00	00	332
E3	MUL11	143	4	0	0	0	1	0	0	00	0	20	00	00	0	0	00	00	00	005
F1	FP12	144	2	0	3	0	1	0	0	00	0	00	00	00	2	0	00	01	11	244
E1	DST12	145	2	0	3	1	0	0	0	00	0	00	00	00	1	0	00	01	12	275
F1	FP10	146	6	0	3	1	1	0	0	00	0	23	00	00	2	0	00	01	13	252
E4	DIV14	147	2	0	0	0	0	0	0	00	0	00	00	00	0	0	00	10	00	062
F4	FML5	150	6	0	3	0	1	0	0	00	0	06	00	00	2	0	00	01	15	365
F1	FP4	151	6	0	3	0	1	0	0	00	0	11	00	00	2	0	00	01	13	135
		152	0	0	0	0	0	0	0	00	0	00	00	00	0	0	00	00	00	000
E4	DIV20	153	6	0	0	0	1	0	0	14	0	00	00	00	2	0	00	00	00	153
F6	NOM1	154	6	0	3	0	1	0	0	00	0	11	01	17	2	0	00	01	15	324
F1	FP6	155	6	0	3	1	1	0	0	00	0	11	00	00	2	0	00	01	11	175
F6	NOM8	156	6	0	0	0	1	0	0	00	0	11	01	17	2	0	00	00	00	174
E5	DIV21	157	4	0	0	0	1	0	0	00	0	00	00	00	0	0	00	00	00	107
F5	FDV6	160	4	0	0	0	1	0	0	00	0	11	00	00	0	0	00	00	00	344
F6	EXI4	161	6	0	0	1	0	0	0	00	0	00	00	00	0	0	00	00	00	256
F5	FDV5	162	6	0	3	1	1	0	0	00	0	23	00	00	2	0	00	01	15	176
F2	ADD13	163	4	0	0	0	1	0	0	10	0	06	00	00	0	0	00	00	00	340
F2	ADD5	164	2	0	0	1	0	0	0	00	0	00	00	00	0	0	00	01	11	165
F2	ADD6	165	4	0	0	0	1	0	0	00	0	06	00	00	0	0	00	00	00	202
F5	FDV3	166	4	0	0	0	1	0	0	00	0	00	00	00	0	0	00	00	00	350
E3	MUL20	167	2	0	3	0	0	0	0	00	0	00	00	00	2	0	00	10	00	143
E1	DST4	170	3	0	3	0	0	0	1	00	0	00	00	00	2	0	00	04	00	271
F5	FDV11	171	2	0	0	0	0	0	0	00	0	00	00	00	0	0	00	01	10	042
F4	FML8	172	2	0	0	0	0	0	0	00	0	00	00	00	0	0	00	01	10	210
F5	FDV13	173	6	0	0	0	1	0	0	14	0	00	00	00	2	0	00	00	00	331
F6	NOM9	174	2	0	0	0	0	0	0	00	0	00	00	00	0	0	00	00	00	273
F1	FP7	175	4	0	0	0	1	0	0	00	0	32	00	16	0	0	00	00	00	367
F6	NOM3	176	2	0	0	0	0	1	0	06	0	00	00	00	1	0	00	04	00	220
F2	ASH15	177	6	0	0	0	0	0	0	00	7	00	00	00	0	0	00	00	00	323

NOTE:

THE COMPLEMENT OF THE ACTUAL ROM OUTPUT FOR THE UPF, WR, SPS(HIGH 2 BITS), BUS(LOW BIT), AND CLK (LOW BIT) FIELD IS LISTED FOR CLARITY.

FLWS	STATE	ADR	CON	FC1	FUB	MHR	FRD	ERD	SRD	SDR	CVM	NZM	CCC	GPC	CEE	CNT	EUB	CBR
F6	NOM14	140	0	0	0	1	0	0	0	1	0	0	0	0	0	0	00	1
E3	MUL26	141	0	0	0	0	0	0	0	0	1	3	5	0	0	0	00	0
F6	EXI0	142	0	0	0	0	1	0	2	0	0	0	0	0	0	0	00	1
E3	MUL11	143	0	0	0	0	0	1	3	0	2	0	2	0	0	0	04	0
F1	FP12	144	0	0	0	0	0	0	1	0	0	0	0	0	0	0	00	0
E1	DST12	145	0	0	0	0	0	0	0	0	0	0	0	0	0	0	00	0
F1	FP10	146	0	0	1	0	0	0	0	0	0	0	0	0	0	0	00	1
E4	DIV14	147	0	0	0	0	0	0	0	3	0	0	0	0	0	0	00	1
F4	FML5	150	0	0	0	0	0	0	0	0	0	0	0	0	0	0	00	0
F1	FP4	151	0	0	0	0	0	0	0	0	4	0	1	0	0	0	00	0
		152	0	0	0	0	0	0	0	0	0	0	0	0	0	0	00	0
E4	DIV20	153	0	0	0	0	0	1	2	2	0	0	0	2	0	1	10	1
F6	NOM1	154	0	0	1	0	0	0	0	0	0	0	0	1	0	0	04	0
F1	FP6	155	0	0	0	0	0	0	0	0	0	0	0	4	0	0	10	0
F6	NOM8	156	0	0	0	0	1	0	1	0	4	0	1	0	0	0	00	1
E5	DIV21	157	0	0	0	0	0	1	3	0	0	0	0	0	0	0	12	0
F5	FDV6	160	0	0	0	0	1	0	3	0	0	0	0	6	0	0	00	0
F6	EXI4	161	2	0	0	0	1	0	3	0	1	3	6	0	0	0	00	0
F5	FDV5	162	0	0	0	0	0	0	0	0	0	0	0	0	0	0	00	1
F2	ADD13	163	0	0	0	0	0	0	0	0	0	2	4	0	0	2	00	0
F2	ADD5	164	0	0	0	0	0	0	0	0	0	0	0	0	0	0	00	0
F2	ADD6	165	0	0	0	0	0	0	0	0	0	0	0	4	0	0	00	0
F5	FDV3	166	1	0	0	0	1	0	3	0	1	0	1	0	0	0	00	0
E3	MUL20	167	0	0	0	0	0	0	3	0	0	0	0	0	0	0	05	0
E1	DST4	170	0	0	0	0	0	0	0	0	0	0	0	0	0	0	16	0
F5	FDV11	171	0	0	0	7	0	0	0	0	0	0	0	0	0	0	00	1
F4	FML8	172	0	0	0	7	0	0	0	0	0	0	0	0	0	0	00	1
F5	FDV13	173	0	0	1	0	0	1	1	3	4	0	1	2	0	0	05	1
F6	NOM9	174	0	0	0	3	0	0	1	0	0	0	0	0	0	0	00	0
F1	FP7	175	0	0	0	0	0	0	0	0	0	0	0	0	0	0	10	0
F6	NOM3	176	0	1	0	3	0	0	1	3	0	2	4	0	0	0	00	0
F2	ASH15	177	0	0	0	0	0	1	0	0	0	0	0	0	1	0	00	0

REV.	CHANGE NO.

DRN <i>A. Rudolph</i>	DATE 8-16-72
CHKD. <i>Thompson</i>	DATE 8-17-72
ENG. <i>Thompson</i>	DATE 8-17-72
PROD. ENG. <i>Thompson</i>	DATE 8-17-72
PROD. <i>Thompson</i>	DATE 8-17-72

digital EQUIPMENT CORPORATION MAYNARD, MASSACHUSETTS	
TITLE FIS BOARD (ADRS 140-177)	
SIZE CODE C CS	NUMBER M7239-0-1
REV. B	

FLWS	STATE	ADR	CLK	CIR	WR	CB	CD	CBA	BUS	DAD	SPS	ALU	SBC	SBM	SDM	SBA	UBF	SRX	RIF	UPF
F2	ADD39	200	2	0	3	0	0	0	0	00	0	00	00	00	2	0	00	01	13	072
E3	MUL0	201	6	0	0	0	1	0	0	00	0	32	12	17	2	0	00	00	00	014
F2	ADD7	202	2	0	3	0	0	0	0	00	0	00	00	00	2	0	00	01	11	300
E4	DIV0	203	6	0	0	0	1	0	0	00	0	32	12	17	2	0	00	00	00	303
E3	MUL8	204	2	0	0	0	0	0	0	00	0	00	00	00	0	0	00	00	00	001
E2	ASH0	205	2	0	0	0	0	0	0	00	0	00	00	00	0	0	00	00	00	311
E2	ASH19	206	4	0	0	0	1	0	0	00	0	00	00	00	0	0	00	11	01	127
E2	ASH7	207	2	0	0	0	0	0	0	00	0	00	00	00	0	0	00	11	01	351
F4	FML9	210	2	0	0	0	0	0	0	00	0	00	00	00	0	0	00	00	00	212
F5	FDV24	211	6	0	0	0	1	0	0	10	0	06	00	00	2	0	00	00	00	032
F4	FML10	212	2	0	0	0	1	0	0	00	0	00	00	00	0	0	00	01	13	213
F4	FML11	213	4	0	0	0	1	0	0	00	0	00	00	00	0	0	00	00	00	232
F6	NOM11	214	2	0	0	0	0	0	0	00	0	00	00	00	0	0	00	00	00	216
F2	ADD16	215	2	0	0	0	0	0	0	00	0	00	00	00	0	0	00	01	13	200
F6	NOM12	216	2	0	0	0	0	0	0	00	0	00	00	00	0	0	00	00	00	234
F4	FML18	217	6	0	0	0	1	0	0	00	0	00	00	00	2	0	00	00	00	330
F6	EXI7	220	5	0	0	0	1	0	3	00	0	00	00	00	0	0	00	00	00	336
E1	DST15	221	2	0	3	1	0	0	0	00	0	00	00	00	1	0	00	01	12	241
F6	EXI3	222	6	0	0	0	1	0	2	00	0	03	00	00	2	0	00	00	00	224
E2	ASH11	223	6	0	3	1	1	0	0	00	0	00	00	00	3	0	00	10	00	223
F6	EXI12	224	2	0	0	0	0	0	2	00	0	00	00	00	2	0	00	00	00	161
F2	ADD10	225	6	0	0	0	1	0	0	00	0	06	00	00	2	0	00	00	00	245
F2	ADD15	226	4	0	0	0	1	0	0	00	0	00	00	00	0	0	00	00	00	215
E2	ASH12	227	4	0	0	0	1	0	0	00	0	00	00	00	0	0	00	00	00	077
F4	FML16	230	2	0	0	1	0	0	0	00	0	00	00	00	0	0	00	01	11	250
E4	DIV3	231	2	0	0	0	0	0	0	00	0	00	00	00	0	0	00	00	00	020
F4	FML12	232	2	0	0	0	0	0	0	00	0	00	00	00	3	0	00	00	00	304
F3	ADD35	233	6	0	0	1	1	0	0	00	0	36	00	00	0	0	00	00	00	360
F6	NOM13	234	6	0	0	1	1	0	0	00	0	00	00	00	0	0	00	01	15	140
F1	FP9	235	4	0	0	0	1	0	0	00	0	11	00	14	0	0	00	00	00	144
F6	EXI1	236	4	0	0	0	1	0	0	00	0	00	00	00	0	0	00	00	00	254
F3	ADD25	237	2	0	0	0	0	0	0	00	0	00	00	00	2	0	00	00	00	341

This drawing and specifications, herein, are the property of Digital Equipment Corporation and shall not be reproduced or copied or used in whole or in part as the basis for the manufacture or sale of items without written permission.

NOTE:

THE COMPLEMENT OF THE ACTUAL ROM OUTPUT FOR THE UPF, WR, SPS (HIGH 2 BITS), BUS (LOW BIT), AND CLK (LOW BIT) FIELD IS LISTED FOR CLARITY.

FLWS	STATE	ADR	CON	FC1	FUB	MHR	FRD	ERD	SRD	SDR	CVM	NZM	CCC	GPC	CEE	CNT	EUB	CBR
F2	ADD39	200	0	0	0	0	0	0	1	0	0	0	0	0	0	0	00	0
E3	MUL0	201	0	0	0	0	0	0	0	0	0	0	0	0	0	0	03	1
F2	ADD7	202	0	0	0	0	0	0	0	0	0	0	0	0	0	0	00	0
E4	DIV0	203	0	0	0	0	0	0	0	0	0	0	0	0	0	0	00	1
E3	MUL8	204	0	0	0	0	0	0	0	3	0	0	0	0	0	0	00	1
E2	ASH0	205	0	0	0	0	0	0	0	0	0	0	0	0	0	2	13	0
E2	ASH19	206	0	0	0	0	0	1	3	0	0	0	0	0	0	0	00	0
E2	ASH7	207	0	0	0	0	0	0	0	2	0	2	0	0	0	2	13	1
F4	FML9	210	0	0	0	3	0	0	0	0	0	0	0	0	0	0	00	1
F5	FDV24	211	0	0	0	0	0	1	1	3	4	0	1	0	0	0	00	1
F4	FML10	212	2	0	0	0	0	0	3	3	0	0	0	0	0	0	00	0
F4	FML11	213	0	0	1	0	0	1	3	0	0	0	0	0	0	1	01	0
F6	NOM11	214	0	0	0	0	0	0	0	3	0	0	0	0	0	0	00	0
F2	ADD16	215	0	0	0	0	0	0	0	0	0	0	0	0	0	0	00	1
F6	NOM12	216	0	0	1	1	0	0	0	1	0	0	0	1	0	0	04	1
F4	FML18	217	0	0	0	0	0	1	1	3	0	0	0	0	0	0	00	1
F6	EXI7	220	0	0	0	0	1	0	1	0	0	0	0	0	0	0	00	0
E1	DST15	221	0	0	0	0	0	0	0	0	0	0	0	0	0	0	00	0
F6	EXI3	222	2	0	0	0	0	0	3	0	0	0	0	0	0	0	00	1
E2	ASH11	223	0	0	0	0	0	0	1	1	2	0	1	0	0	1	10	1
F6	EXI12	224	2	0	0	0	0	0	3	0	0	0	0	0	0	0	00	1
F2	ADD10	225	0	0	0	0	0	0	0	0	0	0	0	4	0	0	00	1
F2	ADD15	226	0	0	0	0	1	0	1	0	0	0	0	0	0	2	00	0
E2	ASH12	227	0	0	0	0	0	1	1	0	0	0	0	0	0	0	00	0
F4	FML16	230	0	0	0	0	0	0	1	0	0	0	0	7	0	0	10	0
E4	DIV3	231	0	0	0	0	0	0	0	0	0	0	0	0	0	0	00	0
F4	FML12	232	0	0	0	5	0	0	0	1	0	0	0	7	0	0	10	1
F3	ADD35	233	0	0	0	0	0	1	1	0	0	0	0	0	0	0	00	0
F6	NOM13	234	0	0	0	0	0	0	0	0	0	0	0	0	0	0	00	1
F1	FP9	235	0	0	1	0	1	0	3	0	0	0	0	0	0	0	00	0
F6	EXI1	236	1	0	0	0	1	0	3	0	0	0	0	0	0	0	11	0
F3	ADD25	237	0	0	0	0	0	0	0	0	0	0	0	7	0	1	10	0

REV.	CHANGE NO.

DRN	DATE
CHK'D	DATE
APPROV	DATE
PROF	DATE
PROF	DATE

digital EQUIPMENT CORPORATION MAYNARD, MASSACHUSETTS	
TITLE	
FIS BOARD	
(ADRS 200-237)	
SIZE CODE	NUMBER
C CS	M7239-0-1
REV.	B

This drawing and specifications, herein, are the property of Digital Equipment Corporation and shall not be reproduced or copied or used in whole or in part as the basis for the manufacture or sale of items without written permission.

FLWS	STATE	ADR	CLK	CIR	WR	CB	CD	CBA	BUS	DAD	SPS	ALU	SBC	SBM	SDM	SBA	UBF	SRX	RIF	UPF
E1	EI2	240	4	0	0	0	1	0	0	00	0	32	00	17	0	0	00	00	00	102
E1	DST16	241	5	0	0	0	0	1	1	00	0	11	00	00	0	0	00	04	00	265
F1	FP0	242	3	0	0	0	0	1	1	00	0	00	00	00	2	1	00	04	00	121
E2	ASH17	243	6	0	3	1	1	0	0	00	0	11	00	00	2	0	00	10	00	243
F1	FP13	244	7	0	3	0	1	1	1	00	0	11	02	17	2	0	00	04	00	121
F2	ADD11	245	2	0	0	1	0	0	0	00	0	00	00	00	0	0	00	01	14	373
F1	FP14	246	2	0	0	1	0	0	0	00	0	00	00	00	0	0	00	00	00	255
F2	ASH18	247	4	0	0	0	1	0	0	00	0	00	00	00	0	0	00	00	00	077
F4	FML17	250	6	0	0	0	1	0	0	00	0	11	00	00	2	0	00	00	00	213
F2	ADD1	251	4	0	0	0	1	0	0	10	0	06	00	00	0	0	00	00	00	300
F1	FP11	252	2	0	3	0	1	0	0	00	0	00	00	00	2	0	00	01	11	244
F4	BRQ2	253	6	0	0	1	0	0	0	00	0	00	00	00	0	0	00	00	00	355
F6	EXI2	254	2	0	3	0	0	0	0	00	0	00	00	00	2	0	00	01	14	220
F1	FP15	255	6	0	0	0	1	0	0	00	0	26	00	00	0	0	00	00	00	120
F6	EXI5	256	6	0	0	0	0	0	0	00	7	00	00	00	0	0	00	00	00	354
F4	BRQ3	257	6	0	0	1	0	0	0	00	0	00	00	00	0	0	00	00	00	355
E1	DST0	260	4	0	0	0	1	0	0	00	0	00	00	00	0	0	00	04	00	261
E1	DST1	261	2	0	3	1	0	0	0	00	0	00	00	00	2	0	00	01	12	201
E1	DST10	262	3	0	0	0	0	1	1	00	0	00	00	00	0	1	00	04	00	271
F4	FML7	263	2	0	0	0	0	0	0	00	0	00	00	00	0	0	00	01	12	172
E1	DST2	264	4	0	0	0	1	1	0	00	0	11	02	17	0	1	00	04	00	170
E1	DST6	265	2	0	3	1	0	0	0	00	0	00	00	00	1	0	00	01	12	366
E1	DST5	266	7	0	3	0	1	1	1	00	0	11	02	17	2	1	00	04	00	265
F5	FDV10	267	2	0	0	0	0	0	0	00	0	00	00	00	0	0	00	00	00	171
E1	DST3	270	4	0	0	0	1	1	0	00	0	06	01	17	0	0	00	04	00	170
E1	DST8	271	2	0	3	1	0	0	0	00	0	00	00	00	1	0	00	01	12	201
E1	DST9	272	7	0	0	0	1	1	1	00	0	06	01	17	0	0	00	04	00	265
F6	NOM10	273	6	0	0	0	1	0	0	00	0	11	00	00	2	0	00	00	00	214
E1	DST11	274	7	0	3	0	1	0	1	00	0	11	02	17	2	0	00	01	07	145
E1	DST13	275	5	0	0	0	0	1	1	00	0	11	00	00	0	0	00	04	00	271
E1	DST14	276	7	0	3	0	1	0	1	00	0	11	02	17	2	0	00	01	07	221
F4	FML15	277	6	0	0	0	1	0	0	00	0	11	00	00	2	0	00	00	00	230

NOTE:
THE COMPLEMENT OF THE ACTUAL
ROM OUTPUT FOR THE UPF, WR,
SPS (HIGH 2 BITS), BUS (LOW BIT),
AND CLK (LOW BIT) FIELD IS LISTED
FOR CLARITY.

FLWS	STATE	ADR	CON	FC1	FUB	MHR	FRD	END	SRD	SDR	CVM	NZM	CCC	GPC	CEE	CNT	EUB	CBR
E1	EI2	240	0	0	0	0	0	0	0	0	0	0	0	0	1	0	00	0
E1	DST16	241	0	0	0	0	0	0	0	0	0	0	0	0	0	0	00	0
F1	FP0	242	0	0	0	0	0	0	0	0	0	0	0	0	0	0	00	0
E2	ASH17	243	0	0	0	0	0	0	1	2	3	0	3	3	0	1	10	1
F1	FP13	244	0	0	0	7	0	0	0	0	0	2	4	0	0	0	00	0
F2	ADD11	245	0	0	0	0	0	0	3	0	3	4	0	0	0	0	00	0
F1	FP14	246	0	0	0	0	0	1	1	0	0	0	0	0	0	0	15	0
F2	ASH18	247	0	0	0	0	0	1	1	0	0	0	0	0	0	0	00	0
F4	FML17	250	2	0	0	0	0	1	1	3	0	0	0	4	0	0	00	1
F2	ADD1	251	0	0	0	0	0	0	0	4	0	1	0	0	0	0	00	0
F1	FP11	252	0	0	0	0	0	0	1	0	0	0	0	0	0	0	00	0
F4	BRQ2	253	2	0	0	0	1	0	3	0	0	0	0	0	0	0	00	0
F6	EXI2	254	0	1	0	0	0	0	0	0	0	0	0	0	0	0	00	0
F1	FP15	255	0	0	0	0	1	0	0	0	0	0	0	0	0	0	00	1
F6	EXI5	256	0	0	0	0	0	1	0	0	0	0	0	0	1	0	00	0
F4	BRQ3	257	2	0	0	0	1	0	3	0	0	0	0	0	0	0	00	0
E1	DST0	260	0	0	0	0	0	0	0	0	0	0	0	0	0	0	16	0
E1	DST1	261	0	0	0	0	0	0	0	0	0	0	0	0	0	0	00	1
E1	DST10	262	0	0	0	0	0	0	0	0	0	0	0	0	0	0	16	0
F4	FML7	263	0	0	0	0	0	0	0	0	0	0	0	0	0	2	00	1
E1	DST2	264	0	0	0	0	0	0	0	0	0	0	0	0	0	0	00	0
E1	DST6	265	3	0	0	0	0	0	0	0	0	0	0	0	0	0	00	0
E1	DST5	266	0	0	0	0	0	0	0	0	0	0	0	0	0	0	00	0
F5	FDV10	267	0	0	0	0	0	0	3	0	0	0	0	0	0	0	00	1
E1	DST3	270	0	0	0	0	0	0	0	0	0	0	0	0	0	0	00	0
E1	DST8	271	0	0	0	0	0	0	0	0	0	0	0	0	0	0	00	1
E1	DST9	272	0	0	0	0	0	0	0	0	0	0	0	0	0	0	00	0
F6	NOM10	273	0	0	0	0	0	1	1	0	0	0	0	4	0	0	10	1
E1	DST11	274	0	0	0	0	0	0	0	0	0	0	0	0	0	0	00	0
E1	DST13	275	0	0	0	0	0	0	0	0	0	0	0	0	0	0	16	0
E1	DST14	276	0	0	0	0	0	0	0	0	0	0	0	0	0	0	00	0
F4	FML15	277	0	0	0	0	0	1	1	3	4	0	1	0	0	0	00	1

REV.	CHANGE NO.
HK	

DRN	DATE
CHKD	DATE
ENG	DATE
PROJ ENG	DATE
PROD	DATE

digital EQUIPMENT CORPORATION MAYNARD, MASSACHUSETTS	
TITLE	
FIS BOARD	
(ADRS 240-277)	
SIZE CODE	NUMBER
C CS	M7239-0-1
REV.	B

This drawing and specifications, herein, are the property of Digital Equipment Corporation and shall not be reproduced or copied or used in whole or in part as the basis for the manufacture or sale of items without written permission.

FLWS	STATE	ADR	CLK	CIR	WR	CH	CD	CBA	BUS	DAD	SPS	ALU	SBC	SBM	SDM	SBA	UBF	SRX	RIF	UPF
F2	ADD2	300	2	0	0	1	0	0	0	00	0	00	00	00	0	0	00	01	12	064
F2	ADD18	301	2	0	0	0	0	0	0	00	0	00	00	00	0	0	00	01	11	321
F2	ADD4	302	6	0	3	0	0	0	0	00	0	00	00	00	2	0	00	01	13	164
E4	DIV1	303	4	0	0	0	1	0	0	00	0	32	00	00	0	0	00	00	00	055
F4	FML13	304	2	0	0	1	0	0	0	00	0	00	00	00	0	0	00	01	13	213
F6	NOM7	305	2	0	0	0	0	0	0	00	0	00	00	00	0	0	00	00	00	156
F4	FML14	306	2	0	0	1	0	0	0	00	0	00	00	00	0	0	00	01	13	277
F6	NOM5	307	4	0	0	0	1	0	0	00	0	06	00	00	0	0	00	01	15	136
F2	ADD21	310	2	0	3	0	0	0	0	00	0	00	00	00	2	0	00	01	15	340
E2	ASH1	311	0	0	0	1	1	0	0	00	0	00	00	00	2	0	00	10	00	030
F5	FDV19	312	2	0	0	0	0	0	0	00	0	00	00	00	0	0	00	00	00	134
F3	ADD27	313	6	0	0	0	0	0	0	00	0	00	00	00	0	0	00	00	00	313
F3	ADD33	314	2	0	0	1	0	0	0	00	0	00	00	00	0	0	00	00	00	334
F3	ADD32	315	6	0	0	0	1	0	0	00	0	11	00	00	2	0	00	00	00	314
F5	FDV16	316	6	0	0	0	1	0	0	00	0	00	00	00	2	0	00	00	00	333
F3	ADD30	317	6	0	0	0	1	0	0	00	0	11	00	00	2	0	00	00	00	347
F2	ADD8	320	2	0	0	0	0	0	0	00	0	00	00	00	0	0	00	01	10	245
F2	ADD19	321	2	0	3	0	0	0	0	00	0	00	00	00	2	0	00	01	11	325
F2	ADD9	322	2	0	0	1	0	0	0	00	0	00	00	00	0	0	00	01	10	225
E2	ASH21	323	2	0	0	0	0	0	0	00	0	00	00	00	0	0	00	00	00	017
F6	NOM4	324	2	0	0	0	0	1	0	06	0	00	00	00	1	0	00	04	00	305
F2	ADD20	325	4	0	0	0	1	0	0	00	0	00	00	00	0	0	00	01	14	310
F6	NOM2	326	6	0	3	1	1	0	0	00	0	23	00	00	2	0	00	01	15	176
F6	NOM0	327	2	0	0	1	0	0	0	00	0	00	00	00	0	0	00	00	00	154
F4	FML19	330	2	0	0	1	0	0	0	00	0	00	00	00	0	0	00	00	00	154
F5	FDV14	331	2	0	0	1	0	0	0	00	0	00	00	00	0	0	00	01	11	370
F6	EXI14	332	4	0	0	0	1	0	0	00	0	32	00	16	0	0	00	00	00	236
F5	FDV12	333	2	0	0	1	0	0	0	00	0	00	00	00	0	0	00	01	13	173
F3	ADD34	334	6	0	0	0	1	0	0	10	0	06	00	00	2	0	00	00	00	233
F3	ADD37	335	2	0	0	1	0	0	0	00	0	00	00	00	0	0	00	00	00	334
F6	EXI8	336	2	0	0	1	0	0	0	00	0	00	00	00	0	0	00	00	00	356
F5	FDV17	337	2	0	0	0	0	0	0	00	0	00	00	00	0	0	00	00	00	352

NOTE:

THE COMPLEMENT OF THE ACTUAL ROM OUTPUT FOR THE UPF, WR, SPS (HIGH 2 BITS), BUS (LOW BIT), AND CLK (LOW BIT) FIELD IS LISTED FOR CLARITY.

FLWS	STATE	ADR	CON	FC1	FUB	MHR	FRD	ERD	SRD	SDR	CVM	NZM	CCC	GPC	CEE	CNT	EUB	CBR
F2	ADD2	300	0	0	0	0	0	0	0	0	0	0	0	0	0	0	05	1
F2	ADD18	301	0	0	0	0	0	0	0	0	0	0	0	0	0	0	10	1
F2	ADD4	302	0	0	0	0	0	0	0	0	0	0	0	0	0	0	00	0
E4	DIV1	303	0	0	0	0	0	0	0	0	0	0	0	0	0	0	00	0
F4	FML13	304	2	0	0	0	0	0	0	0	0	0	0	0	0	0	00	0
F6	NOM7	305	0	0	0	1	0	0	1	1	0	0	0	0	0	0	10	0
F4	FML14	306	0	0	0	0	0	0	1	0	0	0	0	0	0	0	00	0
F6	NOM5	307	0	0	1	2	0	0	0	2	0	0	0	5	0	0	04	0
F2	ADD21	310	0	0	0	0	0	0	0	0	0	0	0	0	0	0	00	0
E2	ASH1	311	0	0	0	0	0	0	0	2	0	1	0	0	0	1	00	1
F5	FDV19	312	0	0	0	0	1	0	0	0	0	0	0	0	0	0	00	1
F3	ADD27	313	2	0	0	1	0	0	1	1	0	0	0	7	0	1	10	0
F3	ADD33	314	0	0	0	0	1	0	1	3	0	2	4	0	0	0	00	0
F3	ADD32	315	0	0	0	0	0	1	1	0	0	0	0	4	0	0	10	1
F5	FDV16	316	0	0	0	6	0	1	2	2	0	0	0	0	0	0	00	1
F3	ADD30	317	0	0	0	0	1	0	1	0	4	0	1	0	0	0	00	1
F2	ADD8	320	0	0	0	0	0	0	0	0	0	0	0	0	0	0	00	1
F2	ADD19	321	0	0	0	0	0	0	0	3	0	0	0	0	0	0	00	0
F2	ADD9	322	0	0	0	3	0	0	0	0	0	0	0	0	0	0	00	0
E2	ASH21	323	0	0	0	0	0	0	0	0	0	0	0	0	0	0	00	0
F6	NOM4	324	0	0	0	0	0	0	0	0	0	0	0	0	0	0	00	0
F2	ADD20	325	0	0	0	0	0	0	0	0	0	0	0	0	0	0	00	0
F6	NOM2	326	0	0	0	0	0	0	0	0	0	0	0	0	0	0	00	1
F6	NOM0	327	0	0	0	0	0	0	0	0	0	0	0	0	0	0	04	1
F4	FML19	330	0	0	0	3	0	0	0	0	0	0	0	0	0	0	00	1
F5	FDV14	331	0	0	0	0	0	0	1	0	0	0	0	0	0	1	10	0
F6	EXI14	332	0	0	0	0	0	0	0	5	2	5	0	0	0	0	00	0
F5	FDV12	333	0	0	0	0	0	0	1	0	0	0	0	7	0	0	00	0
F3	ADD34	334	0	0	0	0	0	0	1	0	4	0	1	0	0	0	03	1
F3	ADD37	335	0	0	0	0	1	0	1	3	0	0	0	0	0	0	00	0
F6	EXI8	336	0	0	0	0	0	1	3	0	0	0	0	0	0	0	00	0
F5	FDV17	337	0	0	0	0	1	0	1	0	0	0	0	0	0	0	00	1

REV.	CHANGE NO.	CHK

DRN	DATE
<i>R. Gendler</i>	8-16-72
CHKD	DATE
<i>E. Buzza</i>	8-17-72
ENG	DATE
<i>E. Buzza</i>	8-17-72
PROJ. ENG.	DATE
<i>E. Buzza</i>	8-17-72
PROD.	DATE
<i>H. Sturtevant</i>	8-18-72

digital EQUIPMENT CORPORATION MAYNARD, MASSACHUSETTS	
TITLE	
FIS BOARD	
(ADRS 300-337)	
SIZE CODE	NUMBER
C CS	M7239-0-1
REV.	B
SHEET 11 OF 12	
DIST.	

Flows	State	ADR	CLK	CIR	WR	CB	CD	CBA	BUS	DAD	SPS	ALU	SBC	SBM	SDM	SBA	UBF	SRX	RIF	UPF
F3	ADD22	340	6	0	0	1	1	0	0	00	0	14	00	00	2	0	00	01	13	017
F3	ADD26	341	2	0	0	0	0	0	0	00	0	00	00	00	0	0	00	00	00	313
F2	ADD14	342	2	0	0	0	0	0	0	00	0	00	00	00	2	0	00	00	00	226
F3	ADD28	343	2	0	0	0	0	0	0	00	0	00	00	00	0	0	00	00	00	317
F5	FDV7	344	2	0	3	0	0	0	0	00	0	00	00	00	2	0	00	01	15	346
		345	0	0	0	0	0	0	0	00	0	00	00	00	0	0	00	00	00	000
	F5 FDV8	346	6	0	0	0	1	0	0	00	0	11	02	17	2	0	00	00	00	364
F3	ADD31	347	2	0	0	1	0	0	0	00	0	00	00	00	0	0	00	01	11	315
F5	FDV4	350	2	0	3	0	0	0	0	00	0	00	00	00	2	0	00	01	14	222
E2	ASH8	351	6	0	0	1	1	0	0	00	0	00	00	00	2	0	00	10	00	040
F5	FDV18	352	2	0	0	0	0	0	0	00	0	00	00	00	0	0	00	00	00	312
F3	BRQ0	353	2	0	0	1	0	0	0	00	0	00	00	00	0	0	00	00	00	355
F6	EXI6	354	6	0	3	0	1	0	0	10	0	06	00	00	2	0	00	04	00	007
F4	BRQ4	355	6	0	3	0	1	0	0	10	0	06	00	00	2	0	00	04	00	375
F6	EXI9	356	6	0	3	0	1	1	0	06	0	06	01	17	2	0	00	04	00	374
F3	BRQ1	357	2	0	0	1	0	0	0	00	0	00	00	00	0	0	00	00	00	355
F3	ADD38	360	2	0	0	0	0	0	0	00	0	00	00	00	0	0	00	00	00	327
F3	ADD24	361	2	0	0	0	0	0	0	00	0	00	00	00	0	0	00	00	00	237
F3	ADD36	362	6	0	0	1	1	0	0	00	0	06	00	00	2	0	00	00	00	335
F3	ADD29	363	2	0	0	0	0	0	0	00	0	00	00	00	2	0	00	00	00	314
F5	FDV9	364	2	0	0	0	0	0	0	00	0	00	00	00	0	0	00	01	12	267
F4	FML6	365	6	0	0	0	0	0	0	00	0	00	00	00	0	0	00	00	00	263
E1	DST7	366	3	0	0	0	0	1	1	00	0	00	00	00	0	1	00	01	12	271
F1	FP8	367	2	0	3	0	0	0	0	00	0	00	00	00	2	0	00	01	15	235
F5	FDV15	370	6	0	0	0	1	0	0	00	0	11	00	00	2	0	00	00	00	316
F5	BRQ6	371	6	0	0	1	0	0	0	00	0	00	00	00	0	0	00	00	00	355
F5	FDV22	372	6	0	0	0	1	0	0	00	0	06	00	00	2	0	00	00	00	316
F2	ADD12																			

THE COMPLEMENT OF THE ACTUAL ROM OUTPUT FOR THE UPF, WR, SPS (HIGH 2 BITS), BUS (LOW BIT), AND CLK (LOW BIT) FIELD IS LISTED FOR CLARITY.

[illegible]

REVISIONS	
CHK	CHANGE NO. REV.

DRN.	<i>R. Buehler</i>	DATE	8-16-72
CHK'D.	<i>J. Kuyumchik</i>	DATE	8-17-72
ENG.	<i>J. Kuyumchik</i>	DATE	9-12-72
PROJ. ENG.	<i>J. Kuyumchik</i>	DATE	8-17-72
PROG.	<i>R. Stinger</i>	DATE	8-14-72
SHEET 12 OF 12			

digital EQUIPMENT CORPORATION MAYNARD, MASSACHUSETTS	
TITLE FIS BOARD (ADRS 340-377)	
SIZE CODE C CS	NUMBER M7239-0-1
REV. B	
DIST.	

MAYNARD, MASSACHUSETTS

SOFTWARE LIST

MADE BY	CHECKED	SECTION	PA	PAPER TAPE ASCII
9/26/72	9/27/72		PB	PAPER TAPE BINARY
ENG	PROD	ISSUED SECT.	PM	PAPER TAPE
DATE	DATE			READ-IN-MODE

11-F	QUANTITY / VARIATION
CHECK	QUANTITY / VARIATION
DATE	
LLATION CHECK	QUANTITY / VARIATION
DATE	

[illegible]DEC FORM NO.
DRA 120

DIGITAL EQUIPMENT CORPORATION
MAYNARD, MASSACHUSETTS
PARTS LIST

MADE BY		CHECKED		SECTION
DATE	9/26/72	DATE	9/27/72	
ENG	J. T. Douglas	PROD	J. T. Douglas	
DATE	9/27/72	DATE	9-28-72	ISSUED SECT.

[illegible]

TITLE		ASSY NO.		SIZE CODE	NUMBER	REV.	ECO NO.
FLOATING INSTRUCTION SET		✓		A PL	KELL-F-ø		
SHEET 1 OF 1		DIST.					