



AUTOMATED BY PRTLST.3P(44)

PARTS LIST

QTY	PER	VARIATION	REFERENCE	DESIGNATOR
00	01	02	03	

MIN	PART NUMBER	REV	DESCRIPTION	VARIATION	REVISION LEVEL:

LINE ITEM TOP DOCUMENT

[illegible]

REVISION HISTORY			BASIC PART NO: 5414256		DRN: F. LLANOS		DATE: 27-MAR-81		D I G I T A L	
ENG	ECO NUMBER	REV	SECTION A OF B	INDEX	CHK'D:	B. CSERPES	DATE: 27-MAR-81	TITLE PARTS LIST		
	INITIAL							LA100 LOGIC BOARD		
AK	5414256-M001	A		[A] 00,01,02,03						
EK	5414256-PN002	B		[B] 04,05,06						
EK	5414256-PN003	C								
EK	5414256-PN004	D		[C]						
EK	5414256-PN004	E		[D]						
EK	5414256-PN005	F		[E]						
EK	5414256-PN006	H		[F]						
EK	5414256-PN007	I		[G]						
EK	5414256-PN008	K		[J]						
EK	5414256-PN009	L		[K]						
EK	5414256-PN010	M		[L]						
EK	5414256-PN012	N		[M]						
				[N]						
					DES.ENG: A. KORELITZ		DATE: 27-MAR-81	DOCUMENT NUMBER		
					RESP.ENG.: A. KORELITZ		DATE: 27-MAR-81	SIZE CODE NUMBER		
					MFG.ENG.: J. MCSHANE		DATE: 03-SEP-81	RELEASE DATE: 21-FEB-84		
					ASSEMBLY NUMBER:		TOP DOCUMENT NUMBER:	FILE NAME:		
					E-UA-5414256-0-0		B-DD-5414256-0-0	Z4256N.PLS		
								EDIT #		
								24		

THIS DRAWING AND THE SPECIFICATIONS CONTAINED HEREIN ARE CONFIDENTIAL AND PROPRIETARY. THEY ARE THE PROPERTY OF DIGITAL EQUIPMENT CORPORATION AND SHALL NOT BE REPRODUCED OR COPIED OR USED IN WHOLE OR IN PART AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION. THIS IS AN UNPUBLISHED WORK PROTECTED UNDER THE FEDERAL COPYRIGHT LAWS.

AUTOMATED BY PRTLST.3P(44)				P A R T S L I S T				SHEET A2 OF A																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
LINE ITEM		TOP DOCUMENT		MIN		DESCRIPTION		QTY PER VARIATION		REFERENCE DESIGNATOR																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
				PART NUMBER		REV		00 01 02 03																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
VARIATION REVISION LEVEL:																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
28	30		1215006-07	SKT,IC	28PIN	DIP	TIN	SOLD	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8</

LINE ITEM TOP DOCUMENT

PART NUMBER REV DESCRIPTION

QTY PER VARIATION
00 01 02 03

REFERENCE DESIGNATOR

MIN REV DESCRIPTION

VARIATION REVISION LEVEL:

67	71	1912108-00	339	VOLT CMPRTR,QUAD	1	1	1	1	E53
68	72	1912799-00	LS00	NAND-GATE-QUAD 2IN,P	1	1	1	1	E40
69	73	1912801-00	LS02	NOR-GATE-QUAD 2IN	1	1	1	1	E12
70	74	1912803-00	LS04	INVERTER GATE,HEX	4	4	4	4	E6,E25,E47,E22
71	75	1912805-00	LS08	AND GATE-QUAD 2IN,PO	5	5	5	5	E13,E14,E17,E32,E59
72	76	1912807-00	LS10	NAND GATE-TRIPLE 3IN	1	1	1	1	E41
73	77	1912816-00	LS32	OR GATE-QUAD 2IN,POS	3	3	3	3	E16,E37,E46
74	78	1912824-00	LS74	FF-D DUAL,EDGE TRIGG	1	1	1	1	E42
75	79	1912842-00	LS138	DECODER-THREE INPUT,	2	2	2	2	E56,E60
76	80	1912843-00	LS139	DECODER, 2 OF 4(DUAL)	1	1	1	1	E52
77	81	1912846-00	LS155	DECODER,2 OF 4(DUAL)	1	1	1	1	E55
78	82	1912863-00	LS273	FF-D OCTAL W/CLEAR	3	3	3	3	E21,E58,E65
79	83	1913471-00	LS367	DRIVER,BUS,HEX,TRI-	3	3	3	3	E62,E71,E72
80	84	1913777-00	LS240	DRIVER,LINE,OCTAL,T	1	1	1	1	E8
81	85	1913939-00	LS191	COUNTER,SYNCHR. UP/D	1	1	1	1	E31
82	86	1913950-00	LS156	DECODER,2 OF 4(DUAL)	3	3	3	3	E2,E3,E9
83	87	1914156-00	393	VOLT.COMPARATOR DUAL	2	2	2	2	E7,E15
84	88	1914213-00	81LS97	BUFFER GATE-OCTAL 2I	4	4	4	4	E44,E54,E67,E74
85	89	1914560-00	LS368	DRIVER,BUS,HEX,TRI-	2	2	2	2	E38,E61
86	90	1915218-00	LS245	TRANSCEIVER,BUS,OCT	1	1	1	1	E36
87	91	1915219-00	LS373	FF-D OCTAL-TRANSARE	1	1	1	1	E34
88	92	1916002-00		DRIVER,MOTOR CONTR	2	2	2	2	Q42,Q43
89	93	2113107-01	P	8251A PUSART COMM. INTERFA	1	1	1	1	E66
90	94	2113954-00	DC	305 INTERFACE CHIP	1	1	1	1	E30
91	95	2114212-00	P	2114-2 RAM,1024X4,STATIC	4	4	4	4	E23,E24,E26,E27
92	97	2114524-01		ROM 100X14BIT,ERASABLE,	1	1	1	1	E18
93	98	2116962-00	UP,8-BTT NMOS	.8MICRO SEC. INSTR	1	1	1	1	E48
94	101	1300250-00	150.0	.25 W 5.0 % CF	1	1	1	1	R168
95	102	1302388-00	2.0 K	.25 W 5.0 % CF	2	2	2	2	R169,R94
96	103	1001383-00	4700.0 MMF	100V 32200PPM MICA	1	1	1	1	C70
97	105	1100122-00	VZ= 3.9	5% 400 MW 1N748A	1	1	1	1	D43
98	106	9008268-00	COMPOUND, THERMAL JOINT		A/R	A/R	A/R	A/R	
99	107	9009111-02	INSERT,THREAD PC BOARD		2	2	2	2	C8
100	110	1013669-07	.068 MFD	150V 1% AL EL	1	1	1	1	R92
101	114	9105740-55	WIRE(WRAP)	30AWG KYNAR UL14	A/R	A/R	A/R	A/R	R173
102	115	1300400-00	1.80 K	.50 W10.0 % CF	1	1	1	1	
103	116	1301890-00	560.0	.25 W 5.0 % CF	1	1	1	1	
104	117	9007201-00	PAD,MOUNTING,COMPONENT		4	4	4	4	
105	118	9008185-00	NUT,HEX EXT TOOTH LCKWSHR	6-32	2	2	2	2	E28
106	119	23147E4-00	E4-02,E4-05	ROM	1	1	1	1	E33
107	120	23148E4-00	E4-01,E4-02,E4-03,E4-05	ROM	1	1	1	1	E64
108	121	23126E4-00	E4-01,E4-02,E4-03,E4-05,06,08ROM		1	1	1	1	E57
109	122	23128E4-00	E4-01,E4-02,E4-03,E4-05,06,08ROM		-	-	-	-	E49
110	123	23127E4-00	E4-01,E4-02,E4-03,E4-05,06,08ROM		-	-	-	-	R101
111	124	1313594-00	14.0 K	.25 W 1.0 % RN55D-F10	1	1	1	1	L4-L6,L8,L9,L11-L13
112	125	1618437-01	BEAD,FERRITE	.2360DX,394LG W/2.5	8	8	8	8	
113	126	1001610-02	.01 MFD	100V +80-20X25U DISC	1	1	1	1	C73
114	127	9009798-01	SPACER,CLEAR HOLE	RND CERAM .07	2	2	2	2	

D I G I T A L							TITLE						SIZE	CODE	DOCUMENT NUMBER	REV	
							LA100 LOGIC BOARD	SECTION A OF B									
															K	PL 5414256-0-DBP	N

LINE ITEM	TOP DOCUMENT	PART NUMBER	REV	DESCRIPTION	VARIATION REVISION LEVEL:					REFERENCE DESIGNATOR		
					00	01	02	03				
					PROGRAMMED	SOCKET	A/R	A/R	A/R	A/R	CONT	
115	128	7019647-00										EX28,EX33,EX39,EX43,EX49,EX57,EX64
116	129	23210E4-00			E4-01,E4-02,E4-03,E4-05,06,08ROM		-	-	-	1	E33	
117	130	23215E4-00			E4-06,E4-08		-	-	-	1	E28	
118	131	23207E4-00			E4-01,E4-02,E4-03,E4-05,06,08ROM		-	-	-	1	E57	
119	132	23200E4-00			E4-01,E4-02,E4-03,E4-05,06,08ROM		-	-	-	1	E49	
120	133	1013466-06			100.0 MMF 50V 5% CER		1	1	1	1	C75	

121 NOTE: 1. THE FOLLOWING ADDITIONAL 240/30 FONT ROMS ARE ALSO AVAILABLE;

122 NOTE: 23134E4-00, COURIER 12 D.A.D. 240/30; 23132E4-00 \, GOTHIC 12 D.A.D. 240/30.

123 NOTE: 23140E4-00, SYMBOLS 240/30; 23135E4-00 COURIER 12 OVERLAY D.A.D. 240/30

124 NOTE: 23133E4-00, GOTHIC 12 OVERLAY D.A.D. 240/30; 23129E4-00 ORATOR 10 OVERLAY D.A.D. 240/30

125 NOTE: 23130E4-00, GOTHIC 10 D.A.D. 240/30; 23131E4-00 GOTHIC 10 OVERLAY D.A.D. 240/30

126 NOTE: 2. THE FOLLOWING ADDITIONAL 240/80 FONT \ROMS ARE ALSO AVAILABLE;

127 NOTE: 23136E4-00, COURIER 10 D.A.D. 240/80; 23137E4-00 \, COURIER 10 OVERLAY D.A.D. 240/80

128 NOTE: 23138E4-00, ORATOR 10 D.A.D. 240/80; 23139E4-00, ORATOR 10 OVERLAY D.A.D. 240/80

129 NOTE: 3. E28 CAN ONLY USE INTEL/AMD2764 EPROMS WITH ADAPTOR SOCKET 7019647-00 OR A ROM. ALL OTHER

130 NOTE: LOCATIONS CAN USE TI2564 WITHOUT ADAPTOR SOCKET OR INTEL/AMD2764 WITH ADAPTOR SOCKET OR A ROM.

D I G I T A L		TITLE		LA100 LOGIC BOARD		SECTION A OF B		SIZE CODE		DOCUMENT NUMBER		REV	
								K		PL		N	
										5414256-0-DBP			

AUTOMATED BY PRTLST.3P(44)

PARTS LIST

SHEET B1 OF B4

LINE ITEM TOP DOCUMENT

PART NUMBER REV DESCRIPTION

VARIATION REVISION LEVEL:

QTY PER VARIATION
04 05 06

REFERENCE DESIGNATOR

1	1	D-MD-5014255-0-0	D+E BRD	1	1	1	
2	2	7424745-00	HEAT SINK H DRIVERS	1	1	1	
3	3	9006023-01	SCREW,MACH PAN PHIL	2	2	2	
4	5	9009185-00	JUMPER, WIRE, INSULATED, BLACK B	15	15	15	W1,W2,W8,W9,W15,W16,W20,W22, W25-W31
5	6	1000024-00	470.0 MMF 100V 5%200PPM MICA	1	1	1	C17
6	7	1000055-00	2200.0 MMF 250V 20% YSS DISC	2	2	2	C9,C10
7	8	1000079-00	47 MFD 20V 20% S.TANT	1	1	1	C14
8	9	1001610-00	.01 MFD 50V +80-20% Z5U CER	12	12	12	C3,C4,C15,C16,C48,C37,C41,C42, C64,C65,C71,C76
9	10	1005636-00	22 MFD 6V 10% S.TANT	1	1	1	C2
10	11	1012784-00	.047 MFD 50V +80-20% CER	43	43	43	C5,C6,C18,C20-C36,C38-C40, C43-C45,C49-C63,C19,C74
11	12	1013466-31	15.0 MMF 50V 5% CER	2	2	2	C1,C46
12	13	1017472-00	10 MFD 35V +50-10% AL EL	5	5	5	C7,C11-C13,C47
13	14	1100114-00	PIV= 25 IO=135 MA	1	1	1	D42
14	15	1101938-00	VZ= 2.4 5% 400 MW IN4370A	1	1	1	D1
15	16	1104860-00	VZ= 3.3 5% 400 MW IN746A	1	1	1	D40
16	17	1105275-00	PIV= 60 IO=300 MA -15NS	7	7	7	D2,D3,D4,D34,D37,D39,D41
17	18	1105796-00	PIV= 400 IO= 1.00A IN4004 DO-41	28	28	28	D6-D31,D35,D36
18	19	1105873-00	VZ= 5.1 1% .400MW	1	1	1	D32
19	20	1114507-00	VZ= 24.0 5% 1 W IN4749A	2	2	2	D5,D38
20	21	1209941-02	PCB,HEADER 40PIN(2X20),100CC 90D	2	2	2	J6,J8
21	22	1209941-09	PCB,HEADER 26PIN(2X13),100CC 90D	1	1	1	J7
22	23	1211164-04	SW,DIP 08FDS/1PST 5VDC100MA F	2	2	2	E45,E51
23	24	1213488-07	PCB,HEADER 22PIN(2X11),100CC STR	1	1	1	J5
24	25	1213488-05	PCB,HEADER 24PIN(2X12),100CC STR	2	2	2	J11,J12
25	26	1214981-02	PCB,HEADER 04PIN(1X04),100CC 90D	1	1	1	J3
26	27	1215006-01	SKT,IC 14PIN DIP TIN SOLD	2	2	2	J10,XE18
27	29	1215006-04	SKT,IC 20PIN DIP TIN SOLD	1	1	1	XE63

REVISION HISTORY			BASIC PART NO: 5414256		F. LLANOS		DATE: 27-MAR-81		D I G I T A L			
ENG	ECO NUMBER	REV	SECTION B OF B		CHK'D:	B. CSERPES	DATE: 27-MAR-81	TITLE LA100 LOGIC BOARD				
---	INITIAL	A	SECTION,VARIATION INDEX					PARTS LIST				
AK	5414256-ML001	B	[A] 00,01,02,03									
EK	5414256-PN002	C	[B] 04,05,06									
EK	5414256-PN003	D	[C]									
EK	5414256-PN004	E	[D]									
EK	5414256-PN005	F	[E]		DES.ENG:	A. KORELITZ	DATE: 27-MAR-81	DOCUMENT NUMBER				
EK	5414256-PN006	H	[F]					SIZE CODE NUMBER				
EK	5414256-PN007	J	[G]		RESP.ENG.:	A. KORELITZ	DATE: 27-MAR-81	K	PL	5414256-0-DBP	N	
EK	5414256-PN008	K	[H]									
EK	5414256-PN009	L	[I]		MPG.ENG.:	J. MCSHANE	DATE: 03-SEP-81	RELEASE DATE: 21-FEB-84				
EK	5414256-PN010	M	[J]		ASSEMBLY NUMBER:			FILE NAME:				
EK	5414256-PN012	N	[K]		TOP DOCUMENT NUMBER:			EDIT #				
			[N]		E-UA-5414256-0-0		B-DD-5414256-0-0	Z4256N.PLS				
THIS DRAWING AND THE SPECIFICATIONS CONTAINED HEREIN ARE CONFIDENTIAL AND PROPRIETARY, THEY ARE THE PROPERTY OF DIGITAL EQUIPMENT CORPORATION AND SHALL NOT BE REPRODUCED OR COPIED OR USED IN WHOLE OR IN PART AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION. THIS IS AN UNPUBLISHED WORK PROTECTED UNDER THE FEDERAL COPYRIGHT LAWS.												

AUTOMATED BY PRTLST.3P(44)
LINE ITEM TOP DOCUMENT

PARTS LIST

MIN REV DESCRIPTION
PART NUMBER REV DESCRIPTION
VARIATION REVISION LEVEL:

QTY PER VARIATION
04 05 06
REFERENCE DESIGNATOR

SHEET B3 OF B4

LINE ITEM	TOP DOCUMENT	MIN REV DESCRIPTION	PART NUMBER REV DESCRIPTION	VARIATION REVISION LEVEL:	QTY PER VARIATION 04 05 06	REFERENCE DESIGNATOR
67	71	1912108-00	339 VOLT CMPRTR,QUAD		1	E53
68	72	1912799-00	LS00 NAND-GATE-QUAD 2IN,P		1	E40
69	73	1912801-00	LS02 NOR-GATE-QUAD 2IN		1	E12
70	74	1912803-00	LS04 INVERTER GATE,HEX		4	E6,E25,E47,E22
71	75	1912805-00	LS08 AND GATE-QUAD 2IN,PO		5	E13,E14,E17,E32,E59
72	76	1912807-00	LS10 NAND GATE-TRIPLE 3IN		1	E41
73	77	1912816-00	LS32 OR GATE-QUAD 2IN,POS		3	E16,E37,E46
74	78	1912824-00	LS74 FF-D DUAL,EDGE TRIGG		1	E42
75	79	1912842-00	LS138 DECODER-THREE INPUT,		2	E56,E60
76	80	1912843-00	LS139 DECODER, 2 OF 4(DUAL)		1	E52
77	81	1912846-00	LS155 DECODER,2 OF 4(DUAL)		1	E55
78	82	1912863-00	LS273 FF-D OCTAL W/CLEAR		3	E21,E58,E65
79	83	1913471-00	LS367 DRIVER,BUS,HEX,TRI-		3	E62,E71,E72
80	84	1913777-00	LS240 DRIVER,LINE,OCTAL,T		1	E8
81	85	1913939-00	LS191 COUNTER,SYNCHR. UP/D		1	E31
82	86	1913950-00	LS156 DECODER,2 OF 4(DUAL)		1	E2,E3,E9
83	87	1914156-00	393 VOLT.COMPARATOR DUAL		3	E7,E15
84	88	1914213-00	81LS97 BUFFER GATE-OCTAL 2I		2	E44,E54,E67,E74
85	89	1914560-00	LS368 DRIVER,BUS,HEX,TRI-		4	E38,E61
86	90	1915218-00	LS245 TRANSCEIVER,BUS,OCT		2	E36
87	91	1915219-00	LS373 FF-D OCTAL-TRANSPARE		1	E34
88	92	1916002-00	DRIVER,MOTOR CONTRD		1	Q42,Q43
89	93	2113107-01	P 8251A PUSART COMM. INTERFA		2	E66
90	94	2113954-00	DC 305 INTERFACE CHIP		1	E30
91	95	2114212-00	P 2114-2 RAM,1024X4,STATIC		1	E23,E24,E26,E27
92	97	2114524-01	ROM 100X14RIT,ERASABLE,		4	E18
93	98	2116962-00	UP,8-BTT NMOS .8MICRO SEC. INSTR		1	E48
94	101	1300250-00	150.0 .25 W 5.0 Z CF		1	R168
95	102	1302388-00	2.0 K .25 W 5.0 Z CF		2	R169,R94
96	103	1001383-00	4700.0 MMF 100V 3X200PPH MICA		1	C70
97	105	1100122-00	VZ= 3.9 SX 400 MW 1N748A		1	D43
98	106	9008268-00	COMPOUND, THERMAL JOINT		1	
99	107	9009111-02	INSERT,THREAD PC BOARD		A/R A/R A/R	
100	110	1013669-07	.068 MFD 150V 1X		1	C8
101	114	9105740-55	WIRE(WRAP) 30AWG KYNAR		1	R92
102	115	1300400-00	1.80 K .50 W10.0 Z		1	R173
103	116	1301890-00	560.0 .25 W 5.0 Z		1	
104	117	9007201-00	PAD,MOUNTING,COMPONENT		4	
105	118	9008185-00	NUT,HEX EXT TOOTH LCKWHR 6-32		2	
106	119	23147E4-00	*** THIS ITEM IS NOT USED ***		-	
107	120	23148E4-00	*** THIS ITEM IS NOT USED ***		-	
108	121	23126E4-00	E4-01,E4-02,E4-03,E4-05,06,08ROM		1	E64
109	122	23128E4-00	E4-01,E4-02,E4-03,E4-05,06,08ROM		1	E57
110	123	23127E4-00	E4-01,E4-02,E4-03,E4-05,06,08ROM		-	E49
111	124	1313594-00	14.0 K .25 W 1.0 Z RN55D-F10		1	R101
112	125	1618437-01	BEAD,FERRITE .2360DX.394LG W/2.5		8	L4-L6,L8,L9,L11-L13
113	126	1001610-02	.01 MFD 100V +80-20XZ5U DISC		1	C73
114	127	9009798-01	SPACER,CLEAR HOLE RND CERAM .07		2	

TITLE			SECTION B OF B			SIZE CODE! DOCUMENT NUMBER			REV
D	I	G	I	T	A	L	K	PL	N
								5414256-0-DBP	

AUTOMATED BY PRTLST.3P(44)

PARTS LIST

LINE ITEM TOP DOCUMENT MIN PART NUMBER REV DESCRIPTION VARIATION REVISION LEVEL: QTY PER VARIATION 04 05 06 REFERENCE DESIGNATOR SHEET 84 OF 84

115	128	7019647-00	PROGRAMMED SOCKET	A/R A/R A/R	CONT	EX28,EX33,EX39,EX43,EX49,EX57,
116	129	23210E4-00	E4-01,E4-02,E4-03,E4-05,06,08ROM	1	1	EX64
117	130	23215E4-00	E4-06,E4-08	1	1	EX33
118	131	23207E4-00	*** THIS ITEM IS NOT USED ***	-	-	E28
119	132	23200E4-00	*** THIS ITEM IS NOT USED ***	-	-	
120	133	1013466-06	100.0 MHF 50V 5Z CER	1	1	C75

121 NOTE: 1. THE FOLLOWING ADDITIONAL 240/30 FONT ROMS ARE ALSO AVAILABLE;
122 NOTE: 23134E4-00, COURIER 12 D.A.D. 240/30; 23132E4-00 \, GOTHIC 12 D.A.D. 240/30.
123 NOTE: 23140E4-00, SYMBOLS 240/30; 23135E4-00 COURIER 12 OVERLAY D.A.D. 240/30
124 NOTE: 23133E4-00, GOTHIC 12 OVERLAY D.A.D. 240/30; 23129E4-00 ORATOR 10 OVERLAY D.A.D. 240/30
125 NOTE: 23130E4-00, GOTHIC 10 D.A.D. 240/30; 23131E4-00 GOTHIC 10 OVERLAY D.A.D. 240/30
126 NOTE: 2. THE FOLLOWING ADDITIONAL 240/80 FONT \ROMS ARE ALSO AVAILABLE;
127 NOTE: 23136E4-00, COURIER 10 D.A.D. 240/80; 23137E4-00 \, COURIER 10 OVERLAY D.A.D. 240/80
128 NOTE: 23138E4-00, ORATOR 10 D.A.D. 240/80; 23139E4-00, ORATOR 10 OVERLAY D.A.D. 240/80
129 NOTE: 3. E28 CAN ONLY USE INTEL/AMD2764 EPROMS WITH ADAPTOR SOCKET 7019647-00 OR A ROM. ALL OTHER
130 NOTE: LOCATIONS CAN USE TI2564 WITHOUT ADAPTOR SOCKET OR INTEL/AMD2764 WITH ADAPTOR SOCKET OR A ROM.


D I G I T A L		TITLE		LA100 LOGIC BOARD		SECTION B OF B		SIZE CODE		DOCUMENT NUMBER		REV	
								K		PL		N	
										5414256-0-DBP			

THIS DRAWING AND SPECIFICATIONS HEREIN ARE THE PROPERTY OF DIGITAL EQUIPMENT CORPORATION AND SHALL NOT BE REPRODUCED OR COPIED OR USED IN WHOLE OR IN PART AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION.
COPYRIGHT © 1981 DIGITAL EQUIPMENT CORPORATION

NOTES:

1. SHEET 8 OF 8 TO REPLACE SHEET 2
FOR DMT TESTING.


2 E39 AND E43 CAN NOT BE USED IF E63
AND THE MULTI FONT OPTION ARE
INSTALLED.




REVISION HISTORY	
DATE	ECO NUMBER
	REV

DOCUMENT NUMBER		REV	N
SIZE CODE	NUMBER		
DCS	5414256-0-1		
SCALE		SHEET	2 OF 8





LA100
LOGIC BD (PG2)





THIS DRAWING AND SPECIFICATIONS HEREIN ARE THE PROPERTY OF DIGITAL EQUIPMENT CORPORATION AND ARE NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM, WITHOUT THE WRITTEN PERMISSION OF DIGITAL EQUIPMENT CORPORATION.

© 1970 DIGITAL EQUIPMENT CORPORATION



REVISION HISTORY

ECO NUMBER

REV

DATE

ECO NUMBER

REV

PG5 SOL 2

PG5 SOL 6

PG5 SOL 4

PG5 SOL 7

PG5 SOL 9

PG5 SOL 5

PG5 SOL 1

PG5 SOL 3

PG5 SOL 8

PG5 SOL 9

PG5 SOL 10

PG5 SOL 11

PG5 SOL 12

PG5 SOL 13

PG5 SOL 14

PG5 SOL 15

PG5 SOL 16

PG5 SOL 17

PG5 SOL 18

PG5 SOL 19

PG5 SOL 20

PG5 SOL 21

PG5 SOL 22

PG5 SOL 23

PG5 SOL 24

PG5 SOL 25

PG5 SOL 26

PG5 SOL 27

PG5 SOL 28

PG5 SOL 29

PG5 SOL 30

PG5 SOL 31

PG5 SOL 32

PG5 SOL 33

PG5 SOL 34

PG5 SOL 35

PG5 SOL 36

PG5 SOL 37

PG5 SOL 38

PG5 SOL 39

PG5 SOL 40

PG5 SOL 41

PG5 SOL 42

PG5 SOL 43

PG5 SOL 44

PG5 SOL 45

PG5 SOL 46

PG5 SOL 47

PG5 SOL 48

PG5 SOL 49

PG5 SOL 50

PG5 SOL 51

PG5 SOL 52

PG5 SOL 53

PG5 SOL 54

PG5 SOL 55

PG5 SOL 56

PG5 SOL 57

PG5 SOL 58

PG5 SOL 59

PG5 SOL 60

PG5 SOL 61

PG5 SOL 62

PG5 SOL 63

PG5 SOL 64

PG5 SOL 65

PG5 SOL 66

PG5 SOL 67

PG5 SOL 68

PG5 SOL 69

PG5 SOL 70

PG5 SOL 71

PG5 SOL 72

PG5 SOL 73

PG5 SOL 74

PG5 SOL 75

PG5 SOL 76

PG5 SOL 77

PG5 SOL 78


PG5 SOL 79

PG5 SOL 80

PG5 SOL 81


PG5 SOL 82

PG5 SOL 83



50

THIS DRAWING AND SPECIFICATIONS HEREIN ARE THE PROPERTY OF DIGITAL EQUIPMENT CORPORATION. NO PARTS OF THIS DRAWING OR SPECIFICATIONS SHALL BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM, WITHOUT PERMISSION IN WRITING FROM DIGITAL EQUIPMENT CORPORATION. COPYRIGHT © 1978



CAUTION:
THIS SHEET TO REPLACE SHEET 2 OF 5
FOR DWT TESTING ONLY.

REVISION HISTORY	
DATE	REV

TITLE		DOCUMENT NUMBER	
LA100		DCS 5414238-0-1 N	
LOGIC BOARD (PG3)		SHEET 2 OF 5	