


ELECTRICAL

[illegible]



* D9 - D64 ADDED FOR YA VARIATION ONLY

SIZE D	CODE CS	NUMBER H744 - 0-1	REV. 1
------------------	-------------------	-----------------------------	------------------

1. APPLY ITEM #63 (COMPOUND) BETWEEN TRANSISTOR (Q2, Q3) AND HEAT SINK (ITEM #43). ALSO BETWEEN ITEM #44 (WASHER) AND HEAT SINK (ITEM #43). ALSO APPLY ITEM #53 (COMPOUND) BETWEEN ITEM #9 (CODE BRIDGE) AND ITEM #64 (HEAT SINK BRIDGE).

2. SECURE Q4 TO CMT BOARD WITH PERMABOND 101 CONTACT CEMENT. THEN CONNECT LEADS AS SHOWN.

3. NOTE 5: 1. APPLY ITEM #63 (COMPOUND) BETWEEN TRANSISTOR (Q2, Q3) AND HEAT SINK (ITEM #43). ALSO BETWEEN ITEM #44 (WASHER) AND HEAT SINK (ITEM #43). ALSO APPLY ITEM #53 (COMPOUND) BETWEEN ITEM #9 (CODE BRIDGE) AND ITEM #64 (HEAT SINK BRIDGE).

4. NOTE 6: 1. APPLY ITEM #63 (COMPOUND) BETWEEN TRANSISTOR (Q2, Q3) AND HEAT SINK (ITEM #43). ALSO BETWEEN ITEM #44 (WASHER) AND HEAT SINK (ITEM #43). ALSO APPLY ITEM #53 (COMPOUND) BETWEEN ITEM #9 (CODE BRIDGE) AND ITEM #64 (HEAT SINK BRIDGE).



5. NOTE 7: 1. APPLY ITEM #63 (COMPOUND) BETWEEN TRANSISTOR (Q2, Q3) AND HEAT SINK (ITEM #43). ALSO BETWEEN ITEM #44 (WASHER) AND HEAT SINK (ITEM #43). ALSO APPLY ITEM #53 (COMPOUND) BETWEEN ITEM #9 (CODE BRIDGE) AND ITEM #64 (HEAT SINK BRIDGE).

6. NOTE 8: 1. APPLY ITEM #63 (COMPOUND) BETWEEN TRANSISTOR (Q2, Q3) AND HEAT SINK (ITEM #43). ALSO BETWEEN ITEM #44 (WASHER) AND HEAT SINK (ITEM #43). ALSO APPLY ITEM #53 (COMPOUND) BETWEEN ITEM #9 (CODE BRIDGE) AND ITEM #64 (HEAT SINK BRIDGE).



7. NOTE 9: 1. APPLY ITEM #63 (COMPOUND) BETWEEN TRANSISTOR (Q2, Q3) AND HEAT SINK (ITEM #43). ALSO BETWEEN ITEM #44 (WASHER) AND HEAT SINK (ITEM #43). ALSO APPLY ITEM #53 (COMPOUND) BETWEEN ITEM #9 (CODE BRIDGE) AND ITEM #64 (HEAT SINK BRIDGE).

8. NOTE 10: 1. APPLY ITEM #63 (COMPOUND) BETWEEN TRANSISTOR (Q2, Q3) AND HEAT SINK (ITEM #43). ALSO BETWEEN ITEM #44 (WASHER) AND HEAT SINK (ITEM #43). ALSO APPLY ITEM #53 (COMPOUND) BETWEEN ITEM #9 (CODE BRIDGE) AND ITEM #64 (HEAT SINK BRIDGE).

9. NOTE 11: 1. APPLY ITEM #63 (COMPOUND) BETWEEN TRANSISTOR (Q2, Q3) AND HEAT SINK (ITEM #43). ALSO BETWEEN ITEM #44 (WASHER) AND HEAT SINK (ITEM #43). ALSO APPLY ITEM #53 (COMPOUND) BETWEEN ITEM #9 (CODE BRIDGE) AND ITEM #64 (HEAT SINK BRIDGE).



NOTES:
3. R14-200A VARIABLE IN THIS LOCATION DELETED ONLY FOR YA VARIATION.
4. ITEMS 79, 80, 81 ADDED ONLY FOR YA VARIATION.
5. ITEM 75A ADDED ONLY FOR YA VARIATION.
6. RELOCATING D8 AND ADDITION OF D9 ONLY FOR YA VARIATION.
7. USE D9 IN YA VARIATION ONLY.



QTY	REF	DESIGNATION	REVISION
1	6	PLAT WASHER #4	900655
1	6	REF DESIGNATION	DESIGNATION

QTY	REF	DESIGNATION	REVISION
1	6	PLAT WASHER #4	900655
1	6	REF DESIGNATION	DESIGNATION

QTY	REF	DESIGNATION	REVISION
1	6	PLAT WASHER #4	900655
1	6	REF DESIGNATION	DESIGNATION

QTY	REF	DESIGNATION	REVISION
1	6	PLAT WASHER #4	900655
1	6	REF DESIGNATION	DESIGNATION

QTY	REF	DESIGNATION	REVISION
1	6	PLAT WASHER #4	900655
1	6	REF DESIGNATION	DESIGNATION

QTY	REF	DESIGNATION	REVISION
1	6	PLAT WASHER #4	900655
1	6	REF DESIGNATION	DESIGNATION

QTY	REF	DESIGNATION	REVISION
1	6	PLAT WASHER #4	900655
1	6	REF DESIGNATION	DESIGNATION