



LEGEND									
TITLE	NUMBER	FOLD TO INDICATED DIM		TABULATION				FOR INSTALLATION IN CAB	REMARKS
		A	B	LEG I	LEG II	LEG III	LEG IV		
DATA CABLE	7010824-0	4.0	11.0	M8149 J1	M8149 J3	M8149 J2	M8149 J4	11/70 CAB 1	SEE NOTE 1
ADDRESS CABLE	7010824-1	3.5	11.5	M8148 J3	M8148 J1	M8148 J4	M8148 J2	11/70 CAB 1	SEE NOTE 1

1. IF CABLES ARE USED IN MULTI-AC EXPANSION CABINET, REWORK AT INSTALLATION AS FOLLOWS:
- ① UNFOLD CABLES AND REFOOLD WITH FOLLOWING DIMENSIONS PRIOR TO INSTALLATION
- | | A DIM | B DIM |
|-----------|-------|-------|
| 7010824-0 | 6.8" | 8.0" |
| 7010824-1 | 6.0" | 7.8" |
2. APPLY LABEL ON LEGS I & II WITH LEGEND VISIBLE NEAR SIDE
3. APPLY LABEL ON LEGS III & IV WITH LEGEND VISIBLE ON FAR SIDE.



	LABEL, CABLE IDENT.	9009532	11
1	CABLE MARKERS M8148 J1	3612427-17	10
1	CABLE MARKERS M8149 J4	3612427-06	9
1	CABLE MARKERS M8149 J3	3612427-05	8
1	CABLE MARKERS M8149 J2	3612427-04	7
1	CABLE MARKERS M8149 J1	3612427-03	6
1	CABLE MARKERS M8148 J4	3612427-02	5
1	CABLE MARKERS M8148 J3	3612427-01	4
1	CABLE MARKERS M8148 J2	3612427-00	3
A/R	CABLE, TIE	9007731	2
2	1/0 CABLE BC06R	D-0A-BC06R-07-0	1
QTY.	DESCRIPTION	PART NO.	ITEM

FIRST USED ON OPTION/MODEL	DO NOT SCALE DRAWING
MJ11-A	UNLESS OTHERWISE SPECIFIED DIMENSION IN INCHES

TOLERANCES

DIMENSIONS	FRACTIONS	ANGLES
$\pm .005$	$\pm 1/64$	$\pm 0^{\circ}30'$

FINAL SURFACE QUALITY ✓
REMOVE BURRS AND BREAK SHARP CORNERS

MATERIAL
SEE PARTS LIST

FINISH	+
--------	---

DRN. <i>01</i>		DATE <i>2-28-75</i>	 DIGITAL EQUIPMENT CORPORATION MAYNARD, MASSACHUSETTS
CITY <i>Woburn</i>		DATE <i>3-6-75</i>	
ST. <i>010824</i>		DATE <i>3-6-75</i>	
PRIN. ENG. <i>W. J. [Signature]</i>		DATE <i>3-6-75</i>	
PROJECT <i>1000000000</i> DATE <i>3-12-75</i> NEXT HIGHER ASSY			
E - U/A - M/J - A - O			
SCALE <i>NONE</i>			
SHEET /	OF /		
TITLED CABLES, INTERCONNECTING DATA / ADDRESS			
SIZE CODE		NUMBER	REV
D AD		7010824 - 0 - 0	
DIST.			

enough

A

Answer



SIZE	CODE	NUMBER	REV.
D	IA	7010826-0-0	

"THIS DRAWING AND SPECIFICATIONS, HEREIN, ARE THE PROPERTY OF THE DIGITAL EQUIPMENT CORPORATION, AND NO PART THEREOF SHALL BE REPRODUCED, COPIED, OR IN ANY MANNER BE USED FOR THE MANUFACTURE OR SALE OF ANY PRODUCT WITHOUT WRITTEN PERMISSION OF THE CORPORATION."

8

7

6

5

4

3

2

1

1

1

STRIPES

3

8.0"

3.3"

38.0"

3.3"

4

6

11.0"

J4

M8149

J2

M8149

2

6.0"

TYP

SPACING

93.0"

STRIPES

B

D

C

A

REVISIONS

CHANGE NO.

REV.

CHK

9.1.1.1 P.755

DWG CODE NO.

DWG 1000

8

7

6

5

4

3

2

1

THIRD ANGLE PROJECTION

REMOVE BURRS AND
BREAK SHARP CORNERS

DO NOT SCALE DWG

MATERIAL
SEE PARTS LIST

FINISH

CHK'D

ENG

PROD

NEXT HIGHER ASSY.

SCALE

DATE

TIME

BY

FOR

OF

1

2

3

4

5

A

B

C

D

SIZE CODE
D 1A 7010974-0-0

REV.

NUMBER

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

DIGITAL EQUIPMENT CORPORATION
MAYNARD MASSACHUSETTS

PACKAGING INSTRUCTION

TITLE	CUSHIONED CUSTOMER SHIPPING PACKAGE (M111)	REV: _____	DATE: _____
-------	--	------------	-------------

MATERIAL REQUIREMENTS

Quantity	Purchasing Specification No.	Description
2	9905645	Full Telescope Cap
2	9905642	Foam Pad
2	9905643	Foam with Corrugated Side Wall Assembly
12 ft.	9905734-01	Plastic Strapping

PACKAGING INSTRUCTIONS

Procedure

- 1 Set up both Full Telescope Caps (9905645). No taping or stapling is required.
- 2 Place one Full Telescope Cap on the floor and place both Foam with Corrugated Side Wall Assemblies (9905643) inside the cap.
- 3 Place one Foam Pad (9905642) inside the Foam with Corrugated Side Wall Assemblies, resting on the bottom of the Full Telescope Cap.
- 4 Place option (package in In-Plant Box, according to the specific Packaging Instructions for this option) inside the Foam with Corrugated Side Wall Assemblies, resting on the Foam Pad.
- 5 Place the second Foam Pad on top of the boxed option, inside the Foam with Corrugated Side Wall Assembly.
- 6 Place the second Full Telescope Cap on top of the assembly.
- 7 Strap in both directions, using plastic strapping.


NOTE
See A-SP-3700194-0-0 for Inter-Plant Packaging Instructions.

This drawing and specifications, herein, are the property of Digital Equipment Corporation and shall not be reproduced or copied or used in whole or in part as the basis for the manufacture or sale of items without written permission.

ENG. <i>W. P. ...</i>	APPD. <i>W. P. ...</i>	DATE <i>7/21/75</i>	SIZE <i>A</i>	CODE <i>SP</i>	NUMBER <i>3700195-0-0</i>	REV. _____
DEC 8-(651)-103-1-R671 DRA - 129						

PACKAGING INSTRUCTION

TITLE	CUSHIONED CUSTOMER SHIPPING PACKAGE (M111)	REV: _____	DATE: _____
-------	--	------------	-------------



NOTE:
Make changes to the "C" size original only and rephotograph.

ENG. <i>B. P. ...</i>	APPD. <i>B. P. ...</i>	DATE <i>10/3/74</i>	SIZE <i>A</i>	CODE <i>SP</i>	NUMBER <i>3700195-0-0</i>	REV. _____
DRC-108						

DIGITAL EQUIPMENT CORPORATION
MAYNARD MASSACHUSETTS

PACKAGING INSTRUCTION

REV: _____ DATE: _____

TITLE MJ11 INTERPLANT PACKAGING

MATERIAL REQUIREMENTS

Quantity	Purchase Specification No.	Description
2	9905744	Full Telescope Cap
1	9905745	Taped Tube
1	9905746	Scored Sheet
1	9905644	Rear Protector
1	9905335	Laminated Buildup
10 ft.	9905734-01	Plastic Strapping

PACKAGING INSTRUCTIONS

Procedure

- Step 1 Set up two (2) Full Telescope Caps (9905744). One for the top and one for the bottom.
- Step 2 Place MJ11 *upside down* in one of the Full Telescope Caps. Center it from front-to-back and side-to-side.
- Step 3 Place Rear Protector (9905644) against MJ11. Place plug wire into slot and down between the two foam blocks (see Figure).
- Step 4 Place Taped Tube (9905745) down and around the MJ11.
- Step 5 Place Laminated Buildup (9905335) down in front of the MJ11. Place Scored Sheet (9905746) along the MJ11; first one side and then the other.
- Step 6 Place second Full Telescope Cap on top of the assembly. Strap in both directions, using plastic strapping (9905734-01).

NOTE


For Cushioned Customer Shipping Package,
refer to Packaging Instruction A-SP-3700195-0-0.

This drawing and specifications, herein, are the property of Digital Equipment Corporation and shall not be reproduced or copied or used in whole or in part as the basis for the manufacture or sale of items without written permission.

PACKAGING INSTRUCTION

REV: _____ DATE: _____

TITLE MJ11 INTERPLANT PACKAGING



NOTE:
Make changes to "C" size original only
and rephotograph.

ENG. <i>Ken Neuman</i> 7/21/75	APPROD. <i>Bill S. Gault</i> 7/21/75	SIZE A	CODE SP	NUMBER 3700194-0-0
--------------------------------	--------------------------------------	-----------	------------	-----------------------

DWG-108

ENG. <i>Ken Neuman</i> 7/21/75	APPROD. <i>Bill S. Gault</i> 7/21/75	SIZE A	CODE SP	NUMBER 3700194-0-0	REV
--------------------------------	--------------------------------------	-----------	------------	-----------------------	-----

DEC 8-(551)-1031-1-R671

DRA - 129