

**KT11-D memory
management option
engineering drawings**

DIGITAL EQUIPMENT CORPORATION

MAYNARD, MASSACHUSETTS

PARTS LIST

MADE BY <i>Stoughton</i>	CHECKED <i>Stoughton</i>	SECTION
DATE <i>9/26/72</i>	DATE <i>9/27/72</i>	
ENG <i>Stoughton</i>	PROD <i>Stoughton</i>	ISSUED SECT.
DATE <i>9/27/72</i>	DATE <i>9/27/72</i>	

[illegible]

QUANTITY VARIATION


[illegible]

TITLE	ASSY NO.	SIZE	CODE	NUMBER	REV.	ECO NO.
MEMORY MANAGEMENT PL	7	A	PL	KT11-D-Ø	A	KT11D-00001
SHEET 1 OF 1						

DEC FORM 101
GSA 101


NOTES:

- 1. PIN NOTATION THROUGHOUT IS ORDERED UPON MODULE PLACEMENT IN THE KDI-A PROCESSOR. MODULE REFERENCE ALONE IS OBTAINED BY DELETING THE NUMBER (SLOT LOCATION) AFTER THE FIRST LETTER.
- 2. ALL SIGNALS THAT HAVE MODULE PINS ARE SO NOTED. OUTPUT SIGNALS WITH MODULE PINS ARE BROUGHT TO THE RIGHT SIDE OF THE PRINT.
- 3. PROCESSOR SIGNAL PREFIX NOTATION (KT-8 FOR EXAMPLE) IDENTIFIES THE SIGNAL SOURCE (PRINT AND MODULE). THE FIRST NUMBER AFTER THE K INDICATES THE MODULE PRINT SET, WHILE THE SECOND INDICATES THE SHEET WITHIN THE SET. SIGNALS WITH A 'BUS' PREFIX REPRESENT A 'WIRED OR' SITUATION, AND MULTIPLE SOURCES FOR THE SIGNAL CAN EXIST.
- 4. UNLESS OTHERWISE NOTED: RESISTANCE IS IN OHMS; CAPACITANCE IS IN PICOFARRADS.



12	EYELET	9006732	37
1	E65	I.C. DEC 23B39A2	23B39A2 36
2	E42,E44	I.C. DEC 74157	1910655 35
7	E3,E9,E10,E14,E20 E24,E31	I.C. DEC 3101	1910653 34
5	E7,E17,E28,E39,E49	I.C. DEC 74174	1910652 33
4	E45,E51,E67,E87	I.C. DEC 74175	1910651 32
3	E83,E90,E92	I.C. DEC 8885	1910649 31
1	E73	I.C. DEC 8875	1910647 30
2	E85,E95	I.C. DEC 74123	1910436 29
2	E19,E30	I.C. DEC 7485	1910224 28
6	E8,E18,E29,E34,E40,E89	I.C. DEC 7408	1910155 27
1	E53	I.C. DEC 7437	1910091 26
3	E2,E12,E23	I.C. DEC 74181	1909982 25
10	E5,E6,E15,E16,E26,E27 E37,E38,E58,E93	I.C. DEC 74153	1909937 24
2	E98,E100	I.C. DEC 7405	1909930 23
4	E48,E96,E97,E99	I.C. DEC 74H01-1	1909649 22
6	E61,E77,E80,E81,E82,E102	I.C. DEC 8815	1909713 21
9	E1,E11,E21,E22,E32,E35 E36,E47,E91	I.C. DEC 3981	1909705 20
7	E4,E25,E43,E54,E E78,E105	I.C. DEC 7404	1909686 19
2	E101,E106	I.C. DEC 74H11	1909267 18
2	E60,E86	I.C. DEC 74H55	1909063 17
1	E69	I.C. DEC 74H52	1909061 16
1	E104	I.C. DEC 74H21	1909058 15
2	E55,E74	I.C. DEC 7430	1905580 14
1	E33	I.C. DEC 7430	1905578 13
1	E68	I.C. DEC 7420	1905577 12
4	E62,E76,E79,E88	I.C. DEC 7410	1905576 11
4	E46,E50,E72,E75	I.C. DEC 7400	1905575 10
10	E52,E56,E57,E59,E64,E70 E71,E84,E94,E103	I.C. DEC 7474	1905547 9

1311003-02	8	16
DEC 7485	8	16
DEC 74181	12	24
DEC 74175	8	16
DEC 74174	8	16
DEC 74157	8	16
DEC 74153	8	16
DEC 74123	8	16
DEC 3101	8	16
IC TYPE	GND	+5V
GND AND 5V ARE USUALLY PIN 7 AND 14 RESPECTIVELY. EXCEPTIONS ARE STATED ABOVE.		
IC PIN LOCATIONS		



1311003-02	8	16
DEC 7485	8	16
DEC 74181	12	24
DEC 74175	8	16
DEC 74174	8	16
DEC 74157	8	16
DEC 74153	8	16
DEC 74123	8	16
DEC 3101	8	16
IC TYPE	GND	+5V
GND AND 5V ARE USUALLY PIN 7 AND 14 RESPECTIVELY. EXCEPTIONS ARE STATED ABOVE.		
IC PIN LOCATIONS		

FIRST USED ON OPTION MODEL
PDP 11

ETCH BOARD REV D

DATE 9-5-72
DIGITAL EQUIPMENT CORPORATION
MAYNARD, MASSACHUSETTS

TITLE
MEMORY MANAGEMENT

KT-1

REV. 0

SCALE NONE

SHEET 1 OF 13

DIST.


QTY	REF DESIGNATION	DESCRIPTION	PART NO.	ITEM NO.
1	CI THRU C104	CAP .01µF 100V ±20% DISC	1001610	4
6	C105 THRU C110	CAP 6.8µF 35V ±20% STANT	1000067	3
3	C111, C112, C113	CAP 33PF 100V ±5% DM	1000009	2
1		ETCHED CIRCUIT BOARD	5010026	1

SEMICONDUCTOR CONVERSION CHART




A

This drawing and specifications herein are the property of Digital Equipment Corporation and shall not be reproduced or copied or used in whole or in part as the basis for the manufacture or sale of items without written permission.



FIRST USED ON OPTION/MODEL		QTY.	DESCRIPTION	PART NO.	ITEM NO.
PDP 11					
UNLESS OTHERWISE SPECIFIED DIMENSION IN INCHES TOLERANCES		DRN 4/72	DATE	PARTS LIST	
DECIMALS		CHKD 4/72	DATE	TITLE	
ANGLES		ENG 7/22/72	DATE	MEM. MANAGE. (PAGE ADDRESS REG) AND PHYSICAL BUS A	
XXX - .005 XX - .02 X - .1		PROJ. ENG 7/22/72	DATE	KT-4	
REMOVE BURRS AND BREAK SHARP CORNERS SURFACE QUALITY		PROD. 7/22/72	DATE	REV. D	
MATERIAL		NEXT HIGHER ASSY.		SIZE CODE	
FINISH		SCALE NONE		NUMBER	
		SHEET 4 OF 13		DIST.	

CHANGE NO. REV. 1



DECODE TRUTH TABLE:


STB	S0	FN
H	-	L
L	L	FB
L	H	FBN

WHERE N = 0, 1, 2, 3

FIRST USED ON OPTION/MODEL		QTY.	DESCRIPTION	PART NO.	ITEM NO.
PDP 11					
UNLESS OTHERWISE SPECIFIED DIMENSIONS IN INCHES		DRN Ed. Anton	DATE 4/72	PARTS LIST	
TOLERANCES		CHKD. [Signature]	DATE 4/22/72	digital EQUIPMENT CORPORATION MAYNARD, MASSACHUSETTS	
DECIMALS	ANGLES	ENG. [Signature]	DATE 4/22/72	TITLE	
.XXX - .000	±0° 30'	PROG. ENG. [Signature]	DATE 9/28/72	MEM. MANAGE.	
REMOVE BURRS AND BREAK SHARP CORNERS SURFACE QUALITY		PROD. [Signature]	DATE 9/28/72	(PAGE DESCRIPTOR) WORD	
MATERIAL		NEXT HIGHER ASSY.		SIZE CODE	NUMBER
FINISH				DCS	M7236-0-1
SCALE NONE		SHEET 5 OF 13		DIST.	REV. 3


This drawing and specifications, herein, are the property of Digital Equipment Corporation and shall not be reproduced or used in whole or in part as the basis for the manufacture or sale of items without written permission.

Q 1-0-922W 2



FIRST USED ON OPTION/MODEL		QTY.	DESCRIPTION	PART NO.	ITEM NO.
PDP 11					
UNLESS OTHERWISE SPECIFIED DIMENSION IN INCHES TOLERANCES		DRN Ed. Anton	DATE 4/72	PARTS LIST	
DECIMALS	ANGLES	CHKD Ed. Anton	DATE 4-27-72	TITLE	
.XXX - .005	±0° 30'	ENG. Ed. Anton	DATE 4-28-72	MEM. MANAG.	
.XX - .02		PROG. Ed. Anton	DATE 4-28-72	(KT INSTRUCTION)	
.X - .1		PROD. Ed. Anton	DATE 4-28-72	DECODE	
REMOVE BURRS AND BREAK SHARP CORNERS SURFACE QUALITY		KT-7			
MATERIAL		NEXT HIGHER ASSY.		SIZE CODE	NUMBER
FINISH		SCALE NONE		DCS	M7236-0-1
SHEET 7 OF 13		DIST.		REV	D

This drawing and specifications, herein, are the property of Digital Equipment Corporation and shall not be reproduced or copied or used in whole or in part as the basis for the manufacture or sale of items without written permission.




DEVICE TRUTH TABLE:
74153

STBN	SI	SO	FN
H	-	-	L
L	L	L	FAN
L	L	H	FBN
L	H	L	FCN
L	H	H	FDN

WHERE N=0,1

FIRST USED ON OPTION/MODEL	QTY.	DESCRIPTION	PART NO.	ITEM NO.
PDP 11				
UNLESS OTHERWISE SPECIFIED DIMENSION IN INCHES. TOLERANCES	DRN Ed. Anton	DATE 4/72	PARTS LIST digital EQUIPMENT CORPORATION MAYNARD, MASSACHUSETTS	
DECIMALS	CHK'D Ed. Anton	DATE 9-27-72		
ANGLES	ENG. Ed. Anton	DATE 7-28-72	TITLE MEM. MANAGE. VIRTUAL ADRS REG (SR2) AND DATA MUX (BUS D07-BUS D00) KT-2	
XXX - .005 XX - .02 X - .1	PROJ. ENG. Ed. Anton	DATE 9/28/72		
REMOVE BURRS AND BREAK SHARP CORNERS SURFACE QUALITY	BROU Ed. Anton	DATE 9/28/72	NEXT HIGHER ASSY. + / +	
MATERIAL + / +				
FINISH + / +			SCALE NONE SHEET 8 OF 13	
			SIZE CODE DCS M7236-0-1	
			DIST.	

REV.	CHANGE NO.
1	1



DEVICE TRUTH TABLES:

74153			
STBN	SI	SØ	FN
H	-	-	L
L	L	L	FAN
L	L	H	FBN
L	H	L	FCN
L	H	H	FDN

74157		
STB	SØ	FN
H	-	L
L	L	FAN
L	H	FBN

WHERE N = 0, 1, 2, 3

FIRST USED ON OPTION/MODEL		QTY.	DESCRIPTION		PART NO.	ITEM NO.
PDP 11						
UNLESS OTHERWISE SPECIFIED DIMENSION IN INCHES. TOLERANCES		PARTS LIST				
DECIMALS		ANGLES		TITLE		
.XXX = .005		±0° 30'		MEM. MANAGE.		
.XX = .02				DATA MUX (BUS D07-BUS D15)		
.X = .1				SP SELECT		
REMOVE BURRS AND BREAK SHARP CORNERS SURFACE QUALITY		KT CONSOLE CNTL				KT-9
MATERIAL		NEXT HIGHER ASSY.		REV.		
FINISH		SCALE NONE		DCS M7236-Ø-1		
		SHEET 9 OF 13		DIST.		

PAGE 2 OF 8

This drawing and specifications, herein, are the property of Digital Equipment Corporation and shall not be reproduced or copied or used in whole or in part as the basis for the manufacture or sale of items without written permission.

DECIMAL LOC	OCTAL LOC	BINARY DATA	OCTAL DATA
0	000	1111	17
1	001	1111	17
2	002	1111	17
3	003	1111	17
4	004	1111	17
5	005	1111	17
6	006	1111	17
7	007	1011	13
8	010	1111	17
9	011	1111	17
10	012	1111	17
11	013	1111	17
12	014	1111	17
13	015	1111	17
14	016	1111	17
15	017	1111	17
16	020	1111	17
17	021	1111	17
18	022	1111	17
19	023	1111	17
20	024	1111	17
21	025	1111	17
22	026	1111	17
23	027	1111	17
24	030	1111	17
25	031	1111	17
26	032	1111	17
27	033	1111	17
28	034	1111	17
29	035	1111	17
30	036	1111	17
31	037	1111	17
32	040	1111	17
33	041	1111	17
34	042	1111	17
35	043	1111	17

PAGE 2 OF 8

REVISIONS		
CHK	CHANGE NO.	REV.

DECIMAL LOG	TOTAL LOG	BINARY DATA	DECIMAL DATA
36	044	1111	17
37	045	1111	17
38	046	1111	17
39	047	1111	17
40	050	1111	17
41	051	1111	17
42	052	1111	17
43	053	1111	17
44	054	1111	17
45	055	1111	17
46	056	1111	17
47	057	1111	17
48	060	1111	17
49	061	1111	17
50	062	1111	17
51	063	1111	17
52	064	1111	17
53	065	1111	17
54	066	1111	17
55	067	1111	17
56	070	1111	17
57	071	1111	17
58	072	1111	17
59	073	1111	17
60	074	1111	17
61	075	1111	17
62	076	1111	17
63	077	1011	13
64	100	1111	17
65	101	1111	17
66	102	1111	17
67	103	1111	17
68	104	1111	17
69	105	1111	17
70	106	1111	17
71	107	1111	17

DRN. <i>W. A. Adolph</i>	DATE <i>9-26-72</i>	digital EQUIPMENT CORPORATION MAYNARD, MASSACHUSETTS TITLE MEMORY MANAGEMENT	
CHK'D. <i>E. Anton</i>	DATE <i>9-28-72</i>		
ENG. <i>E. Anton</i>	DATE <i>9-28-72</i>		
PROJ. ENG. <i>F. J. Fong</i>	DATE <i>9-28-72</i>		
PROD. <i>P. H. Hungen</i>	DATE <i>9-28-72</i>		
SIZE C CODE CS NUMBER M7236-4-1 REV. D			
SHEET 10 OF 13 DIST.			

This drawing and specifications, herein, are the property of Digital Equipment Corporation and shall not be reproduced or copied or used in whole or in part as the basis for the manufacture or sale of items without written permission.

DECIMAL LOC	OCTAL LOC	BINARY DATA	OCTAL DATA
72	110	1111	17
73	111	1111	17
74	112	1111	17
75	113	1011	13
76	114	1111	17
77	115	1001	11
78	116	1111	17
79	117	1111	17
80	120	1111	17
81	121	1111	17
82	122	1111	17
83	123	1111	17
84	124	1111	17
85	125	1111	17
86	126	1111	17
87	127	1111	17
88	130	1111	17
89	131	1111	17
90	132	1111	17
91	133	1111	17
92	134	1111	17
93	135	1111	17
94	136	1111	17
95	137	1111	17
96	140	1101	15
97	141	0011	03
98	142	0011	03
99	143	1111	17
100	144	0011	03
101	145	1111	17
102	146	1111	17
103	147	1111	17
104	150	1111	17
105	151	1111	17
106	152	1111	17
107	153	1111	17

REVISIONS		
CHK	CHANGE NO.	REV.

DECIMAL LOC	OCTAL LOC	BINARY DATA	OCTAL DATA
108	154	1111	17
109	155	1111	17
110	156	1111	17
111	157	1111	17
112	160	1111	17
113	161	1110	16
114	162	1110	16
115	163	1111	17
116	164	1110	16
117	165	1111	17
118	166	1111	17
119	167	1111	17
120	170	1111	17
121	171	1111	17
122	172	1111	17
123	173	1111	17
124	174	1111	17
125	175	1111	17
126	176	1111	17
127	177	1111	17
128	200	0110	06
129	201	0110	06
130	202	1111	17
131	203	1111	17
132	204	0111	07
133	205	1110	16
134	206	1111	17
135	207	1111	17
136	210	1111	17
137	211	1111	17
138	212	1111	17
139	213	1111	17
140	214	1111	17
141	215	1011	13
142	216	1111	17
143	217	1111	17

DRN <i>A. Puchler</i>		DATE 9-26-72		MEMORY MANAGEMENT			
CHK'D <i>Ed. Anton</i>		DATE 9-28-72					
ENG. <i>E. Anton</i>		DATE 9-28-72					
PROJ. ENG. <i>E. J. O'Sullivan</i>		DATE 9/28/72					
PROD. <i>W. Singer</i>		DATE 9-28-72		SIZE C	CODE CS	NUMBER M7236-0-1	REV. D
SHEET 11 OF 13				DIST.			

DEC PART NUMB: 23-B39A2
ORIGINATOR: ED ANTON
DATE OF ORIGIN: 11-AUG-72

ROM PATTERN SPEC

PAGE 5 OF 8

This drawing and specifications, herein, are the property of Digital Equipment Corporation and shall not be reproduced or copied or used in whole or in part as the basis for the manufacture or sale of items without written permission.

DECIMAL LOC	OCTAL LOC	BINARY DATA	OCTAL DATA
144	220	1110	16
145	221	1110	16
146	222	1111	17
147	223	1111	17
148	224	1110	16
149	225	1110	16
150	226	1111	17
151	227	1111	17
152	230	1111	17
153	231	1111	17
154	232	1111	17
155	233	1111	17
156	234	1110	16
157	235	1111	17
158	236	1110	16
159	237	1111	17
160	240	1111	17
161	241	1111	17
162	242	1011	03
163	243	1111	17
164	244	1111	17
165	245	1111	17
166	246	1011	03
167	247	1111	17
168	250	1111	17
169	251	1111	17
170	252	1111	17
171	253	1111	17
172	254	1111	17
173	255	1111	17
174	256	1111	17
175	257	1111	17
176	260	1111	17
177	261	1111	17
178	262	1110	16
179	263	1111	17

DEC PART NUMB: 23-B39A2
ORIGINATOR: ED ANTON
DATE OF ORIGIN: 11-AUG-72

ROM PATTERN SPEC

PAGE 6 OF 8

REVISIONS		
CHK	CHANGE NO.	REV.

DECIMAL LOC	OCTAL LOC	BINARY DATA	OCTAL DATA
180	264	1111	17
181	265	1110	16
182	266	1111	17
183	267	1111	17
184	270	1111	17
185	271	1111	17
186	272	1111	17
187	273	1111	17
188	274	1111	17
189	275	1110	16
190	276	1110	16
191	277	1111	17
192	300	1111	17
193	301	1111	17
194	302	1111	17
195	303	1111	17
196	304	1111	17
197	305	1111	17
198	306	1111	17
199	307	1111	17
200	310	1111	17
201	311	1111	17
202	312	1111	17
203	313	1111	17
204	314	1111	17
205	315	1111	17
206	316	1111	17
207	317	1111	17
208	320	1111	17
209	321	1111	17
210	322	1111	17
211	323	1111	17
212	324	1111	17
213	325	1111	17
214	326	1011	03
215	327	1011	03

DRN: <i>R. Rudolph</i>	DATE: 9-26-72
CHK'D: <i>Ed. Anton</i>	DATE: 9-28-72
ENG: <i>Ed. Anton</i>	DATE: 9-28-72
PROJ. ENG. <i>R. Rudolph</i>	DATE: 9-28-72
PROJ. <i>Ed. Anton</i>	DATE: 9-28-72

digital EQUIPMENT CORPORATION MAYNARD, MASSACHUSETTS	
TITLE MEMORY MANAGEMENT	
SIZE CODE C CS	NUMBER M7236-0-1
REV. D	
SHEET 12 OF 13	
DIST.	

DEC PART NUMR: 23-B39A2
ORIGINATOR: ED ANTON
DATE OF ORIGIN: 11-AUG-72

ROM PATTERN SPEC

This drawing and specifications, herein, are the property of Digital Equipment Corporation and shall not be reproduced or copied or used in whole or in part as the basis for the manufacture or sale of items without written permission.

DECIMAL LOC	OCTAL LOC	BINARY DATA	OCTAL DATA
216	330	1011	13
217	331	1011	13
218	332	1011	13
219	333	1111	17
220	334	1111	17
221	335	1111	17
222	336	1111	17
223	337	1111	17
224	340	1111	17
225	341	1111	17
226	342	1111	17
227	343	1111	17
228	344	1111	17
229	345	1111	17
230	346	1111	17
231	347	1111	17
232	350	1111	17
233	351	1111	17
234	352	1111	17
235	353	1111	17
236	354	1111	17
237	355	1111	17
238	356	1111	17
239	357	1111	17
240	360	1111	17
241	361	1111	17
242	362	1111	17
243	363	1111	17
244	364	1111	17
245	365	1110	16
246	366	1110	16
247	367	1111	17
248	370	1111	17
249	371	1111	17
250	372	1111	17
251	373	1111	17

DEC PART NUMR: 23-B39A2
ORIGINATOR: ED ANTON
DATE OF ORIGIN: 11-AUG-72

ROM PATTERN SPEC

REVISIONS		
CHK	CHANGE NO.	REV.

DECIMAL LOC	OCTAL LOC	BINARY DATA	OCTAL DATA
252	374	1110	16
253	375	1111	17
254	376	1111	17
255	377	1111	17


DRN.	DATE
<i>E. Anton</i>	9-26-72
CHK'D	DATE
<i>E. Anton</i>	9-26-72
ENG.	DATE
<i>E. Anton</i>	9-26-72
PROJ. ENG.	DATE
<i>Ha/sug</i>	9-28-72
PROD.	DATE
<i>W. Stanger</i>	9-28-72
SHEET 13 OF 13	

digital EQUIPMENT CORPORATION MAYNARD, MASSACHUSETTS	
TITLE MEMORY MANAGEMENT	
SIZE CODE CCS	NUMBER 17236-0-1
DIST.	REV. D

This drawing and specifications herein are the property of Digital Equipment Corporation and shall not be reproduced or copied or used in whole or in part as the basis for the manufacture or sale of items without written permission.

PARTS REFERENCE

ITEM NO	DRAWING REFERENCE	DESCRIPTION	PART NUMBER	QUANTITY
1		IC 74175	1300394	2
2		IC 74175	1300394	2
3		IC 74175	1300394	2
4		IC 74175	1300394	2
5		IC 74175	1300394	2
6		IC 74175	1300394	2
7		IC 74175	1300394	2
8		IC 74175	1300394	2
9		IC 74175	1300394	2
10		IC 74175	1300394	2
11		IC 74175	1300394	2
12		IC 74175	1300394	2
13		IC 74175	1300394	2
14		IC 74175	1300394	2
15		IC 74175	1300394	2
16		IC 74175	1300394	2
17		IC 74175	1300394	2
18		IC 74175	1300394	2
19		IC 74175	1300394	2
20		IC 74175	1300394	2
21		IC 74175	1300394	2
22		IC 74175	1300394	2
23		IC 74175	1300394	2
24		IC 74175	1300394	2
25		IC 74175	1300394	2
26		IC 74175	1300394	2
27		IC 74175	1300394	2
28		IC 74175	1300394	2
29		IC 74175	1300394	2
30		IC 74175	1300394	2
31		IC 74175	1300394	2
32		IC 74175	1300394	2
33		IC 74175	1300394	2
34		IC 74175	1300394	2
35		IC 74175	1300394	2
36		IC 74175	1300394	2
37		IC 74175	1300394	2
38		IC 74175	1300394	2
39		IC 74175	1300394	2
40		IC 74175	1300394	2
41		IC 74175	1300394	2
42		IC 74175	1300394	2
43		IC 74175	1300394	2
44		IC 74175	1300394	2
45		IC 74175	1300394	2
46		IC 74175	1300394	2
47		IC 74175	1300394	2
48		IC 74175	1300394	2
49		IC 74175	1300394	2
50		IC 74175	1300394	2
51		IC 74175	1300394	2
52		IC 74175	1300394	2
53		IC 74175	1300394	2
54		IC 74175	1300394	2
55		IC 74175	1300394	2
56		IC 74175	1300394	2
57		IC 74175	1300394	2
58		IC 74175	1300394	2
59		IC 74175	1300394	2
60		IC 74175	1300394	2
61		IC 74175	1300394	2
62		IC 74175	1300394	2
63		IC 74175	1300394	2
64		IC 74175	1300394	2
65		IC 74175	1300394	2
66		IC 74175	1300394	2
67		IC 74175	1300394	2
68		IC 74175	1300394	2
69		IC 74175	1300394	2
70		IC 74175	1300394	2
71		IC 74175	1300394	2
72		IC 74175	1300394	2
73		IC 74175	1300394	2
74		IC 74175	1300394	2
75		IC 74175	1300394	2
76		IC 74175	1300394	2
77		IC 74175	1300394	2
78		IC 74175	1300394	2
79		IC 74175	1300394	2
80		IC 74175	1300394	2
81		IC 74175	1300394	2
82		IC 74175	1300394	2
83		IC 74175	1300394	2
84		IC 74175	1300394	2
85		IC 74175	1300394	2
86		IC 74175	1300394	2
87		IC 74175	1300394	2
88		IC 74175	1300394	2
89		IC 74175	1300394	2
90		IC 74175	1300394	2
91		IC 74175	1300394	2
92		IC 74175	1300394	2
93		IC 74175	1300394	2
94		IC 74175	1300394	2
95		IC 74175	1300394	2
96		IC 74175	1300394	2
97		IC 74175	1300394	2
98		IC 74175	1300394	2
99		IC 74175	1300394	2
100		IC 74175	1300394	2
101		IC 74175	1300394	2
102		IC 74175	1300394	2
103		IC 74175	1300394	2
104		IC 74175	1300394	2
105		IC 74175	1300394	2
106		IC 74175	1300394	2
107		IC 74175	1300394	2
108		IC 74175	1300394	2
109		IC 74175	1300394	2
110		IC 74175	1300394	2
111		IC 74175	1300394	2
112		IC 74175	1300394	2
113		IC 74175	1300394	2
114		IC 74175	1300394	2
115		IC 74175	1300394	2
116		IC 74175	1300394	2
117		IC 74175	1300394	2
118		IC 74175	1300394	2
119		IC 74175	1300394	2
120		IC 74175	1300394	2
121		IC 74175	1300394	2
122		IC 74175	1300394	2
123		IC 74175	1300394	2
124		IC 74175	1300394	2
125		IC 74175	1300394	2
126		IC 74175	1300394	2
127		IC 74175	1300394	2
128		IC 74175	1300394	2
129		IC 74175	1300394	2
130		IC 74175	1300394	2
131		IC 74175	1300394	2
132		IC 74175	1300394	2
133		IC 74175	1300394	2
134		IC 74175	1300394	2
135		IC 74175	1300394	2
136		IC 74175	1300394	2
137		IC 74175	1300394	2
138		IC 74175	1300394	2
139		IC 74175	1300394	2
140		IC 74175	1300394	2
141		IC 74175	1300394	2
142		IC 74175	1300394	2
143		IC 74175	1300394	2
144		IC 74175	1300394	2
145		IC 74175	1300394	2
146		IC 74175	1300394	2
147		IC 74175	1300394	2
148		IC 74175	1300394	2
149		IC 74175	1300394	2
150		IC 74175	1300394	2
151		IC 74175	1300394	2
152		IC 74175	1300394	2
153		IC 74175	1300394	2
154		IC 74175	1300394	2
155		IC 74175	1300394	2
156		IC 74175	1300394	2
157		IC 74175	1300394	2
158		IC 74175	1300394	2
159		IC 74175	1300394	2
160		IC 74175	1300394	2
161		IC 74175	1300394	2
162		IC 74175	1300394	2
163		IC 74175	1300394	2
164		IC 74175	1300394	2
165		IC 74175	1300394	2
166		IC 74175	1300394	2
167		IC 74175	1300394	2
168		IC 74175	1300394	2
169		IC 74175	1300394	2
170		IC 74175	1300394	2
171		IC 74175	1300394	2
172		IC 74175	1300394	2
173		IC 74175	1300394	2
174		IC 74175	1300394	2
175		IC 74175	1300394	2
176		IC 74175	1300394	2
177		IC 74175	1300394	2
178		IC 74175	1300394	2
179		IC 74175	1300394	2
180		IC 74175	1300394	2
181		IC 74175	1300394	2
182		IC 74175	1300394	2
183		IC 74175	1300394	2
184		IC 74175	1300394	2
185		IC 74175	1300394	2
186		IC 74175	1300394	2
187		IC 74175	1300394	2
188		IC 74175	1300394	2
189		IC 74175	1300394	2
190		IC 74175	1300394	2
191		IC 74175	1300394	2
192		IC 74175	1300394	2
193		IC 74175	1300394	2
194		IC 74175	1300394	2
195		IC 74175	1300394	2
196		IC 74175	1300394	2
197		IC 74175	1300394	2
198		IC 74175	1300394	2
199		IC 74175	1300394	2
200		IC 74175	1300394	2
201		IC 74175	1300394	2
202		IC 74175	1300394	2
203		IC 74175	1300394	2
204		IC 74175	1300394	2
205		IC 74175	1300394	2
206		IC 74175	1300394	2
207		IC 74175	1300394	2
208		IC 74175	1300394	2
209		IC 74175	1300394	2
210		IC 74175	1300394	2
211		IC 74175	1300394	2
212		IC 74175	1300394	2
213		IC 74175	1300394	2
214		IC 74175	1300394	2
215		IC 74175	1300394	2
216		IC 74175	1300394	2
217		IC 74175	1300394	2
218		IC 74175	1300394	2
219		IC 74175	1300394	2
220		IC 74175	1300394	2
221		IC 74175	1300394	2
222		IC 74175	1300394	2
223		IC 74175	1300394	2
224		IC 74175	1300394	2
225		IC 74175	1300394	2
226		IC 74175	1300394	2
227		IC 74175	1300394	2
228		IC 74175	1300394	2
229		IC 74175	1300394	2
230		IC 74175	1300394	2
231		IC 74175	1300394	2
232		IC 74175	1300394	2
233		IC 74175	1300394	2
234		IC 74175	1300394	2
235		IC 74175	1300394	2
236		IC 74175	1300394	2
237		IC 74175	1300394	2
238		IC 74175	1300394	2
239		IC 74175	1300394	2
240		IC 74175	1300394	2
241		IC 74175	1300394	2
242		IC 74175	1300394	2
243		IC 74175	1300394	2
244		IC 74175	1300394	2
245		IC 74175	1300394	2
246		IC 74175	1300394	2
247		IC 74175	1300394	2
248		IC 74175	1300394	2
249		IC 74175	1300394	2
250		IC 74175	1300394	2
251		IC 74175	1300394	2
252		IC 74175	1300394	2
253		IC 74175	1300394	2
254		IC 74175	1300394	2
255		IC 74175	1300394	2
256		IC 74175	1300394	2
257		IC 74175	1300394	2
258		IC 74175	1300394	2
259		IC 74175	1300394	2
260		IC 74175	1300394	2
261		IC 74175	1300394	2
262		IC 74175	1300394	2
263		IC 74175	1300394	2
264		IC 74175	1300394	2
265		IC 74175	1300394	2
266		IC 74175	1300394	2
267		IC 74175	1300394	2
268		IC 74175	1300394	



REV	CHANGE NO	CHK

DEC FORM NO
DRD 102-B

FIRST USED ON OPTION/MODEL PDP 11/25		QTY.	DESCRIPTION	PART NO.	ITEM NO.
UNLESS OTHERWISE SPECIFIED TOLERANCES		PARTS LIST			
DECIMALS	ANGLES	EQUIPMENT CORPORATION MILFORD, MASSACHUSETTS			
XXX - .005	±0° 30'	TITLE STACK LIMIT REGISTER			
XX - .02		M7237 KJ-2			
X - .1		SIZE CODE NUMBER REV. DCS M7237-0-1 A			
REMOVE BURRS AND BREAK SHARP CORNERS SURFACE QUALITY		SHEET 2 OF 2			
MATERIAL		NEXT HIGHER ASSY.			
FINISH		SCALE			

DIGITAL EQUIPMENT CORPORATION
MAYNARD, MASSACHUSETTS

SOFTWARE LIST

MADE BY *J. F. Long Line*
DATE *9/26/77*

ENG	J. J. J. J.
DATE	7/27/72

CHECKED *J. J. [illegible]*
DATE 7/27/39

PROD	<i>H. Stinger</i>
DATE	<i>9-28-72</i>

SECTION

ISSUED SECT.

LEGEND

D	DOCUMENT
DN	DOCUMENT CHANGE NOTICE
PA	PAPER TAPE ASCII
PB	PAPER TAPE BINARY
PM	PAPER TAPE READ-IN-MODE

QUANTITY / VARIATION

ITEM NO.	DWG NO./PART NO.	DESCRIPTION	KT							KIT	BY	INSTA	BY
1	MAINDEC-11-DBKTA-A-D	LOGIC TEST	1										
2	MAINDEC-11-DBKTA-A-PB	LOGIC TEST	1										
3	MAINDEC-11-DBKTB-A-D	KEYS TEST	1										
4	MAINDEC-11-DBKTB-A-PB	KEYS TEST	1										
5	MAINDEC-11-DBKTC-A-D	MOVES TEST	1										
6	MAINDEC-11-DBKTC-A-PB	MOVES TEST	1										
7	MAINDEC-11-DBKTD-A-D	STATES TEST	1										
8	MAINDEC-11-DBKTD-A-PB	STATES TEST	1										
9	MAINDEC-11-DBKTF-A-D	ABORT TEST	1										
10	MAINDEC-11-DBKTF-A-PB	ABORT TEST	1										
11	MAINDEC-11-DBKTG-A-D	KT EXERCISER	1										
12	MAINDEC-11-DBKTG-A-PB	KT EXERCISER	1										
13	MAINDEC-11-DCKBF-A-D	STACK LIMIT TEST	1										
14	MAINDEC-11-DCKBF-A-PB	STACK LIMIT TEST	1										

TITLE
MEMORY MANAGEMENT

ASSY. NO.
74

SIZE CODE
A SL

NUMBER
KT11-D-SL

REV.

ECO NO

SHEET 1 OF 1

DEC FORM NO.
DRA 120