

PCL11-A,B

STAND ALONE V020
CZPLBB0

AH-E263B-MC

COPYRIGHT © 1978
FICHE 1 OF 1

DEC 1978
digital
MADE IN USA

1	2	3	4	5	6	7	8	9	10
11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30
31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50
51	52	53	54	55	56	57	58	59	60
61	62	63	64	65	66	67	68	69	70
71	72	73	74	75	76	77	78	79	80
81	82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99	100
101	102	103	104	105	106	107	108	109	110
111	112	113	114	115	116	117	118	119	120
121	122	123	124	125	126	127	128	129	130
131	132	133	134	135	136	137	138	139	140
141	142	143	144	145	146	147	148	149	150
151	152	153	154	155	156	157	158	159	160
161	162	163	164	165	166	167	168	169	170
171	172	173	174	175	176	177	178	179	180
181	182	183	184	185	186	187	188	189	190
191	192	193	194	195	196	197	198	199	200
201	202	203	204	205	206	207	208	209	210
211	212	213	214	215	216	217	218	219	220
221	222	223	224	225	226	227	228	229	230
231	232	233	234	235	236	237	238	239	240
241	242	243	244	245	246	247	248	249	250
251	252	253	254	255	256	257	258	259	260
261	262	263	264	265	266	267	268	269	270
271	272	273	274	275	276	277	278	279	280
281	282	283	284	285	286	287	288	289	290
291	292	293	294	295	296	297	298	299	300
301	302	303	304	305	306	307	308	309	310
311	312	313	314	315	316	317	318	319	320
321	322	323	324	325	326	327	328	329	330
331	332	333	334	335	336	337	338	339	340
341	342	343	344	345	346	347	348	349	350
351	352	353	354	355	356	357	358	359	360
361	362	363	364	365	366	367	368	369	370
371	372	373	374	375	376	377	378	379	380
381	382	383	384	385	386	387	388	389	390
391	392	393	394	395	396	397	398	399	400
401	402	403	404	405	406	407	408	409	410
411	412	413	414	415	416	417	418	419	420
421	422	423	424	425	426	427	428	429	430
431	432	433	434	435	436	437	438	439	440
441	442	443	444	445	446	447	448	449	450
451	452	453	454	455	456	457	458	459	460
461	462	463	464	465	466	467	468	469	470
471	472	473	474	475	476	477	478	479	480
481	482	483	484	485	486	487	488	489	490
491	492	493	494	495	496	497	498	499	500
501	502	503	504	505	506	507	508	509	510
511	512	513	514	515	516	517	518	519	520
521	522	523	524	525	526	527	528	529	530
531	532	533	534	535	536	537	538	539	540
541	542	543	544	545	546	547	548	549	550
551	552	553	554	555	556	557	558	559	560
561	562	563	564	565	566	567	568	569	570
571	572	573	574	575	576	577	578	579	580
581	582	583	584	585	586	587	588	589	590
591	592	593	594	595	596	597	598	599	600
601	602	603	604	605	606	607	608	609	610
611	612	613	614	615	616	617	618	619	620
621	622	623	624	625	626	627	628	629	630
631	632	633	634	635	636	637	638	639	640
641	642	643	644	645	646	647	648	649	650
651	652	653	654	655	656	657	658	659	660
661	662	663	664	665	666	667	668	669	670
671	672	673	674	675	676	677	678	679	680
681	682	683	684	685	686	687	688	689	690
691	692	693	694	695	696	697	698	699	700
701	702	703	704	705	706	707	708	709	710
711	712	713	714	715	716	717	718	719	720
721	722	723	724	725	726	727	728	729	730
731	732	733	734	735	736	737	738	739	740
741	742	743	744	745	746	747	748	749	750
751	752	753	754	755	756	757	758	759	760
761	762	763	764	765	766	767	768	769	770
771	772	773	774	775	776	777	778	779	780
781	782	783	784	785	786	787	788	789	790
791	792	793	794	795	796	797	798	799	800
801	802	803	804	805	806	807	808	809	810
811	812	813	814	815	816	817	818	819	820
821	822	823	824	825	826	827	828	829	830
831	832	833	834	835	836	837	838	839	840
841	842	843	844	845	846	847	848	849	850
851	852	853	854	855	856	857	858	859	860
861	862	863	864	865	866	867	868	869	870
871	872	873	874	875	876	877	878	879	880
881	882	883	884	885	886	887	888	889	890
891	892	893	894	895	896	897	898	899	900
901	902	903	904	905	906	907	908	909	910
911	912	913	914	915	916	917	918	919	920
921	922	923	924	925	926	927	928	929	930
931	932	933	934	935	936	937	938	939	940
941	942	943	944	945	946	947	948	949	950
951	952	953	954	955	956	957	958	959	960
961	962	963	964	965	966	967	968	969	970
971	972	973	974	975	976	977	978	979	980
981	982	983	984	985	986	987	988	989	990
991	992	993	994	995	996	997	998	999	1000

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48

IDENTIFICATION
PROGRAM CODE AC-E262B-MC
PPROGRAM NAME CZPLB80 PCL11 STAND ALONE TEST
DATE CREATED 22-OCT-75
UPDATED 13-MAR-78
MODIFIED 8-SEP-78
MAINTAINER SPECIAL SYSTEMS KANATA
AUTHOR DAVID G. WIENS

THE INFORMATION IN THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE
AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT COR-
PORATION. DIGITAL EQUIPMENT CORPORATION ASSUMES NO RESPONSIBILITY FOR
ANY ERRORS THAT MAY APPEAR IN THIS DOCUMENT.
DIGITAL EQUIPMENT CORPORATION ASSUMES NO RESPONSIBILITY FOR THE USE
OR RELIABILITY OF ITS SOFTWARE ON EQUIPMENT THAT IS NOT SUPPLIED BY
DIGITAL.
COPYRIGHT (C) 1978, BY DIGITAL EQUIPMENT OF CANADA, LIMITED.

50 .SBTTL HEADER AND INSTRUCTIONS
51 .REPT 0
52
53

000000

54 1. GENERAL
55

56 THE PARALLEL COMMUNICATIONS LINK (PCL11) TEST WILL VIGOROUSLY
57 TEST THE HARDWARE INVOLVED IN ANY ONE PCL11 PROCESSOR CONTAINING
58 PCL11 HARDWARE.

59 THERE ARE THREE SEPARATE SECTIONS IN THIS TEST. TO COMPLETELY
60 CHECK BOTH TRANSMITTER AND RECEIVER PORTIONS OF THE PCL11, ALL
61 THREE SECTIONS MUST BE RUN SUCCESSFULLY.

62 THE FIRST TEST IS THE BASIC TRANSMITTER TEST WHICH IS
63 DESIGNED TO BE RUN AS A STAND ALONE DEVICE TEST

64 ON THE TRANSMITTER. IT WILL RUN WITH NO MANUAL INTERVENTION
65 (AFTER INITIAL SETUP) ASSUMING THAT THE TRANSMITTER ADDRESS
66 SWITCHES IN THE MASTER SECTION ARE SET TO BE AT LEAST EQUAL TO
67 THE TRANSMITTERS OWN ADDRESS SWITCHES. THIS ASSURES THAT TIMING
68 SLICES WILL SELECT THE TRANSMITTER BEING TESTED.

69 THE SECOND TEST IS THE BASIC RECEIVER TEST WHICH IS DESIGNED TO
70 RUN AS A STAND ALONE DEVICE TEST FOR THE RECEIVER MODULE.

71 AFTER INITIAL SETUP, THIS TEST RUNS WITH NO MANUAL INTERVENTION.

72 THE THIRD TEST IS THE TRANSMITTER-RECEIVER LOOP TEST.
73 THE OBJECTIVE OF THE THIRD TEST IS TO TEST ANY FUNCTIONS THAT
74 WERE NEGLECTED IN THE FIRST AND SECOND TESTS DUE TO THE NEED FOR
75 TRANSMITTER TO RECEIVER COMMUNICATIONS. IT WILL ALSO TEST THE
76 T.D.M. BUS DRIVERS AND RECEIVERS BY SENDING DATA PATTERNS AND
77 CHECKING THE DATA RECEIVED. FURTHER, IT WILL EXERCISE THE ABILITY
78 TO REJECT OR TRUNCATE COMMUNICATIONS.

79
80 THE TESTS ARE SELECTED, IN THE START-UP PROCEDURE, SO THAT ANY
81 ONE OF THE TESTS MAY BE LOOPED INDIVIDUALLY, OR ALL THREE MAY BE
82 LOOPED AS AN OVERALL TEST.
83

85
86
87
88
89
90
91
92
93
94
95
96
97

2. REQUIREMENTS

2.1 GENERAL:

2.11 PDP-11 PROCESSOR WITH 8K OF MEMORY
AND A CONSOLE DEVICE ON-LINE.

2.12 PCL11 HARDWARE ON THE UNIBUS

2.13 ALL PROCESSOR MAINDECS MUST HAVE BEEN RUN
SUCCESSFULLY PRIOR TO RUNNING PCL11 TEST.

2.14 ONE PCL11 CONNECTED TO UNIBUS
(SEE PCL11 OPTION DESCRIPTION SEC 2.1)

99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127

3. RESTRICTIONS

3.1 THIS TEST CANNOT BE LOADED INTO A PDP-11 WITH
LESS THAN 8K OF MEMORY.

3.3 SINCE THERE ARE TIMING LOOPS IN THIS TEST,
IT MAY NOT RUN SUCCESSFULLY IN SOLID-STATE MEMORY
IF THE DELAY CONSTANT (CNTRL-D) IS LOWERED TO
BELOW 6.
*** THIS ALSO APPLIES TO USING FASTER PDP-11'S (45, 70, ETC.)***

4. TEST SET-UP

4.1 ENSURE PCL11 HAS BEEN INSTALLED CORRECTLY
AS PER THE INSTALLATION PROCEDURE IN SEC 2.1 OF
PCL11 OPTION DESCRIPTION (YC-A20TC-00)

4.2 ENSURE ALL CABLES CONNECTING THE PCL11 UNDER
TEST TO OTHER PCL11 UNITS OR DISPLAY PANELS
ARE DISCONNECTED (OR DISABLED).

4.3 DETERMINE OR SET UP PROPER TDM ADDRESSES FOR
THE RECEIVER AND TRANSMITTER. THE TRANSMITTER'S
ADDRESS IS IN S1 ON THE M7991 MODULE; THE
RECEIVER'S IS IN S1 ON THE M7997 MODULE.

4.4 ENSURE S1 ON THE M7994 MODULE IS SET TO A NUMBER
GREATER THAN OR EQUAL TO THE TRANSMITTER'S ADDRESS.

129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178

5. LOADING

THE PCL11 TEST IS ON PAPER TAPE IN PDP-11 .ABS
FORMAT. THE TAPE IS LOADED BY MEANS OF THE PDP-11
ABSOLUTE LOADER.

6. STARTING AND RESTARTING ADDRESSES

START ADDR

RESTART ADDR

200

204 (FOR DIFFERENT T.D.M. BUS ADDRESSES)
224 (FOR TEST SELECT)

7. SWITCH REGISTER OPTIONS

7.1 ALL TESTS

SW 15 = 0	HALT AFTER ERRORS
SW 15 = 1	DON'T HALT AFTER ERRORS
SW 14 = 0	ALLOW PRINTING
SW 14 = 1	INHIBIT PRINTING
SW 13 = 0	SEE SW 15
SW 13 = 1	AFTER ERROR, RE-TRY CURRENT ROUTINE
SW 12 = 0	CARRY ON TO NEXT SUBTEST
SW 12 = 1	DON'T EXIT THIS SUBTEST
SW 11 = 0	10 TIMES THRU ALL SUBTESTS PER PASS
SW 11 = 1	ONCE THRU ALL SUBTESTS PER PASS

7.2 TRANSMITTER TEST

SW 10 = 0	START AT 1ST SUBTEST AND RUN
SW 10 = 1	START AT SUBTEST # IN SW'S <3:0>
SW 09 = 0	STAY IN MASTER SECTION SCOPE LOOP
SW 09 = 1	EXIT MASTER SECTION SCOPE LOOP

7.3 RECEIVER TEST

SW 10 = 0	START AT 1ST SUBTEST AND RUN
SW 10 = 1	START AT SUBTEST # IN SW'S <2:0>

7.4 TRANSMITTER-RECEIVER LOOP

SW 10 = 0	START AT 1ST SUBTEST AND RUN
SW 10 = 1	START AT SUBTEST # IN SW'S <2:0>

180 7.5 SWITCH REGISTER OPTION USE ON NON-SWITCH-REGISTER PDP-11'S
181
182 AT START UP TIME
183 THE PROGRAM WILL DECIDE WHETHER A HARDWARE SWITCH REGISTER
184 EXSISTS ON THE PDP-11. IF NONE EXSISTS, A SOFTWARE
185 FLAG WILL BE SET INDICATING TO THE REST OF THE PROGRAM THAT
186 THE 'SWITCH MONITOR' IS TO BE USED TO ACHIEVE CHANGING OF
187 SWITCH OPTIONS.
188 THE MONITOR IS ENTERED AT THE START OF THE TEST PROGRAM
189 AUTOMATICALLY. IT IS ALSO ENTERED AUTOMATICALLY ON AN ERROR
190 HALT IF SW 15 = 0. AT OTHER TIMES IT MUST BE CALLED BY THE
191 OPERATER BY TYPING CNTRL-S
192 WHEN THE MONITOR IS ENTERED THE FOLLOWING IS PRINTED:
193 SWR = XXXXXX :
194 SHOWING THE OPERATER THE PRESENT CONTENTS OF THE SOFTWARE
195 SWITCH REGISTER LOCATION. HE MAY CHANGE THE LOCATION BY TYPING:
196 YYYYYY <CR>
197 IN RESPONSE; OR HE MAY LEAVE THE LOCATION UNCHANGED BY TYPING
198 ONLY <CR>.
199 REFERENCE PAGE 9 OF THIS LISTING FOR 'SWITCH' BIT POSITIONS.
200 UPON DETECTING A <CR> THE MONITOR WILL TYPE:
201 CNTRL-P TO CONTINUE
202 THE OPERATER NOW HAS THE OPTION OF TYPING ^P TO CONTINUE
203 THE PROGRAM WHERE IT LEFT OFF, OR ^S TO RE-ENTER THE
204 SWITCH MONITOR.
205
206
207

208 8. TEST DESCRIPTION

209 8.1 TEST 1 - TRANSMITTER TEST:

210
211
212 SUBTEST 00 TEST INITIAL CONDITIONS AFTER RESET
213 SUBTEST 01 COMMAND REGISTER TEST
214 SUBTEST 02 BYTE COUNT REGISTER TEST
215 SUBTEST 03 BUS ADDRESS REGISTER TEST
216 SUBTEST 04 MASTER SECTION TEST
217 SUBTEST 05 DATA SILO TEST
218 SUBTEST 06 STATUS REGISTER AND ERRORS TEST
219 SUBTEST 07 INTERRUPT TEST
220 SUBTEST 10 C.R.C GENERATION TEST
221

222 8.2 TEST 2 - RECEIVER TEST:

223
224 SUBTEST 00 TEST INITIAL CONDITIONS AFTER RESET
225 SUBTEST 01 COMMAND REGISTER TEST
226 SUBTEST 02 BYTE COUNT REGISTER TEST
227 SUBTEST 03 BUS ADDRESS REGISTER TEST
228 SUBTEST 04 DATA SILO TEST
229 SUBTEST 05 STATUS REGISTER AND ERRORS TEST
230 SUBTEST 06 INTERRUPT TEST
231 SUBTEST 07 C.R.C GENERATION TEST
232

233 8.3 TEST 3 - XMTR-RCVR LOOP TEST:

234 SUBTEST 00 CHK NPR FROM RCVR SILO TO XMTR SILO
235

SUBTEST 01 DATA LOOPS TEST
SUBTEST 02 TRANSMISSION ERRORS TEST
SUBTEST 03 REJECT AND TRUNCATE TEST

8.4 TEST 4 - COMBINATION RUN

RUN TEST 1 THEN
RUN TEST 2 THEN
RUN TEST 3 THEN
RUN TEST 1 ETC .

8.5 THE TESTS WILL IDENTIFY THEMSELVES UPON SELECTION, IN THE
FOLLOWING WAY:

TEST 1 'PCL11 TRANSMITTER TEST'
TEST 2 'PCL11 RECEIVER TEST'
TEST 3 'TRANSMITTER - RECEIVER LOOP TESTS'
TEST 4 'PCL11 TESTS 1 - 3 SEQUENCE''

8.6 THE TESTS WILL SIGNIFY COMPLETION BY PRINTING THE FOLLOWING
END PASS MESSAGES ALONG WITH THE PASS COUNT IN DECIMAL:

TEST 1 -- END PASS # N
TEST 2 -- END PASS # NA
TEST 3 -- END PASS # NB
TEST 4 -- END PASS # NC

275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330

9. STARTING AND OPERATING PROCEDURE
- LOAD THE PROGRAM TAPE USING THE PDP-11 ABSOLUTE LOADER
- 9.1 START UP:
- START PROGRAM AT 200
PROGRAM WILL ASK THE FOLLOWING (ONE AT A TIME)
- XMTR 1ST UNIBUS ADDR.. (DEFAULT = 164200)
RCVR 1ST UNIBUS ADDR... (DEFAULT = 164220)
XMTR VECTOR.. (DEFAULT = 170)
RCVR VECTOR.. (DEFAULT = 174)
XMTR PRIORITY (4-7).. (DEFAULT = 5)
RCVR PRIORITY (4-7).. (DEFAULT = 5)
XMTR TDM BUS ADDR (1-37).. (DEFAULT = 1)
RCVR TDM BUS ADDR (1-37).. (DEFAULT = 1)
- RESPOND TO EACH PROMPT WITH:
<CR> IF DEFAULT IS DESIRED
XXXXX <CR> IF XXXXX IS DESIRED FOR NEW ENTRY
- 9.11 SELECT TEST:
- THE PROGRAM THEN TYPES:
- SELECT TEST (<CR> FOR HELP)..
- THE OPERATOR HAS THE FOLLOWING CHOICES:
- 1 = SELECT TEST 1 TO RUN ONLY (TRANSMITTER LOGIC TEST)
2 = SELECT TEST 2 TO RUN ONLY (RECEIVER LOGIC TEST)
3 = SELECT TEST 3 TO RUN ONLY (XMTR -TO- RCVR LOOP TEST)
4 = SEQUENCE TEST 1, TEST 2, TEST 3 REPETEDLY.
<CR> PRINT THIS HELP MESSAGE.
- 9.12 POSSIBLE INTERVENTION:
- 9.121 IF SW 12 IS UP AT START TIME, THE FIRST SUBTEST
WILL RUN CONTINUOUSLY AND THE TEST WILL NEVER
ACHIEVE A SUCCESSFUL PASS COMPLETE. SWITCH 12
MUST BE LEFT DOWN UNLESS AN INTERMITTENT ERROR
OCCURS IN A SUBTEST AND IT IS DESIRED TO SCOPE
THE MODULE WITH THE SAME SUBTEST RUNNING CONTINUOUSLY.
AT ANY TIME, SW 12 MAY BE LOWERED AND THE TEST
SEQUENCE WILL RESUME.
- 9.122 ANY PARTICULAR SUBTEST MAY BE STARTED BY
STARTING WITH OPTION SWITCH 10 = 1 AND THE
NUMBER OF THE DESIRED SUBTEST IN SW'S <3:0>.
IF IT IS DESIRED, HOWEVER, TO CONTINUOUSLY
RUN ONLY THE SELECTED SUBTEST, SW 12 MUST BE RAISED
AS WELL AS SW 10 AT START UP TIME.
- 9.123 WHEN THE MASTER SECTION TEST HAS IT'S TURN TO RUN
THE FOLLOWING MESSAGE WILL APPEAR ON THE CONSOLE

331 PRINTER

332 SCOPE SECTION FOR SLICE TIMING
333 RAISE SW 09 TO EXIT THIS LOOP
334

335 THIS IS A 'HANG-UP' PROVIDED FOR MAINTENANCE
336 PURPOSES OF CHECKING AND ADJUSTING SLICE
337 TIMING IN THE MASTER SECTION. NEITHER THE
338 PRINTOUT NOR THE 'HANG-UP' WILL OCCUR IF
339 SW 09 IS UP.
340

341
342
343 9.124

NORMALLY, 10 (OCTAL) PASSES ARE MADE OF THE
COMPLETE TEST BEFORE A PASS COMPLETE IS
ACHIEVED AND

346 END PASS XX
347

348 IS PRINTED ON THE CONSOLE PRINTER.
349 HOWEVER, RAISING SW 11 WILL CAUSE EVERY SINGLE
350 PASS TO BE CONSIDERED AS COMPLETE.
351

352 9.13

RESTARTING:

354 , THE TEST MAY BE RE-STARTED AT LOC. 204
355 THIS WILL OMIT MOST OPENING DIALOGUE.
356 THE FOLLOWING WILL STILL BE REQUESTED, HOWEVER:
357

358 TRANSMITTER TDM BUS ADDRESS IS (1-37).. (DEFAULT = 1)
359 RECEIVER TDM BUS ADDRESS IS (1-37).. (DEFAULT = 1)
360

361 OR --THE TEST MAY BE RE-STARTED AT LOC. 224
362 THIS WILL OMIT ALL OF THE OPENING DIALOGUE
363 AND BEGIN RIGHT AT THE TEST SELECTOR.
364

365 9.14 (CONTROL CHARACTERS)

366 CNTRL-C RESTART TO SELECT NEW TDM BUS ADDRESSES
367 CNTRL-T RESTART AT TEST SELECTOR
368 CNTRL-D MODIFY DELAY CONSTANT
369 (NORMALLY SET FOR FASTEST PDP-11)
370 CNTRL-S MODIFY SWITCH OPTIONS ON NON-
371 SWITCH REGISTER PDP-11'S
372 CNTRL-P CONTINUE AFTER CONTROL FUNCTION
373
374

376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414

10

ERRORS

BASICALLY, THE ERRORS IN THIS TEST ARE IN THE FORM:

**ERROR X AT LOCATION YYYYYY

WHERE X IS THE ERROR NUMBER:

TRANSMITTER TEST ERROR #'S 1 TO 121 (TEST # 1)
RECEIVER TEST ERROR #'S 200-262 (TEST # 2)
LOOP TEST ERROR #'S 300-355 (TEST # 3)

AND YYYYYY IS THE ADDRESS IN THE LISTING WHERE THE
ERROR OCCURRED.

REFER TO THE LISTING ABOVE THE COMMENT:

***** ERROR X *****

TO DETERMINE THE CAUSE OF THE ERROR PRINTOUT.

DATA ERRORS WILL CAUSE A FURTHER PRINTOUT INDICATING
THE ERRONEOUS DATA:

SHOULD BE AAAAAA, WAS BBBBBBB

OTHER ERRORS WILL CAUSE THE FOLLOWING FURTHER
PRINTOUTS:

TRANSMITTER STATUS REGISTER = CCCCCC

RECEIVER STATUS REGISTER = DDDDDD

NO. OF WORDS RECEIVED = EEEEE

SILO OUTPUT WORD WAS FFFFFF

SILO INPUT WORD WAS HHHHHH

```

416      .ENDR
417      .TITLE CZPLB80 PCL11 STD ALN V02A
418      .SBTTL SYMBOLIC DEFINITIONS
419
420      ;INTERNAL DEFINITIONS:
421
422      177776      PS      =      177776
423      177570      HWSWR   =      177570
424      031746      SSWR    =      SWREG
425
426      ;REGISTER DEFINITIONS
427
428      000000      R0       =      %0
429      000001      R1       =      %1
430      000002      R2       =      %2
431      000003      R3       =      %3
432      000004      R4       =      %4
433      000005      R5       =      %5
434      000006      SP       =      %6
435      000007      PC       =      %7
436
437      ;BUS REQUEST DEFINITIONS:
438
439      000340      P7       =      340
440      000300      P6       =      300
441      000240      P5       =      240
442      000200      P4       =      200
443      000140      P3       =      140
444      000100      P2       =      100
445      000040      P1       =      40
446
447      ;BIT DEFINITIONS:
448
449      100000      B15      =      100000
450      040000      B14      =      40000
451      020000      B13      =      20000
452      010000      B12      =      10000
453      004000      B11      =      4000
454      002000      B10      =      2000
455      001000      B09      =      1000
456      000400      B08      =      400
457      000200      B07      =      200
458      000100      B06      =      100
459      000040      B05      =      40
460      000020      B04      =      20
461      000010      B03      =      10
462      000004      B02      =      4
463      000002      B01      =      2
464      000001      B00      =      1
465
466      ;OTHER DEFINITIONS:
467
468      002000      ISP      =      BEGIN      ;INITIAL STACK POINTER

```

470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525

000001

```
.SBTTL MACRO DEFINITIONS

;BOARD INITIALIZE MACRO

        .MACRO BDINIT DEV
        .NLIST
        .IF IDN <DEV>,<XMTR>
        BIS #B01,@TCR
        .IFF
        .IF IDN <DEV>,<RCVR>
        BIS #B01,@RCR
        .IFF
        .ERROR ;BAD ARGUMENT FOR BDINIT
        .ENDC
        .ENDC
        .LIST
        .ENDM

N = 1 ;INITIAL ERROR NUMBER
;ERROR MACROS

        .MACRO ERROR P
        ;***** ERROR P *****
        BIT #B14,@SR
        BNE .+14
        MOV #P,ERRNUM
        JSR PC,ERR
        N = N+1
        .ENDM

        .MACRO DATERR P
        ;***** ERROR P *****
        BIT #B14,@SR
        BNE .+14
        MOV #P,ERRNUM
        JSR PC,DERR
        N = N+1
        .ENDM

        .MACRO HLT
        JSR PC,SWHLT
        .ENDM

;PRINT MACRO (MSG ADDR IN R0)

        .MACRO PNTM A
        MOV #A,R0
        JSR PC,TYPOUT
        .ENDM
;PRINT MESSAGE
;POINTED TO BY A

;SCOPE LOOP MACRO

        .MACRO SCOPE X
        JSR R5,SCPRTN
        X
        .ENDM
```

CZPL880 PCL11 STND ALN V02A
PCLTST.P11 12-SEP-78 15:13

MACY11 30A(1052) 18-OCT-78 14:35 N 1
PAGE 10-1
MACRO DEFINITIONS

SEQ 0013

```
526      ;INTER-PDP-11 COMPATABLE MOVE TO PS
527      ;TO RUN ON LSI-11: CHANGE THIS MACRO TO:
528      :      MOV      SRC,-(SP)
529      :      MOV      #LLL,-(SP)
530      :      RTI
531      :LLL:
532
533      .MACRO MTPS      SRC,?LLL
534      MOV      SRC,04PS
535      .ENDM
```

CZ
PCI

```
537 .SBTTL TRAP CATCHERS
538 .ENABLE ABS
539 = 0
540 .WORD .+2
541 .WORD 0
542 .WORD ERRTRP ;TRAP BAD DEVICE ADDRESSES
543 .WORD 340
544 .REPT 126.
545 .WORD .+2
546 .WORD 0
547 .ENDR
```

539	000000	000000
540	000000	000002
541	000002	000000
542	000004	004262
543	000006	000340
544		000176

```
549 .SBTTL TEST SUPERVISOR
550
551
552      000200      .      =      200
553
554 000200 000167 001574      JMP      BEGIN      ;TEST STARTS AT 200
555 000204 012706 002000      MOV      #ISP,SP
556 000210      MTPS      #P7
557 000216 000005      RESET
558 000220 000167 002472      JMP      RESTRT
559 000224 012706 002000      MOV      #ISP,SP
560 000230      MTPS      #P7
561 000236 000167 002670      JMP      BCONT      ;GO TO TEST SELECT
562
563      002000      .      =      2000
564
565 002000 000005      BEGIN: RESET      ;CLEAR ALL
566 002002 012706 002000      MOV      #ISP,SP      ;SET UP STACK
567 002006      MTPS      #P7      ;DISABLE C.P. INTERRUPT
568 002014 005067 033276      CLR      SWRFLG      ;CLEAR SWR FLAG
569 002020 012737 003774 000004      MOV      #SRTST,@#4      ;SET UP TO TRAP IF NO HSWR
570 002026 012737 000340 000006      MOV      #P7,@#6
571 002034 012767 177570 027706      MOV      #HWSWR,SR      ;SET SR TO HDWARE SW REG
572 002042 005777 027702      TST      @SR      ;SEE IF IT'S THERE
573 002046      PNTM      TSTHDR      ;PRINT TEST HEADER
574 002056      PROMT: PNTM      TMTR      ;PRINT 'TRANSMITTER'
575 002066      PNTM      FRAD      ;PRINT '1ST BUS ADDR'
576 002076 016767 033346 030420      MOV      TXMADR,KBBUF      ;LOAD DEFAULT ADDR
577 002104 004767 030142      JSR      PC,INPKB      ;GET KBD INPUT
578 002110 016767 030410 033332      MOV      KBBUF,TXMADR      ;REPLACE XMTR ADDR
579 002116 026727 033326 164000      CMP      TXMADR,#164000      ;IS IT WITHIN LIMITS?
580 002124 103006      BHIS      PRMT1      ;YES, CARRY ON
581 002126      PNTM      TOOLOW      ;NO ERROR, ASK AGAIN
582 002136 000167 177714      JMP      PROMT
583 002142 012737 004242 000004      PRMT1: MOV      #DVATST,@#4
584 002150 005777 033274      PRMT2: TST      @TXMADR      ;IS IT A GOOD ADDRESS?
585 002154      PNTM      RECVR      ;PRINT 'RECEIVER'
586 002164      PNTM      FRAD      ;PRINT 1ST UNIBUS ADDR'
587 002174 016767 033252 030322      MOV      RCVADR,KBBUF      ;LOAD DEFAULT ADDRESS
588 002202 004767 030044      JSR      PC,INPKB      ;GET KBD INPUT
589 002206 016767 030312 033236      MOV      KBBUF,RCVADR      ;LOAD NEW ADDRESS
590 002214 026727 033232 164000      CMP      RCVADR,#164000      ;IS IT WITHIN LIMITS?
591 002222 103006      BHIS      PRMT3      ;YES, CARRY ON
592 002224      PNTM      TOOLOW
593 002234 000167 177714      JMP      PRMT2
594 002240 005777 033206      PRMT3: TST      @RCVADR      ;IS IT A GOOD ADDRESS?
595 002244 012737 004262 000004      MOV      #ERRTRP,@#4      ;SET UP FOR FURTHER TRAPS
596 002252      PRMT4: PNTM      TMTR      ;PRINT 'TRANSMITTER'
597 002262      PNTM      VCTR      ;PRINT 'VECTOR IS'
598 002272 016767 033146 030224      MOV      TXMVEC,KBBUF      ;LOAD DEFAULT VECTOR
599 002300 004767 027746      JSR      PC,INPKB      ;GET KBD INPUT
600 002304 016767 030214 033132      MOV      KBBUF,TXMVEC      ;REPLACE XMTR VECTOR
601 002312 026727 030206 000776      CMP      KBBUF,#776      ;IS IT WITHIN LIMITS?
602 002320 101406      BLOS      PRMT5
603 002322      PNTM      AGAIN
604 002332 000167 177714      JMP      PRMT4      ;NO, TELL HIM
```

605	002336				PRMT5:	PNTM	RECVR	;PRINT 'RECEIVER'
606	002346					PNTM	VCTR	;PRINT 'VECTOR IS'
607	002356	016767	033064	030140		MOV	RCVVEC,KBBUF	;LOAD DEFAULT VECTOR
608	002364	004767	027662			JSR	PC,INPKB	;GET KEYBOARD INPUT
609	002370	016767	030130	033050		MOV	KBBUF,RCVVEC	;LOAD NEW VECTOR
610	002376	026727	030122	000776		CMP	KBBUF,#776	;IS IT WITHIN LIMITS?
611	002404	101406				BLOS	PRMT6	
612	002406					PNTM	AGAIN	
613	002416	000167	177714			JMP	PRMT5	
614	002422				PRMT6:	PNTM	TMTR	;PRINT 'TRANSMITTER'
615	002432					PNTM	PRIOTY	;PRINT 'PRIORITY LEVEL IS'
616	002442	016767	032714	030054		MOV	FKPRIO,KBBUF	;LOAD DEFAULT PRIORITY
617	002450	004767	027576			JSR	PC,INPKB	;GET KBD INPUT
618	002454	026727	030044	000007		CMP	KBBUF,#7	;IS IT WITHIN LIMITS?
619	002462	003406				BLE	PRMT7	;LOW ENOUGH, O.K.
620	002464					PNTM	AGAIN	
621	002474	000167	177722			JMP	PRMT6	
622	002500	026727	030020	000004	PRMT7:	CMP	KBBUF,#4	;HIGH ENOUGH?
623	002506	002006				BGE	PRMT8	
624	002510					PNTM	AGAIN	
625	002520	000167	177676			JMP	PRMT6	
626	002524	006367	027774		PRMT8:	ASL	KBBUF	
627	002530	006367	027770			ASL	KBBUF	
628	002534	006367	027764			ASL	KBBUF	
629	002540	006367	027760			ASL	KBBUF	
630	002544	006367	027754			ASL	KBBUF	;SHIFT INTO PLACE
631	002550	016767	027750	032612		MOV	KBBUF,XPRIO	;LOAD NEW PRIORITY.
632	002556				PRMT9:	PNTM	RECVR	;PRINT 'RECEIVER'
633	002566					PNTM	PRIOTY	;PRINT 'PRIORITY LEVEL IS'
634	002576	016767	032560	027720		MOV	FKPRIO,KBBUF	;LOAD DEFAULT PRIORITY
635	002604	004767	027442			JSR	PC,INPKB	;GET KBD INPUT
636	002610	026727	027710	000007		CMP	KBBUF,#7	;LOW ENOUGH, O.K.
637	002616	003406				BLE	3\$	
638	002620					PNTM	AGAIN	
639	002630	000167	177722			JMP	PRMT9	
640	002634	026727	027664	000004	3\$:	CMP	KBBUF,#4	;HIGH ENOUGH?
641	002642	002006				BGE	4\$	
642	002644					PNTM	AGAIN	
643	002654	000167	177676			JMP	PRMT9	
644	002660	006367	027640		4\$:	ASL	KBBUF	
645	002664	006367	027634			ASL	KBBUF	
646	002670	006367	027630			ASL	KBBUF	
647	002674	006367	027624			ASL	KBBUF	
648	002700	006367	027620			ASL	KBBUF	;SHIFT INTO PLACE
649	002704	016767	027614	032460		MOV	KBBUF,RPRI0	;LOAD NEW PRIORITY
650	002712	004767	001132			JSR	PC,DEVGEN	;GENERATE PCL-11 ADDRESSES
651	002716				RESTR:	PNTM	TMTR	;PRINT 'TRANSMITTER'
652	002726					PNTM	TDMA0	;PRINT 'TDM BUS ADDRESS'
653	002736	012767	000001	027560		MOV	#1,KBBUF	;LOAD DEFAULT OF '1'
654	002744	004767	027302			JSR	PC,INPKB	;GET KBD INPUT.
655	002750	005767	027550			TST	KBBUF	;DON'T ALLOW 0
656	002754	001006				BNE	ADOK	
657	002756					PNTM	AGAIN	
658	002766	000167	177724			JMP	RESTR	
659	002772	026727	027526	000040	ADOK:	CMP	KBBUF,#40	;CAN'T BE 40 OR HIGHER
660	003000	103406				BLO	ADGD	

661	003002				PNTM	AGAIN	
662	003012	000167	177700		JMP	RESTR	
663	003016	116767	027502	032327	ADGD: MOV	KBBUF,TRAD+1	:SAVE ADDR IN UPPER BYTE
664	003024				PRMT10: PNTM	RECV	:PRINT 'RECIEVER'
665	003034				PNTM	TDMAD	:PRINT 'TDM BUS ADDRESS'
666	003044	012767	000001	027452	MOV	#1,KBBUF	:LOAD DEFAULT OF 1
667	003052	004767	027174		JSR	PC,INPKB	:GET KBD INPUT
668	003056	005767	027442		TST	KBBUF	:DON'T ALLOW 0
669	003062	001006			BNE	ADROK	
670	003064				PNTM	AGAIN	
671	003074	000167	177724		JMP	PRMT10	
672	003100	026727	027420	000040	ADROK: CMP	KBBUF,#40	:CAN'T BE 40 OR HIGHER
673	003106	103406			BLO	ADRGD	
674	003110				PNTM	AGAIN	
675	003120	000167	177700		JMP	PRMT10	
676	003124	116767	027374	032217	ADRGD: MOV	KBBUF,RCAD+1	:SAVE ADDR IN UPPER BYTE
677	003132				BCONT: PNTM	TSTSEL	:PRINT 'SELECT TEST <CR> = HELP'
678	003142	012767	000077	027354	MOV	#77,KBBUF	:DEFAULT TO HELP
679	003150	004767	027076		JSR	PC,INPKB	:GET KEYBOARD INPUT
680	003154	026727	027344	000005	CMP	KBBUF,#5	:DID HE TYPE 5 OR HIGHER?
681	003162	103005			BHIS	BHLPNG	:YES, GIVE ASSISTANCE.
682	003164	005767	027334		TST	KBBUF	:HOPE IT WASN'T '0'
683	003170	001402			BEQ	BHLPNG	:CAUSE THAT'S NO GOOD EITHER
684	003172	000167	000014		JMP	TESTGO	:EVERYTHING OK. GO TO TESTS
685	003176				BHLPNG: PNTM	HLPMSG	:NO GOOD, PRINT HELP MESSAGE.
686	003206	000167	177720		JMP	BCONT	
687							
688	003212	016767	027306	032124	TESTGO: MOV	KBBUF,TESTNO	:SAVE TEST NUMBER
689	003220	005767	032072		TST	SWRFLG	:GOT ANY SWITCHES?
690	003224	001402			BEQ	1\$	:YES, YOU'RE ON YOUR OWN
691	003226	004767	026154		JSR	PC,SWDMP	:OTHERWISE, SHOW SW OPTIONS.
692	003232	005067	032074	1\$:	CLR	PSNO1	:CLEAR END PASS COUNTER
693	003236	005067	032072		CLR	PSNO2	:CLEAR END PASS A COUNTER
694	003242	005067	032070		CLR	PSNO3	:CLEAR END PASS B COUNTER
695	003246	005067	032066		CLR	PSNO4	:CLEAR END PASS C COUNTER
696	003252	026727	032066	000001	CMP	TESTNO,#1	:SELECT TEST 1?
697	003260	001012			BNE	2\$	:NO.
698	003262	005067	032060		CLR	\$4FLAG	:CLEAR END PASS INHIBIT FLAG
699	003266				PNTM	TXHDR	:PRINT XMTR TEST HEADER
700	003276	004767	000220	11\$:	JSR	PC,TEST1	:YES, GO DO IT (LOOP)
701	003302	000167	177770		JMP	11\$	
702	003306	026727	032032	000002	2\$:	CMP	TESTNO,#2
703	003314	001012			BNE	3\$	:SELECT TEST 2?
704	003316	005067	032024		CLR	\$4FLAG	:NO.
705	003322				PNTM	RCHDR	:CLEAR END PASS INHIBIT FLAG
706	003332	004767	011304	21\$:	JSR	PC,TEST2	:PRINT RCVR TEST HEADER
707	003336	000167	177770		JMP	21\$	:YES, GO DO IT (LOOP)
708	003342	026727	031776	000003	3\$:	CMP	TESTNO,#3
709	003350	001012			BNE	4\$	:SELECT TEST 3?
710	003352	005067	031770		CLR	\$4FLAG	:NO.
711	003356				PNTM	XRHDR	:CLEAR END PASS INHIBIT FLAG
712	003366	004767	017144	31\$:	JSR	PC,TEST3	:PRINT LOOP TEST HEADER
713	003372	000167	177770		JMP	31\$	:YES, GO DO IT.
714	003376	026727	031742	000004	4\$:	CMP	TESTNO,#4
715	003404	001044			BNE	5\$	:SELECT TEST 4?
716	003406	012767	177777	031732	MOV	#-1,\$4FLAG	:NO????
							:SET FLAG TO INHIBIT END PASS

717	003414			PNTM	ALTHDR	;PRINT TRIPLE TEST HEADER
718	003424	004767	000072	41\$: JSR	PC,TEST1	
719	003430	004767	011206	JSR	PC,TEST2	
720	003434	004767	017076	JSR	PC,TEST3	;DO ALL TESTS (LOOP)
721	003440	005267	031674	INC	PSN04	;UPDATE PASS COUNTER
722	003444			PNTM	PEND	;PRINT END PASS #
723	003454	016700	031660	MOV	PSN04,R0	;GET PASS # TO R0
724	003460	004767	027116	JSR	PC,DECPNT	;PRINT IT IN DECIMAL
725	003464	012700	000040	MOV	#40,R0	;ALSO, PRINT 'C'
726	003470	004767	027276	JSR	PC,TTO	
727	003474	012700	000103	MOV	#'C,R0	;TO IDENTIFY END PASS OF
728	003500	004767	027266	JSR	PC,TTO	;TEST 4
729	003504	005000		CLR	R0	
730	003506	004767	027260	JSR	PC,TTO	;NULLS TO ALLOW PASS #
731	003512	004767	027254	JSR	PC,TTO	
732	003516	000167	177702	5\$: JMP	41\$	

```
734 .SBTTL TRANSMITTER TESTS
735
736 ;TEST 1: TRANSMITTER LOGIC TESTS
737 : (00) RESET TEST
738 : (01) TCR REG. TEST
739 : (02) TSBC REG TEST
740 : (03) TSBA REG TEST
741 : (04) MASTER SECT. TEST
742 : (05) DATA SILO TEST
743 : (06) TSR REG. & ERRORS TEST
744 : (07) INTERRUPT TEST
745 : (10) C.R.C. TEST
746
747
748 003522 TEST1: MTPS #P7
749 003530 012767 000010 031564 MOV #10,ITER ;INITIAL ITERATION OF 10 PER PASS
750 003536 004767 025612 JSR PC,MONIT ;CHECK FOR KSD INPUT
751 003542 032777 002000 026200 BIT #B10,@SR ;CHECK SW 10
752 003550 001424 BEQ LOOP ;IF 0, RUN SEQUENTIALLY
753 003552 017767 026172 031544 MOV @SR,SWI ;IF SET, GET TEST # FROM SWR
754 003560 042767 177760 031536 BIC #-20,SWI ;MASK LOW DIGIT
755 003566 026727 031532 000010 CMP SWI,#10 ;DON'T ALLOW SW = >10
756 003574 003012 BGT LOOP ;IF GREATER, START 1'ST TEST
757 003576 000241 CLC ;CLEAR 'C' BIT BEFORE ROTATE
758 003600 006167 031520 ROL SWI
759 003604 006167 031514 ROL SWI ;MULTIPLY BY 4
760 003610 062767 003622 031506 ADD #LOOP,SWI ;GENERATE OFFSET
761 003616 000177 031502 JMP @SWI ;GO TO SELECTED TEST
762 003622 004767 000550 LOOP: JSR PC,XINIT ;DO INITIAL CLR TEST
763 003626 004767 001176 JSR PC,TCRTST ;DO TCR REG TEST
764 003632 004767 001760 JSR PC,BCTST ;DO BYTE COUNT REG TST
765 003636 004767 002130 JSR PC,BATST ;DO BYTE ADDR REG TEST
766 003642 004767 002300 JSR PC,MSRTST ;DO MASTER SECTION TEST
767 003646 004767 004312 JSR PC,SILTST ;DO DATA SILO TEST
768 003652 004767 005760 JSR PC,TSRTST ;DO TSR REG & ERRORS TEST
769 003656 004767 010016 JSR PC,INTST ;DO INTERRUPT TEST
770 003662 004767 010476 JSR PC,CRCTST ;DO CRC GENERATION TEST
771 003666 032777 004000 026054 BIT #B11,@SR ;CHECK SWITCH 11
772 003674 001003 BNE XEND ;PRINT END IF SET
773 003676 005367 031420 DEC ITER ;OTHERWISE, REITERATE
774 003702 001347 BNE LOOP
775 003704 005767 031436 XEND: TST $4FLAG ;SHOULD WE PRINT END PASS?
776 003710 001020 BNE REPEAT ;NO, LEAVE
777 003712 005267 031414 INC PSN01 ;UPDATE PASS NUMBER
778 003716 PNTM PEND ;PRINT 'END PASS #'
779 003726 016700 031400 MOV PSN01,R0 ;PRINT PASSNO.
780 003732 004767 026644 JSR PC,DECPNT
781 003736 005000 CLR R0
782 003740 004767 027026 JSR PC,TT0 ;PRINT NULLS TO ALLOW TIME
783 003744 005000 CLR R0 ;FOR PASS # TO BE PRINTED
784 003746 004767 027020 JSR PC,TT0
785 003752 000207 REPEAT: RTS PC ;RETURN TO SUPERVISOR
786
787 ;NON-SWR PROCESSOR HALT SUBROUTINE
788
789 003754 005767 031336 SWHLT: TST SWRFLG ;ANY HARDWARE SWR?
```

```

790 003760 001403          BEQ      1$              ;IF YES GO HALT
791 003762 004767 025420    JSR      PC,SWDMP        ;IF NOT GO GET SW LOC
792 003766 000207          RTS      PC
793 003770 000000          1$:    HALT
794 003772 000207          RTS      PC              ;RETURN IF CONT KEY HIT
795
796 003774 012767 031746 025746 SRTST: MOV    #SSWR,SR      ;NO HDWARE SWR, USE MEM LOC
797 004002 012767 177777 031306    MOV    #-1,SWRFLG      ;SET SOFT SWR FLAG
798 004010 000002          RTI                      ;RETURN
799
800          ;THIS ROUTINE ENTERED FOR SCOPE ROUTINES
801
802 004012 004767 025336    SCPRTN: JSR      PC,MONIT      ;SEE IF ^S WAS TYPED
803 004016 005777 025726    TST      @SR              ;BIT 15 SET?
804 004022 100402          BMI      SBAK              ;YES, DON'T HALT
805 004024          HLT                      ;COMMON ERROR HALT. EXAMINE
806                                     ;R5 FOR PC OF ERROR
807 004030 012500          SBAK:  MOV    (R5)+,R0        ;GET DIRECTION FOR SCOPE LOOP
808 004032 032777 020000 025710    BIT      #B13,@SR      ;SW 13 SET?
809 004040 001402          BEQ      SCONT              ;NO, DON'T LOOP
810 004042 012605          MOV    (SP)+,R5            ;YES, RESTORE R5
811 004044 000110          JMP      (R0)              ;AND LOOP
812 004046 000205          SCONT: RTS      R5          ;JUST RETURN

```

```
814                                     .SBTTL UTILITY ROUTINES
815
816                                     ;DEVICE ADDRESS GENERATION
817
818
819 004050 016700 031374      DEVGEN: MOV      TXMADR,R0      ;GET BASIC XMTR ADDRESS
820 004054 010067 031314      MOV      R0,TCR      ;GENERATE TCR
821 004060 062700 000002      ADD      #2,R0
822 004064 010067 031306      MOV      R0,TSR      ;GENERATE TSR
823 004070 062700 000002      ADD      #2,R0
824 004074 010067 031300      MOV      R0,TSDB      ;GENERATE TSDB
825 004100 062700 000002      ADD      #2,R0
826 004104 010067 031272      MOV      R0,TSBC      ;GENERATE TSBC
827 004110 062700 000002      ADD      #2,R0
828 004114 010067 031264      MOV      R0,TSBA      ;GENERATE TSBA
829 004120 062700 000002      ADD      #2,R0
830 004124 010067 031256      MOV      R0,TMMR      ;GENERATE TMMR
831 004130 005200      INC      R0
832 004132 010067 031252      MOV      R0,TMMRH      ;GEN. TMMR HIGH BYTE
833 004136 005200      INC      R0
834 004140 010067 031246      MOV      R0,TSCRC      ;GENERATE TSCRC
835 004144 016767 031274 031212      MOV      TXMVEC,TXVEC      ;GENERATE TXVEC
836 004152 016700 031274      MOV      RCVADR,R0      ;GET BASIC RCVR ADDRESS
837 004156 010067 031232      MOV      R0,RCR      ;GENERATE RCR
838 004162 062700 000002      ADD      #2,R0
839 004166 010067 031224      MOV      R0,RSR      ;GENERATE RSR
840 004172 062700 000002      ADD      #2,R0
841 004176 010067 031216      MOV      R0,RDDB      ;GENERATE RDDB
842 004202 062700 000002      ADD      #2,R0
843 004206 010067 031210      MOV      R0,RDBC      ;GENERATE RDBC
844 004212 062700 000002      ADD      #2,R0
845 004216 010067 031202      MOV      R0,RDBA      ;GENERATE RDBA
846 004222 062700 000004      ADD      #4,R0
847 004226 010067 031174      MOV      R0,RDCRC      ;GENERATE RDCRC
848 004232 016767 031210 031126      MOV      RCVVEC,RCVEC      ;GENERATE RCVEC
849 004240 000207      RTS      PC      ;RETURN.
850
851
852                                     ;DEVICE TEST TRAP HANDLER
853
854 004242 012706 002000      DVATST: MOV      #ISP,SP
855 004246      PNTM      INVLAD      ;PRINT NON-EXST ADDR MSG
856 004256 000167 175574      JMP      PROMT      ;RETURN TO ASK ALL AGAIN
857
858
859
860                                     ;ROUTINE TO CATCH TRAPS TO 4
861
862 004262 011667 031054      ERRTRP: MOV      (SP),TEMP      ;SAVE STACK FOR ADDRESS OF TRAP
863 004266 012737 000340 177776      MOV      #P7,TEMP      ;RAISE PRIORITY
864 004274 012706 002000      MOV      #ISP,SP      ;FIX THE STACK
865 004300      PNTM      TRAP4      ;PRINT 'TRAPPED TO 4 ' MSG
866 004310 162767 000002 031024      SUB      #2,TEMP
867 004316 016700 031020      MOV      TEMP,R0
868 004322 004767 026200      JSR      PC,OCTPNT      ;PRINT WHERE FROM.
869 004326 000167 176600      JMP      BCONT
```

```

870
871
872      ;STANDARD DELAY SUBROUTINE
873      ;MODIFY LOCATION 'DLCON' TO CHANGE
874      ;DELAY PERIOD.
875
876 004332 012567 030754      DELAY: MOV      (R5)+,DILLY      ;GET DELAY PARAMETER
877 004336 005767 025410      TST      DLCON      ;IS DLCON = 0?
878 004342 001003      BNE      DLWT      ;IF NOT, CARRY ON
879 004344 012767 000001 025400      MOV      #1,DLCON      ;IF SO, MAKE IT = 1
880 004352 016767 025374 030734      DLWT: MOV      DLCON,DLY      ;GET DELAY CONSTANT
881 004360 005367 030730      DLWT1: DEC      DLY
882 004364 001375      BNE      DLWT1
883 004366 005367 030720      DEC      DILLY
884 004372 001367      BNE      DLWT
885 004374 000205      RTS      R5
886
  
```

```

888      .SBTTL INITIALIZE TEST
889
890      ;CHECK INITIAL CONDITIONS AFTER A RESET
891
892      004376 000005      XINIT: RESET      ;CLEAR ALL
893      004400 017767 030776 025576      MOV @TSBC,BAD      ;GET BYTE COUNT REGISTER
894      004406 005067 025574      CLR GOOD
895      004412 005767 025566      TST BAD      ;WAS TSBC = 0?
896      004416 001414      BEQ XA1
897      004420      DATERR \N      ;ERROR:TSBC NOT CLEARED BY RESET
898      004442      SCOPE XINIT
899      004450 017767 030730 025526 XA1: MOV @TSBA,BAD      ;GET BYTE ADDRESS REGISTER
900      004456 005067 025524      CLR GOOD
901      004462 005767 025516      TST BAD      ;WAS TSBA = 0?
902      004466 001414      BEQ XA2
903      004470      DATERR \N      ;ERROR:TSBA NOT CLEARED BY RESET
904      004512      SCOPE XINIT
905      004520 017767 030662 025456 XA2: MOV @TMMR,BAD      ;GET TMMR REGISTER
906      004526 042767 000377 025450      BIC #377,BAD      ;MASK OFF ANY ADDR SILO DATA
907      004534 012767 050000 025444      MOV #50000,GOOD      ;SET UP GOOD FOR COMPARE
908      004542 026767 025440 025434      CMP GOOD,BAD      ;IGNORE BIT 8 WHEN DETERMINING
909      004550 001420      BEQ XA3      ;ERROR
910      004552 022767 050400 025424      CMP #50400,BAD
911      004560 001414      BEQ XA3
912      004562      DATERR \N      ;ERROR:TMMR NOT INITIATED BY RESET
913      004604      SCOPE XINIT
914      004612 017767 030560 025364 XA3: MOV @TSR,BAD      ;GET TSR REGISTER
915      004620 012767 000400 025360      MOV #400,GOOD      ;SET UP GOOD FOR COMPARE
916      004626 026767 025354 025350 XA4: CMP GOOD,BAD
917      004634 001414      BEQ XA5
918      004636      DATERR \N      ;ERROR:TSR NOT INITIALIZED BY RESET
919      004660      SCOPE XINIT
920      004666 017767 030502 025310 XA5: MOV @TCR,BAD      ;GET TCR REGISTER
921      004674 005067 025306      CLR GOOD
922      004700 005767 025300      TST BAD      ;WAS TCR = 0?
923      004704 001414      BEQ XA6
924      004706      DATERR \N      ;ERROR:TCR NOT CLR'D BY RESET
925      004730      SCOPE XINIT
926      004736 017767 030450 025240 XA6: MOV @TSCRC,BAD
927      004744 005067 025236      CLR GOOD      ;CHECK CRC REGISTER
928      004750 005767 025230      TST BAD      ;WAS IT 0?
929      004754 001414      BEQ XA7      ;YES,CONTINUE
930      004756      DATERR \N      ;ERROR:TSCRC NOT CLEARED BY RESET
931      005000      SCOPE XINIT
932      005006 004767 024342      JSR PC,MONIT
933      005012 032777 010000 024730      BIT #B12,@SR      ;CHECK EXIT SW (SW 12)
934      005020 001402      BEQ XART
935      005022 000167 177350      JMP XINIT      ;IF SET, STAY IN THIS TEST
936      005026 000207      XART: RTS PC
  
```

.SBTTL TCR TEST

;TRANSMITTER COMMAND REGISTER TEST

```
938
939
940
941
942 005030 005077 030340 TCRST: CLR @TCR ;CLEAR TCR REG
943 005034 012767 017400 025144 XD1: MOV #17400,GOOD ;SET ALL DEST. CODE BITS
944 005042 016777 025140 030324 MOV GOOD,@TCR
945 005050 017767 030320 025126 MOV @TCR,BAD ;AND READ THEM BACK
946 005056 026767 025124 025120 CMP GOOD,BAD ;ALL DEST CODE BITS SET?
947 005064 001414 BEQ XD2
948 005066 DATERR \N ;ERROR:CANNOT SET SOME DEST. CODE BITS
949 005110 SCOPE XD1
950 005116 005067 025064 XD2: CLR GOOD ;NOW CLR DEST. CODE BITS AFTER
951 005122 005077 030246 CLR @TCR ;SETTING THEM
952 005126 017767 030242 025050 MOV @TCR,BAD ;READ THEM BACK
953 005134 042767 160377 025042 BIC #160377,BAD ;IGNORE ALL BUT DEST. CODE BITS
954 005142 026767 025040 025034 CMP GOOD,BAD ;ALL CLEAR?
955 005150 001414 BEQ XD3
956 005152 DATERR \N ;ERROR:CANNOT CLR SOME DEST.CODE BITS
957 005174 SCOPE XD2
958 005202 005077 030166 XD3: CLR @TCR
959 005206 005077 030164 CLR @TSR ;CLEAR POSSIBLE TIMEOUT
960 005212 012767 120365 024766 MOV #120365,GOOD ;SET ST TXM,INH ADR INC,EA 16&17,
961 005220 016777 024762 030146 MOV GOOD,@TCR ;IE,RD SILO,SND WD,BRIB
962 005226 017767 030142 024750 MOV @TCR,BAD ;SEE IF THEY ALL SET
963 005234 026767 024746 024742 CMP GOOD,BAD
964 005242 001414 BEQ XD4
965 005244 DATERR \N ;ERROR:BAD BITS IN TCR
966 005266 SCOPE XD3
967 005274 012777 137765 030072 XD4: MOV #137765,@TCR ;SET ALL SETTABLE BITS IN TCR
968 005302 012777 177777 030072 MOV #-1,@TSBC ;AND IN TSBC
969 005310 012777 177777 030066 MOV #-1,@TSBA ;AND IN TSBA
970 005316 012777 037240 030052 MOV #37240,@TSR ;AND IN TSR
971 005324 052777 000002 030042 BIS #2,@TCR ;B O A R D I N I T
972 005332 017767 030036 024644 MOV @TCR,BAD ;CHK TCR
973 005340 005067 024642 CLR GOOD
974 005344 026767 024636 024632 CMP GOOD,BAD ;TCR = 0?
975 005352 001414 BEQ XD5
976 005354 DATERR \N ;ERROR:TCR NOT CLR'D BY BOARD INIT
977 005376 SCOPE XD4
978 005404 017767 027772 024572 XD5: MOV @TSBC,BAD ;CHECK TSBC
979 005412 026767 024570 024564 CMP GOOD,BAD ;TSBC = 0?
980 005420 001414 BEQ XD6
981 005422 DATERR \N ;ERROR:TSBC NOT CLR'D BY BD INIT
982 005444 SCOPE XD4
983 005452 017767 027726 024524 XD6: MOV @TSBA,BAD ;TSBA = 0?
984 005460 026767 024522 024516 CMP GOOD,BAD
985 005466 001414 BEQ XD7
986 005470 DATERR \N ;ERROR:TSBA NOT CLR'D BY BD INIT
987 005512 SCOPE XD4
988 005520 017767 027652 024456 XD7: MOV @TSR,BAD ;TSR OK?
989 005526 012767 000400 024452 MOV #400,GOOD
990 005534 026767 024446 024442 XD8: CMP GOOD,BAD
991 005542 001414 BEQ XD9
992 005544 DATERR \N ;ERROR:TSR BAD AFTER BD INIT
993 005566 SCOPE XD4
```

CZPLBBO PCL11 STND ALN V02A MACY11 30A(1052) 18-OCT-78 14:35 M 2
PCLTST.P11 12-SEP-78 15:13 TCR TEST PAGE 16-1

SEQ 0025

994	005574	004767	023554		XD9:	JSR	PC,MONIT	
995	005600	032777	010000	024142		BIT	#B12,@SR	
996	005606	001402				BEQ	XDRT	;LEAVE IF SW 12 = 0
997	005610	000167	177214			JMP	TCRTST	;OTHERWISE, MUST STAY
998	005614	000207			XDRT:	RTS	PC	

CZ
PC

```

1000          .SBTTL  TSBC TEST
1001
1002          ;BYTE COUNT REG. DATA TEST
1003
1004 005616      BCTST: BDINIT  XMTR          ;INIT XMTR MODULE
1005 005624      MOV      #-1,PAT          ;SET PATTERN
1006 005632      012767  177777  027474    MOV      #B00,MASK          ;SET BIT MASK
1007 005640      012767  000001  027470    XB1:  MOV      PAT,GOOD          ;LOAD 'GOOD' WITH PATTERN
1008 005646      016767  027462  024340    MOV      GOOD,@TSBC          ;LOAD PATTERN INTO TSBC
1009 005654      016777  024334  027526    MOV      @TSBC,BAD          ;READ TSBC
1010 005662      017767  027522  024322    MOV      @TSBC,BAD
1011 005670      026767  024320  024314    CMP      GOOD,BAD
1012 005672      001414                      BEQ      XB2
1013 005714      DATERR  \N                      ;ERROR:BAD DATA IN TSBC
1014 005722      032767  100000  027376    XB2:  SCOPE  XB1
1015 005730      001407                      BIT      #B15,PAT          ;DONE WHOLE REGISTER?
1016 005732      046767  027372  027366    BEQ      XB3          ;IF YES, DONE
1017 005740      006367  027364          BIC      MASK,PAT          ;NO, PREPARE FOR NEXT BIT
1018 005744      000167  177670          ASL      MASK          ;ROTATE MASK
1019 005750      004767  023400          JMP      XB1          ;AND CONTINUE
1020 005754      032777  010000  023766    XB3:  JSR      PC,MONIT
1021 005762      001402                      BIT      #B12,@SR          ;IF SO, CONSIDER LEAVING
1022 005764      000167  177626          BEQ      XBRT          ;EXIT IF SW 12 - 0
1023 005770      000207          JMP      BCTST          ;STAY HERE IF SW 12 1
          XBRT:  RTS      PC

```

```

1025 .SBTTL TSBA TEST
1026
1027 ;BYTE ADDRESS REGISTER TEST
1028
1029 005772 BATST: BDINIT XMTR ;INIT XMTR MODULE
1030 006000 012767 177777 027320 MOV #-1,PAT ;SET PATTERN
1031 006006 012767 000001 027314 MOV #B00,MASK ;SET BIT MASK
1032 006014 016767 027306 024164 XC1: MOV PAT,GOOD ;LOAD 'GOOD' WITH PATTERN
1033 006022 016777 024160 027354 MOV GOOD,@TSBA ;LOAD PATTERN INTO TSBA
1034 006030 017767 027350 024146 MOV @TSBA,BAD ;READ IT BACK
1035 006036 026767 024144 024140 CMP GOOD,BAD
1036 006044 001414 BEQ XC2
1037 006046 DATERR \N ;ERROR:BAD DATA IN TSBA
1038 006070 SCOPE XC1
1039 006076 032767 100000 027222 XC2: BIT #B15,PAT ;DONE WHOLE REGISTER?
1040 006104 001407 BEQ XC3 ;IF YES, DONE
1041 006106 046767 027216 027212 BIC MASK,PAT ;NO,PREPARE FOR NEXT BIT
1042 006114 006367 027210 ASL MASK ;ROTATE MASK
1043 006120 000167 177670 JMP XC1 ;AND CONTINUE
1044 006124 004767 023224 XC3: JSR PC,MONIT
1045 006130 032777 010000 023612 BIT #B12,@SR ;IF SO, CONSIDER LEAVING
1046 006136 001402 BEQ XCRT ;EXIT IF SW 12 = 0
1047 006140 000167 177626 JMP BATST ;STAY HERE IF SW 12 = 1
1048 006144 000207 XCRT: RTS PC

```

```
1050 .SBTTL MASTER SECTION TEST
1051
1052 ;TEST MASTER CONTROL AND ADDRESS SILO
1053
1054 006146 MSRTST: BDINIT XMTR ;INIT BOADR
1055 006154 112777 000001 027226 MOVB #1,@TMMRH ;SET MASTER FLOP
1056 006162 132777 000001 027220 BITB #1,@TMMRH ;IS MASTER SET?
1057 006170 001014 BNE XE1
1058 006172 ERROR \N ;ERROR:COULD NOT SET MASTER FLOP
1059 006214 SCOPE 'SRTST
1060 006222 004767 023126 XE1: JSR PC,MONIT
1061 006226 032777 001000 023514 BIT #B09,@SR ;CHECK SW 09
1062 006234 001024 BNE XE3 ;IF ON, SKIP SCOPE LOOP
1063 006236 012767 177777 027054 MOV #-1,PNTFLG ;SET PRINT ALLOW FLAG
1064 006244 PNTM SCSEC ;OTHERWISE PRINT 'SCOPE SECTION..ETC'
1065 006254 005067 027040 CLR PNTFLG ;CLEAR PRINT ALLOW FLAG
1066 006260 005767 027032 TST SWRFLG ;REAL SW REG?
1067 006264 001402 BEQ XE2 ;YES, SKIP
1068 006266 004767 023114 JSR PC,SWDMP
1069 006272 004767 023056 XE2: JSR PC,MONIT
1070 006276 032777 001000 023444 BIT #B09,@SR ;KEEP AN EYE ON SW 09
1071 006304 001772 BEQ XE2 ;STAY HERE 'TILL IT GETS SET
1072 006306 142777 000001 027074 XE3: BICB #1,@TMMRH ;CLR MASTER FLOP
1073 006314 132777 000001 027066 BITB #1,@TMMRH ;IS MASTER CLEAR?
1074 006322 001414 BEQ XE3A
1075 006324 ERROR \N ;ERROR:COULD NOT CLR MASTER FLOP
1076 006346 SCOPE XE3
1077 006354 152777 000004 027026 XE3A: BISB #4,@TMMRH ;SET 'NOW MASTER' FLOP
1078 006362 132777 000004 027020 BITB #4,@TMMRH ;IS IT SET?
1079 006370 001014 BNE XE3B ;YES, GO TO CLEAR IT
1080 006372 ERROR \N ;ERROR:COULD NOT SET 'NOW MASTER FLOP
1081 006414 SCOPE XE3A
1082 006422 142777 000004 026760 XE3B: BICB #4,@TMMRH ;OKAY, NOW CLEAR 'NOW MASTER'
1083 006430 132777 000004 026752 BITB #4,@TMMRH ;IS IT CLEAR?
1084 006436 001414 BEQ XE5A ;YES, OKAY.
1085 006440 ERROR \N ;ERROR:COULD NOT CLEAR 'NOW MASTER'
1086 006462 SCOPE XE3B
1087 006470 112777 000002 026712 XE5A: MOVB #2,@TMMRH ;SET SECONDARY FLOP
1088 006476 132777 000001 026704 BITB #1,@TMMRH ;IS MASTER SET?
1089 006504 001017 BNE XE6
1090 006506 142777 000002 026674 BICB #2,@TMMRH ;CLR SEC FOR RE-TRY
1091 006514 ERROR \N ;ERROR:SETTING SEC DID NOT SET MASTER
1092 006536 SCOPE XE5A
1093 006544 132777 000002 026636 XE6: BITB #2,@TMMRH ;IS SEC CLR?
1094 006552 001417 BEQ XE6A
1095 006554 142777 000002 026626 BICB #2,@TMMRH ;CLR SEC FOR RETRY
1096 006562 ERROR \N ;ERROR:SEC NOT CLR'D BY THE SETTING OF MASTER
1097 006604 SCOPE XE5A
1098 006612 132777 000004 026570 XE6A: BITB #4,@TMMRH ;IS 'NOW MASTER ' SET?
1099 006620 001017 BNE XE7 ;YES, OKAY
1100 006622 142777 000002 026560 BICB #2,@TMMRH ;CLR SEC FOR RETRY.
1101 006630 ERROR \N ;ERROR:'NOW MASTER' NOT SET VIA SECONDARY
1102 006652 SCOPE XE5A
```

```

1104 ;ADDRESS SILO TEST
1105
1106 006660 152777 000060 026522 XE7: BISB #60,@TMMRH ;SET AUT ADR TO LD SILO &CLR SILO
1107 006666 132777 000020 026514 BITB #20,@TMMRH ;IS AUT ADR SET?
1108 006674 001014 BNE XE7A
1109 006676 ERROR \N ;ERROR:COULD NOT SET TMMR BIT 12
1110 006720 SCOPE XE7
1111 006726 132777 000200 026454 XE7A: BITB #200,@TMMRH ;CHECK FOR OUTPUT RDY
1112 006734 001414 BEQ XE8
1113 006736 ERROR \N ;ERROR:TMMR BIT 13 DOES NOT CLR ADDR SILO
1114 006760 SCOPE XE7
1115 006766 012704 177700 XE8: MOV #-64.,R4 ;R4 IS COUNTER
1116 006772 005003 CLR R3 ;R3 IS DATA
1117 006774 132777 000100 026406 BITB #100,@TMMRH ;ADR SILO INPUT RDY?
1118 007002 001014 BNE XE9
1119 007004 ERROR \N ;ERROR:ADR SILO INPUT NOT RDY
1120 007026 SCOPE XE8
1121 007034 110377 026346 XE9: MOVB R3,@TMMR ;LOAD ADDR SILO
1122 007040 005203 INC R3
1123 007042 005204 INC R4
1124 007044 001420 BEQ XE11
1125 007046 132777 000100 026334 XE10: BITB #100,@TMMRH ;INPUT READY?
1126 007054 001367 BNE XE9
1127 007056 ERROR \N ;ERROR:INPUT NOT RDY-PREMATURLY FULL?
1128 007100 SCOPE XE7
1129 007106 132777 000100 026274 XE11: BITB #100,@TMMRH ;SILO SHOULD BE FULL NOW
1130 007114 001414 BEQ XE12 ;INPUT READY?
1131 007116 ERROR \N ;ERROR:SILO FULL-BUT STILL RDY FOR INPUT
1132 007140 SCOPE XE7
1133 007146 132777 000200 026234 XE12: BITB #200,@TMMRH ;SILO OUTPUT RDY?
1134 007154 001014 BNE XE13
1135 007156 ERROR \N ;ERROR:FULL SILO NOT RDY FOR OUTPUT
1136 007200 SCOPE XE7
1137 007206 005003 XE13: CLR R3 ;R3 IS FOR DATA COMPARE
1138 007210 012704 177700 MOV #-64.,R4 ;R4 IS COUNTER
1139 007214 052777 000200 026152 XE14: BIS #807,@TCR ;SET RD SILO
1140 007222 117767 026160 022754 MOVB @TMMR,BAD ;READ WORD FROM ADDRESS SILO
1141 007230 005077 026140 CLR @TCR ;CLEAR RD SILO BIT
1142 007234 042767 177400 022742 BIC #177400,BAD ;ONLY INTERESTED IN LOW BYTE
1143 007242 010367 022740 MOV R3,GOOD
1144 007246 026767 022734 022730 XE15: CMP GOOD,BAD ;SILO OUTPUT OK?
1145 007254 001414 BEQ XE16
1146 007256 DATERR \N ;ERROR:BAD DATA READ FROM ADDR SILO
1147 007300 SCOPE XE7
1148 007306 005203 XE16: INC R3
1149 007310 042703 177740 BIC #177740,R3 ;KEEP R3 DOWN TO 5 BITS
1150 007314 005204 INC R4
1151 007316 001420 BEQ XE18
1152 007320 132777 000200 026062 XE17: BITB #200,@TMMRH ;AFTER 64 WDS, EXIT
1153 007326 001332 BNE XE14 ;SILO OUTPUT READY?
1154 007330 ERROR \N ;ERROR:SILO OUT NOT RDY-SILO NOT EMPTY
1155 007352 SCOPE XE7
1156 007360 132777 000200 026022 XE18: BITB #200,@TMMRH ;SILO OUT RDY AFTER 64 READS?
1157 007366 001414 BEQ XE19
1158 007370 ERROR \N ;ERROR:EMPTY SILO READY FOR OUTPUT
1159 007412 SCOPE XE7

```

1160	007420	005077	025750		XE19:	CLR	@TCR		;CLR RD SILO
1161	007424	112777	000000	025754		MOVB	#0,@TMMR		;LOAD A WORD INTO SILO
1162	007432	004567	174674			JSR	R5,DELAY		;WAIT FOR MIGRATION
1163	007436	000010				.WORD	10		
1164	007440	132777	000200	025742		BITB	#200,@TMMRH		;CHECK OUT RDY AFTER DELAY
1165	007446	001022				BNE	XE20		
1166	007450					ERROR	\N		;ERROR:SILO SETTLING TIME TOO LONG
1167	007472	052777	000200	025674		BIS	#B07,@TCR		;SET RD SILO BIT
1168	007500	117767	025702	022476		MOVB	@TMMR,BAD		;GET RID OF THE WORD IN SILO
1169	007506					SCOPE	XE19		
1170	007514	152777	000041	025666	XE20:	BISB	#41,@TMMRH		;SET 'CLR SILO' BIT & SET MASTER
1171	007522	132777	000200	025660		BITB	#200,@TMMRH		;SILO RDY?
1172	007530	001414				BEQ	XE21		
1173	007532					ERROR	\N		;ERROR:BIT 13 OF TMMR DID NOT CLR ADR SILO
1174	007554					SCOPE	XE20		
1175	007562	112777	000037	025616	XE21:	MOVB	#37,@TMMR		;LOAD SILO WITH TEST WORD
1176	007570	132777	000200	025612	XE22:	BITB	#200,@TMMRH		;SILO OUT RDY?
1177	007576	001774				BEQ	XE22		;WAIT FOR IT
1178	007600	142777	000020	025602	XE22A:	BICB	#20,@TMMRH		;CLR AUT ADR
1179	007606	016704	022140			MOV	DLCON,R4		
1180	007612	012703	177000		XE22B:	MOV	#177000,R3		;SET UP FOR ABOUT SMS DELAY
1181	007616	132777	000200	025564	XE23:	BITB	#200,@TMMRH		;OUTPUT RDY?
1182	007624	001420				BEQ	XE24		;IF NO - CARRY ON
1183	007626	005203				INC	R3		;WAITED SMS?
1184	007630	001372				BNE	XE23		;NOT YET
1185	007632	005304				DEC	R4		
1186	007634	001366				BNE	XE22B		
1187	007636					ERROR	\N		;ERROR:ADDRESS SILO IS NOT CYCLING
1188	007660					SCOPE	XE22A		
1189	007666	142777	000001	025514	XE24:	BICB	#1,@TMMRH		;CLEAR MASTER FOR SYNC.
1190	007674	004567	174432			JSR	R5,DELAY		
1191	007700	000010				.WORD	10		
1192	007702	132777	000200	025500		BITB	#200,@TMMRH		;OUTPUT READY
1193	007710	001014				BNE	XE25		
1194	007712					ERROR	\N		;ERROR:CYCLED WORD WAS LOST-OUT NOT RDY
1195	007734					SCOPE	XE20		
1196	007742	004567	174364		XE25:	JSR	R5,DELAY		
1197	007746	000010				.WORD	10		
1198	007750	152777	000021	025432		BISB	#21,@TMMRH		;SET AUTO ADDR & MASTER
1199	007756	052777	000200	025410		BIS	#B07,@TCR		;SET RD SILO
1200	007764	117767	025416	022212		MOVB	@TMMR,BAD		;CHECK VALIDITY OF OUTPUT
1201	007772	042767	177400	022204		BIC	#177400,BAD		;ONLY INTERESTED IN LOW BYTE
1202	010000	012767	000037	022200		MOV	#37,GOOD		
1203	010006	026767	022174	022170		CMP	GOOD,BAD		;OUTPUT SHOULD BE 37
1204	010014	001417				BEQ	XE26		
1205	010016					DATERR	\N		;ERROR:CYCLED WORD IS BAD DATA
1206	010040	042777	000200	025326		BIC	#B07,@TCR		;CLR RD SILO BIT FOR SCOPE
1207	010046					SCOPE	XE20		
1208	010054	004567	174252		XE26:	JSR	R5,DELAY		;WAIT ANOTHER SETTLING TIME
1209	010060	000010				.WORD	10		
1210	010062	132777	000200	025320		BITB	#200,@TMMRH		;IS SILO OUT RDY (SHOULDN'T BE)?
1211	010070	001417				BEQ	XE27		;NO, LEAVE
1212	010072					ERROR	\N		;ERROR:EXTRA WORD FOUND IN SILO
1213	010114	042777	000200	025252		BIC	#B07,@TCR		;CLR RD SILO
1214	010122					SCOPE	XE20		
1215	010130	152777	000060	025252	XE27:	BISB	#60,@TMMRH		;SET AUTO ADDRESS & CLR ADDR SILO

CZPL880 PCL11 STND ALN V02A MACY11 30A(1052) 18-OCT-78 14:35 F 3
PCLTST.P11 12-SEP-78 15:13 MASTER SECTION TEST PAGE 20-2

SEQ 0031

1216	010136	005077	025232	CLR	@TCR	;CLEAR RD SILO
1217	010142	004767	021206	.SR	PC,MONIT	
1218	010146	032777	010000	021574	BIT	#B12,@SR
1219	010154	001402		BEQ	XERT	;OK TO EXIT IF SW 12 - 0
1220	010156	000167	175764	JMP	MSRTST	;OTHERWISE, STAY HERE
1221	010162	000207		XERT:	RTS	PC

```
1223 .SBTTL DATA SILO TEST
1224
1225 ;TRANSMITTER DATA SILO TEST
1226
1227 SILTST: BDINIT XMTR ;CLEAR BOARD
1228 JSR R5,DELAY
1229 .WORD 10
1230 010172 004567 174134 000010 025166 BIT #B03,@TCR ;SILO OUTPUT READY?
1231 010200 032777 000010 025166 BEQ XF1
1232 010210 001414 ERROR \N ;ERROR:BD INIT DID NOT CLEAR DATA SILO
1233 010232 SCOPE SILTST
1234 010240 032777 000400 025130 XF1: BIT #B08,@TSR ;SILO INPUT READY?
1235 010246 001014 BNE XF2
1236 010250 ERROR \N ;ERROR:BD INIT DID NOT SET INPUT READY
1237 010272 SCOPE SILTST
1238 010300 012777 177777 025072 XF2: MOV #-1,@TSDB ;LOAD 177777 INTO DATA SILO
1239 010306 004567 174020 JSR R5,DELAY
1240 010312 000010 .WORD 10
1241 010314 032777 000010 025052 BIT #B03,@TCR ;SILO OUTPUT READY?
1242 010322 001017 BNE XF3
1243 010324 ERROR \N ;ERROR:NO SILO OUTPUT 37 US. AFTER LOAD
1244 010346 BDINIT XMTR ;CLEAR SILO
1245 010354 SCOPE XF2
1246 010362 017767 025012 021614 XF3: MOV @TSDB,BAD ;READ WORD FROM SILO
1247 010370 012767 177777 021610 MOV #-1,GOOD
1248 010376 026767 021604 021600 CMP GOOD,BAD ;SILO OUTPUT = 177777
1249 010404 001417 BEQ XF3A
1250 010406 DATERR \N ;ERROR:DROPPED BITS IN DATA SIL
1251 010430 BDINIT XMTR ;CLEAR SILO
1252 010436 SCOPE XF2
1253 010444 052777 000200 024722 XF3A: BIS #B07,@TCR ;SET RD SILO BIT IN TCR
1254 010452 017703 024722 MOV @TSDB,R3 ;POP WORD FROM SILO
1255 010456 032777 000010 024710 BIT #B03,@TCR ;SILO OUTPUT READY?
1256 010464 001414 BEQ XF5
1257 010466 ERROR \N ;ERROR:WORD DID NOT GET POPPED FROM SILO
1258 010510 SCOPE XF3
1259 010516 032777 000400 024652 XF5: BIT #B08,@TSR ;IS INPUT READY?
1260 010524 001014 BNE XF6
1261 010526 ERROR \N ;ERROR:DATA SILO INPUT NOT READY
1262 010550 SCOPE XF5
1263 010556 042777 000200 024610 XF6: BIC #B07,@TCR ;CLEAR RD SILO BIT
1264 010564 005077 024610 CLR @TSDB ;LOAD 0'S INTO SILO
1265 010570 032777 000010 024576 XF6A: BIT #B03,@TCR ;OUTPUT RDY?
1266 010576 001774 BEQ XF6A ;WAIT FOR IT
1267 010600 017767 024574 021376 MOV @TSDB,BAD ;READ OUTPUT OF SILO
1268 010606 005067 021374 CLR GOOD
1269 010612 026767 021370 021364 CMP GOOD,BAD ;OUTPUT = 0?
1270 010620 001417 BEQ XF7
1271 010622 DATERR \N ;ERROR:BITS PICKED UP IN DATA SILO
1272 010644 BDINIT XMTR ;CLR SILO
1273 010652 SCOPE XF6
1274 010660 XF7: BDINIT XMTR ;CLR XMITTER BOARD
1275 010666 012777 177600 024506 MOV #-128,@TSBC ;SET BYTE COUNT TO -128
1276 010674 012777 033026 024502 MOV #SILDAT,@TSBA ;POINT DEVICE AT CORE BUFFER
1277 010702 052777 040000 024464 BIS #B14,@TCR ;SET TX NPR
1278 010710 032777 040000 024456 BIT #B14,@TCR ;IS TX NPR SET?
```

1279	010716	001014				BNE	XF8	
1280	010720					ERROR	\N	;ERROR:CANNOT SET TX NPR
1281	010742					SCOPE	XF7	
1282	010750	016704	020776		XF8:	MOV	DLCON,R4	
1283	010754	012703	177500		XF8A:	MOV	#177500,R3	;SET UP 2 MS DELAY
1284	010760	005777	024416		XF9:	TST	@TSBC	;IS BYTE COUNT 0?
1285	010764	001420				BEQ	XF10	
1286	010766	005203				INC	R3	;WAITED 2 MS?
1287	010770	001373				BNE	XF9	;NO, KEEP LOOKING
1288	010772	005304				DEC	R4	
1289	010774	001367				BNE	XF8A	
1290	010776					ERROR	\N	;ERROR: NPR NOT COMPLETE AFTER 2 MS
1291	011020					SCOPE	XF7	
1292	011026	032777	000400	024342	XF10:	BIT	#B08,@TSR	;INPUT READY?
1293	011034	001414				BEQ	XF11	
1294	011036					ERROR	\N	;ERROR:SILO FULL BUT INPUT RDY SET
1295	011060					SCOPE	XF10	
1296	011066	032777	000010	024300	XF11:	BIT	#B03,@TCR	;OUTPUT READY?
1297	011074	001014				BNE	XF12	
1298	011076					ERROR	\N	;ERROR:FULL SILO NOT RDY FOR OUTPUT
1299	011120					SCOPE	XF11	
1300	011126	052777	000200	024240	XF12:	BIS	#B07,@TCR	;SET RD SILO BIT
1301	011134	012704	033026			MOV	#SILDAT,R4	;R4 IS DATA POINTER
1302	011140	012703	177700			MOV	#-64.,R3	;R3 IS COUNTER
1303	011144	017767	024230	021032	XF13:	MOV	@TSDB,BAD	;POP WORD FROM SILO TO 'BAD'
1304	011152	012467	021030			MOV	(R4)+,GOOD	;AND POP A WORD FROM BUFFER
1305	011156	026767	021024	021020		CMP	GOOD,BAD	;DATA OK?
1306	011164	001422				BEQ	XF14	
1307	011166					DATERR	\N	;ERROR:DATA FROM SILO IS WRONG
1308	011210	042777	000200	024156		BIC	#B07,@TCR	;CLR RD SILO BIT
1309	011216					SCOPE	XF7	;GO TO RE-FILL SILO FOR RE-TRY
1310	011224	052777	000200	024142		BIS	#B07,@TCR	;RE-SET RD SILO BIT
1311	011232	005203			XF14:	INC	R3	;ALL DONE?
1312	011234	001343				BNE	XF13	;IF NOT, POP ANOTHER WORD
1313	011236				XF17:	BDINIT	XMTR	;CLEAR THE BOARD
1314	011244	012777	177774	024130		MOV	#-4,@TSBC	;SET BYTE COUNT TO -4
1315	011252	012777	033026	024124		MOV	#SILDAT,@TSBA	;POINT NPR TO DATA BUFFER
1316	011260	012767	033026	020720		MOV	#SILDAT,GOOD	
1317	011266	052777	040004	024100		BIS	#40004,@TCR	;SET TX NPR AND INH ADR INC
1318	011274	005777	024102		XF18:	TST	@TSBC	;WAIT FOR NPR TO FINISH
1319	011300	001375				BNE	XF18	
1320	011302	017767	024076	020674		MOV	@TSBA,BAD	;READ BYTE ADDRESS
1321	011310	026767	020672	020666		CMP	GOOD,BAD	;HAS IT CHANGED?
1322	011316	001417				BEQ	XF19	
1323	011320					DATERR	\N	;ERROR:TSBA SHD NOT CHANGE WITH INH ADR INC SET
1324	011342					BDINIT	XMTR	
1325	011350					SCOPE	XF17	

```

1327                                     .SBTTL DATA SILO BLOCK COUNTER TEST
1328
1329                                     ;THIS TESTS THAT, AFTER PULLING 200 (OCTAL) WORDS THRU THE SILO
1330                                     ;THE BLOCK COUNTER COUNTS THE 200 WORDS AND HOLDS SILO OUTPUT READY
1331                                     ;IN A FALSE STATE.
1332
1333 011356                               XF19: BDINIT XMTR                               ;CLEAR THE BOARD
1334 011364 142777 000001 024016        BICB #B00,@TMMRH                          ;CLEAR MASTER FOR THIS TEST
1335 011372 004767 000136                JSR PC,XFSR                               ;FILL THE DATA SILO
1336 011376 012702 000100                MOV #64.,R2
1337 011402 004767 000176                JSR PC,XFEMT                             ;POP ALL 64 WORDS OUT
1338 011406 004767 000122                JSR PC,XFSR                               ;FILL SILO AGAIN
1339 011412 012702 000020                MOV #20,R2
1340 011416 004767 000162                JSR PC,XFEMT                             ;POP 20 (OCTAL) WORDS OUT
1341 011422 004767 000106                JSR PC,XFSR                               ;FILL SILO AGAIN
1342 011426 012702 000060                MOV #60,R2
1343 011432 004767 000146                JSR PC,XFEMT                             ;POP 60 (OCTAL) WORDS OUT
1344                                     ; LEAVING 20 (OCTAL) IN SILO
1345                                     ; AND HAVING PULLED OUT 200 TOTAL (OCTAL)
1346 011436 032777 000010 023730        BIT #B03,@TCR                          ;NOW CHECK OUTPUT READY
1347 011444 001414                      BEQ XF19A                                ;IF IT'S CLEAR, OKAY
1348 011446                      ERROR \N                                     ;ERROR:OUTPUT RDY AFTER 200 WORD BLOCK
1349 011470                      SCOPE XF19
1350 011476                      XF19A: BDINIT XMTR                               ;CLEAN UP.
1351 011504 152777 000020 023676        XF20: BISB #20,@TMMRH                      ;SET AUT ADR
1352 011512 004767 017636                JSR PC,MONIT
1353 011516 032777 010000 020224        BIT #B12,@SR                               ;CAN WE EXIT NOW?
1354 011524 001402                      BEQ XFRT                                ;OK IF SW 12 = 0
1355 011526 000167 176432                JMP SILTST                             ;NO IF SW 12 = 1
1356 011532 000207                      XFRT: RTS PC
1357
1358                                     ;ROUTINE TO FILL DATA SILO VIA NPR
1359
1360 011534 012777 177600 023640        XFSR: MOV #-128.,@TSBC                      ;SET BYTE COUNT FOR FILL-UP
1361 011542 012777 033026 023634        MOV #SILDAT,@TSBA                      ;POINT DEVICE AT CORE BUFFER
1362 011550 052777 040000 023616        BIS #B14,@TCR                          ;START NPR
1363 011556 016704 020170                MOV DLCON,R4
1364 011562 012703 175000                XFSR1: MOV #175000,R3                     ;SET UP TO WAIT FOR CMPL
1365 011566 005203                      XFSRW: INC R3
1366 011570 001376                      BNE XFSRW                               ;WAIT FOR NPR COMPLETION
1367 011572 005304                      DEC R4
1368 011574 001372                      BNE XFSR1
1369 011576 005077 023572                CLR @TCR                               ;CLEAR TXNPR
1370 011602 000207                      RTS PC                                   ;RETURN WITH SILO FULL
1371
1372                                     ;ROUTINE TO POP (R2) NUMBER OF WORDS FROM DATA SILO
1373
1374 011604 052777 000200 023562        XFEMT: BIS #B07,@TCR                      ;SET RD SILO
1375 011612 010203                      MOV R2,R3
1376 011614 017767 023560 020362        XFMTW: MOV @TSDB,BAD                     ;POP A WORD OUT
1377 011622 005303                      DEC R3                                   ;KEEP TRACK OF # OF WORDS
1378 011624 001373                      BNE XFMTW
1379 011626 042777 000200 023540        BIC #B07,@TCR                             ;LEAVE WITH RD SILO CLEAR
1380 011634 000207                      RTS PC

```

```

1382 .SBTTL TSRTST
1383
1384 ;STATUS REGISTER AND ERRORS TEST
1385
1386 TSRTST: BDINIT XMTR ;CLR BOARD
1387 BIS #B07,@TSR ;SET SUCC XFER
1388 BIT #B07,@TSR ;IS IT SET?
1389 BNE XH1
1390 ERROR \N ;ERROR:CANNOT SET TSR BIT 07
1391 SCOPE TSRTST
1392 XH1: BIC #B07,@TSR ;CLR SUCC XFER
1393 BIT #B07,@TSR ;IS IT CLR?
1394 BEQ XH2
1395 ERROR \N ;ERROR:CANNOT CLR SUCC XFR
1396 SCOPE XH1
1397 XH2: BDINIT XMTR ;CLEAR BOARD
1398 MOV #-1,@TSDB ;LOAD WORD INTO SILO
1399 BIT #B03,@TCR ;OUTPUT READY?
1400 BEQ -6 ;WAIT FOR WORD TO HIT BOTTOM
1401 BISB #1,@TMMRH ;SET MASTER FOR TIME SLICES
1402 MOV #120000,@TCR ;SET RIB AND SND WD
1403 MOV DLCON,R4
1404 XH2B: MOV #177763,R3 ;SET UP FOR 100 U.S. ALARM
1405 XH2A: BIT #B04,@TSR ;TDM BUS BSY SET?
1406 BNE XH3
1407 INC R3 ;WAIT 100 US.
1408 BNE XH2A
1409 DEC R4
1410 BNE XH2B
1411 ERROR \N ;ERROR:TDM BUS BSY NOT SET
1412 SCOPE XH2
1413 XH3: BIT #B06,@TSR ;IS BUSY SET?
1414 BNE XH4
1415 ERROR \N ;ERROR:BUSY NOT SET WITH SND WD & RIB
1416 SCOPE XH2
1417 XH4: BIC #B15,@TCR ;CLEAR RIB
1418 NOP ;WAIT FOR TIME SLICE
1419 BIT #B13,@TCR ;IS SND WD CLR?
1420 BEQ XH5
1421 ERROR \N ;ERROR:INTR REQ DID NOT CLR SND WD
1422 SCOPE XH2
1423 XH5: BIT #B06,@TSR ;IS BUSY CLR?
1424 BEQ XH6
1425 ERROR \N ;ERROR:SND WD-0 DID NOT CLR BUSY
1426 SCOPE XH2
1427 XH6: CLR @TSR ;CLEAR TSR
1428 BIS #120000,@TCR ;SET RIB & SND WD
1429 BIS #B09,@TSR ;SET OVERRUN ERR BIT
1430 BIT #B09,@TSR ;IS IT SET?
1431 BNE XH7
1432 ERROR \N ;ERROR:CANNOT SET TSR BIT 09
1433 SCOPE XH6
1434 XH7: BIT #B15,@TSR ;IS ERROR BIT SET (BIT 15)
1435 BNE XH8
1436 ERROR \N ;ERROR:OVERRUN DID NOT SET ERROR BIT 15 IN TSR
1437 SCOPE XH6

```

1438	012370	032777	020000	022776	XH8:	BIT	#B13,@TSR	;IS SND WD CLR?
1439	012376	001414				BEQ	XH8A	
1440	012400					ERROR	\N	;ERROR:TSR BIT 15 DID NOT CAUSE INTR REQ
1441	012422					SCOPE	XH6	
1442	012430				XH8A:	BDINIT	XMTR	;CLEAR ALL IN XMTR
1443	012436	012777	000000	022734		MOV	#0,@TSDB	;LOAD A WORD INTO SILO
1444	012444	032777	001000	022724		BIT	#B09,@TSR	;IS OVERRUN SET??
1445	012452	001414				BEQ	XH9	
1446	012454					ERROR	\N	;ERROR:LOADING EMPTY SILO GIVES OVERRUN ERROR!
1447	012476					SCOPE	XH8A	
1448	012504	005077	022666		XH9:	CLR	@TSR	
1449	012510	052777	002000	022660		BIS	#B10,@TSR	;SET TIMEOUT BIT IN TSR
1450	012516	032777	002000	022652		BIT	#B10,@TSR	;IS IT SET?
1451	012524	001014				BNE	XH10	
1452	012526					ERROR	\N	;ERROR:CANNOT SET TSR BIT 10
1453	012550					SCOPE	XH9	
1454	012556	032777	100000	022612	XH10:	BIT	#B15,@TSR	;IS ERROR BIT SET?
1455	012564	001014				BNE	XH11	
1456	012566					ERROR	\N	;ERROR:TIMEOUT DID NOT SET TSR BIT 15
1457	012610					SCOPE	XH9	
1458	012616	005077	022554		XH11:	CLR	@TSR	;CLR TSR
1459	012622	052777	004000	022546		BIS	#B11,@TSR	;SET MST DWN
1460	012630	032777	004000	022540		BIT	#B11,@TSR	;IS IT SET?
1461	012636	001014				BNE	XH12	
1462	012640					ERROR	\N	;ERROR:CANNOT SET TSR BIT 11
1463	012662					SCOPE	XH11	
1464	012670	032777	100000	022500	XH12:	BIT	#B15,@TSR	;IS ERROR BIT SET?
1465	012676	001014				BNE	XH13	
1466	012700					ERROR	\N	;ERROR:MST DWN DIDN'T SET TSR BIT 15
1467	012722					SCOPE	XH11	
1468	012730	005077	022442		XH13:	CLR	@TSR	
1469	012734	052777	010000	022434		BIS	#B12,@TSR	;SET TXM ERR
1470	012742	032777	010000	022426		BIT	#B12,@TSR	;IS IT SET?
1471	012750	001014				BNE	XH14	
1472	012752					ERROR	\N	;ERROR:CANNOT SET TSR BIT 12
1473	012774					SCOPE	XH13	
1474	013002	032777	100000	022366	XH14:	BIT	#B15,@TSR	;IS ERROR BIT SET?
1475	013010	001014				BNE	XH15	
1476	013012					ERROR	\N	;ERROR:TXM ERR DIDN'T SET TSR BIT 15
1477	013034					SCOPE	XH13	
1478	013042	005077	022330		XH15:	CLR	@TSR	
1479	013046	052777	020000	022322		BIS	#B13,@TSR	;SET MEM OFL
1480	013054	032777	020000	022314		BIT	#B13,@TSR	;IS IT SET?
1481	013062	001014				BNE	XH16	
1482	013064					ERROR	\N	;ERROR:CANNOT SET TSR BIT 13
1483	013106					SCOPE	XH15	
1484	013114	032777	100000	022254	XH16:	BIT	#B15,@TSR	;IS ERROR BIT SET?
1485	013122	001014				BNE	XH17	
1486	013124					ERROR	\N	;ERROR:MEM OFL DIDN'T SET TSR BIT 15
1487	013146					SCOPE	XH15	

```
1489 ;ERROR GENERATION TESTS
1490
1491 013154 XH17: BDINIT XMTR ;CLEAR BOARD
1492 013162 012777 177774 022212 MOV #-4,@TSBC ;SET UP TO GENERATE NXM ERR
1493 013170 012777 164176 022206 MOV #164176,@TSBA ;LOAD NON-EXST ADDR INTO TSBA
1494 013176 052777 040060 022170 BIS #40060,@TCR ;START NPR AND SET EXT ADD BITS
1495 013204 000240 NOP
1496 013206 000240 NOP
1497 013210 005777 022166 TST @TSBC ;DID BYTE COUNT GO TO 0 ?
1498 013214 001014 BNE XH18 ;ERROR:REPLACE #764176 WITH NON EXST ADDR
1499 013216 ERROR \N ;NOW CHECK NXL ERR BIT
1500 013240 SCOPE XH17
1501 013246 032777 040000 022122 XH18: BIT #B14,@TSR
1502 013254 001014 BNE XH19 ;ERROR:NPR TO NON-EXST ADDR DIDN'T SET NXL ERR
1503 013256 ERROR \N
1504 013300 SCOPE XH17
1505 013306 032777 100000 022062 XH19: BIT #B15,@TSR ;IS ERROR BIT (15) SET?
1506 013314 001014 BNE XH20 ;ERROR:NXL ERR DIDN'T SET TSR BIT 15
1507 013316 ERROR \N
1508 013340 SCOPE XH17
1509 013346 XH20: BDINIT XMTR ;CLEAR BOARD
1510 013354 016777 177774 022016 XH20L: MOV XH20L,@TSDB ;FILL THE SILO WITH GARBAGE
1511 013362 000240 NOP
1512 013364 000240 NOP
1513 013366 032777 000400 022002 BIT #B08,@TSR ;SILO INPUT READY?
1514 013374 001367 BNE XH20L ;IF YES, KEEP LOADING
1515 013376 016777 177752 021774 MOV XH20L,@TSDB ;NO,SILO FULL;LOAD 1 MORE WORD
1516 013404 032777 001000 021764 BIT #B09,@TSR ;IS TSR BIT 9 SET?
1517 013412 001014 BNE XH21 ;ERROR:LOADING FULL SILO DIDN'T SET TSR-09
1518 013414 ERROR \N
1519 013436 SCOPE XH20L
1520 013444 XH21: BDINIT XMTR ;CLEAR BOARD
1521 013452 052777 120000 021714 BIS #120000,@TCR ;SET SND WD & RIB
1522 013460 016702 016266 MOV DLCON,R2 ;R3 AND R4 ARE COUNTERS
1523 013464 005003 XH21A: CLR R3 ;IS TIMEOUT SET?
1524 013466 012704 177773 MOV #-5,R4 ;WATCH IT FOR A SEC
1525 013472 032777 002000 021676 XH22: BIT #B10,@TSR
1526 013500 001022 BNE XH22A
1527 013502 005203 INC R3
1528 013504 001372 BNE XH22
1529 013506 005204 INC R4
1530 013510 001370 BNE XH22
1531 013512 005302 DEC R2
1532 013514 001363 BNE XH21A ;ERROR:NO TIMEOUT IN A SECOND
1533 013516 ERROR \N
1534 013540 SCOPE XH21
1535 013546 XH22A: BDINIT XMTR ;CLR XMTR
1536 013554 105077 021630 CLRB @TMMRH ;CLEAR MASTER
1537 013560 012777 177777 021612 MOV #-1,@TSDB ;LOAD A WORD INTO XMTR DATA SILO
1538 013566 004567 170540 JSR R5,DELAY ;WAIT FOR MIGRATION
1539 013572 000010 .WORD 10
1540 013574 052777 120000 021572 BIS #120000,@TCR ;SET RIB AND SND WORD
1541 013602 004567 170524 JSR R5,DELAY
1542 013606 000010 .WORD 10
1543 013610 032777 004000 021560 BIT #B11,@TSR ;CHECK FOR MASTER DOWN
1544 013616 001014 BNE XH23 ;ERROR:ATTEMPT TO SEND WORD WITH MASTER CLEAR
```

CZPL880 PCL11 STND ALN V02A
PCLTST.P11 12-SEP-78 15:13

MACY11 30A(1052) 18-OCT-78 14:35 M 3
TSRTST PAGE 24-1

SEQ 0038

1545	013620					ERROR	\N		
1546	013642					SCOPE	XH22A		;DID NOT SET MASTER DOWN
1547	013650					BDINIT	XMTR		
1548	013656	004767	015472			JSR	PC,MONIT		
1549	013662	032777	010000	016060		BIT	#B12,@SR		;IS SW 12 = 1?
1550	013670	001402				BEQ	XHRT		
1551	013672	000167	175740			JMP	TSRTST		;IF SO, TRY THIS TEST OVER
1552	013676	000207				XHRT: RTS	PC		

```

1554          .SBTTL  INTERRUPT TEST
1555
1556          ;TRANSMITTER INTERRUPT TEST
1557
1558 013700      INTST:  MTPS      #P7              ;DIS-ALLOW INTERRUPT
1559 013706      BDINIT    XMTR              ;CLR THE BOARD
1560 013714      016700    021444      MOV      TXVEC,RO
1561 013720      012760    000340    000002    MOV      #340,2(RO)      ;SET NEW PS = P7
1562 013726      012777    013756    021430    MOV      #ERRINT,@TXVEC    ;SET-UP FOR ERROR INTERRUPT
1563 013734      052777    000100    021432    BIS      #B06,@TCR      ;SET INTERRUPT ENABLE
1564 013742      MTPS      #0              ;ALLOW INTERRUPT
1565 013750      000240      NOP
1566 013752      000167    000046      JMP      XJ0              ;SKIP ERROR IF NO INTERRUPT
1567 013756      ERRINT:  MTPS      #P7              ;INTERRUPT OFF
1568 013764      022626      CMP      (SP)+,(SP)+      ;CORRECT STACK
1569 013766      042777    000100    021400    BIC      #B06,@TCR      ;CLR INTERRUPT ENABLE
1570 013774      ERROR     \N              ;ERROR:ERRONEOUS INTERRUPT;NO FLAGS SET
1571 014016      SCOPE     INTST
1572 014024      005067    021330      XJ0:    CLR      TMPRIO      ;START WITH C.P. AT PRIORITY 0
1573 014030      012777    014304    021326    MOV      #INTA,@TXVEC    ;SET VECTOR FOR GOOD INTERRUPT
1574 014036      XJ1:     MTPS      #P7              ;INTERRUPT OFF
1575 014044      052777    000100    021322    BIS      #B06,@TCR      ;ENABLE XMTR INTERRUPT
1576 014052      052777    000200    021316    BIS      #B07,@TSR      ;FORCE INTR WITH SUCC XFER
1577 014060      MTPS      TMPRIO      ;ALLOW INTERRUPT
1578 014066      NOP
1579 014070      000240      NOP
1580 014072      005767    021262      TST      TMPRIO      ;WAIT FOR IT
1581 014076      001014      BNE      XJ2              ;IS PSW = 0?
1582 014100      ERROR     \N              ;ERROR:NO INTERRUPT FROM TRANSMITTER
1583 014122      SCOPE     INTST
1584 014130      026767    021234    021222    XJ2:    CMP      XPRIO,TMPRIO      ;HAVE WE REACHED EXPECTED PRIORITY?
1585 014136      001414      BEQ      XJ3
1586 014140      ERROR     \N              ;ERROR:DEVICE NOT JUMPED TO EXPECTED PRIORITY
1587 014162      SCOPE     INTST
1588 014170      022767    000340    021162    XJ3:    CMP      #340,TMPRIO      ;IS PSW = 7?
1589 014176      001426      BEQ      XJ4
1590 014200      BDINIT    XMTR
1591 014206      062767    000040    021144      ADD      #40,TMPRIO
1592 014214      012777    014326    021142    XJ3S:  MOV      #INTB,@TXVEC    ;SET VECTOR FOR ERROR INTR.
1593 014222      052777    000100    021144      BIS      #B06,@TCR      ;ENABLE XMTR INTERRUPT
1594 014230      052777    000200    021140      BIS      #B07,@TSR      ;FORCE INTERRUPT REQUEST
1595 014236      MTPS      TMPRIO      ;SET CP TO NEXT PRIORITY
1596 014244      000240      NOP
1597 014246      000240      NOP
1598 014250      000167    177714      JMP      XJ3              ;WAIT FOR POSSIBLE INTERRUPT
1599 014254      XJ4:     BDINIT    XMTR              ;CLEAR BOARD
1600 014262      004767    015066      JSR      PC,MONIT
1601 014266      032777    010000    015454      BIT      #B12,@SR      ;SW 12 = 1?
1602 014274      001402      BEQ      XJRT
1603 014276      000167    177376      JMP      INTST
1604 014302      000207      XJRT:   RTS      PC              ;YES, DO TEST OVER
1605                                     ;NO, LEAVE THIS TEST
1606 014304      INTA:    BDINIT    XMTR              ;CLR INTERRUPT ETC
1607 014312      062767    000040    021040      ADD      #40,TMPRIO      ;INCR TEMP PRIORITY
1608 014320      022626      CMP      (SP)+,(SP)+      ;CORRECT STACK POINTER
1609 014322      000167    177510      JMP      XJ1              ;TRY AGAIN

```

1610					
1611	014326	022626	INTB:	CMP	(SP)+,(SP)+ ;CORRECT STACK
1612	014330			ERROR	\N ;ERROR:GOT INTR WHEN C.P. AT HIGHER PRIORITY
1613	014352			SCOPE	XJ3S
1614	014360	000167 177604		JMP	XJ3

```
1616 .SBTTL C.R.C. CHECK
1617
1618 ;CYCLIC REDUNDANCY CHECK CHARACTER TEST
1619
1620 CRCTST: BDINIT XMTR ;CLEAR BOARD
1621 014364 012777 177600 021002 MOV #-128.,@TSBC ;SET UP BYTE COUNT TO FILL SILO
1622 014400 012777 033026 020776 MOV #SILDAT,@TSBA
1623 014406 052777 040000 020760 BIS #B14,@TCR ;START NPR
1624 014414 005777 020762 XK1: TST @TSBC ;IS BYTE COUNT 0?
1625 014420 001375 BNE XK1 ;WAIT FOR NPR TO FINISH
1626 014422 032777 040000 020744 BIT #B14,@TCR ;NOW CHECK TX NPR BIT
1627 014430 001414 BEQ XK2
1628 014432 ERROR \N ;ERROR:TX NPR NOT CLR'D BY TSBC OFL
1629 014454 SCOPE CRCTST
1630 014462 052777 000200 020704 XK2: BIS #B07,@TCR ;SET RD SILO BIT
1631 014470 012767 177700 020656 MOV #-64.,COUNT ;COUNT READS
1632 014476 012704 033226 MOV #SILCRC,R4 ;R4 POINTS TO GOOD CRC'S
1633 014502 000240 XK3: NOP
1634 014504 017767 020702 015472 MOV @TSCRC,BAD ;GET CRC CHAR FOR LAST SILO WORD
1635 014512 017703 020662 MOV @TSDB,R3 ;R3 HOLDS SILO DATA WORD
1636 014516 011467 015464 MOV (R4),GOOD ;GET GOOD CRC FROM BUFFER
1637 014522 026767 015460 015454 CMP GOOD,BAD ;IS CRC OK?
1638 014530 001423 BEQ XK4
1639 014532 PNTM SLOWD ;PRINT 'SILO OUTPUT WORD WAS '
1640 014542 010300 MOV R3,R0
1641 014544 004767 015756 JSR PC,OCTPNT ;PRINT SILO DATA WORD
1642 014550 DATERR \N ;ERROR:BAD CRC FOR ABOVE WORD
1643 014572 SCOPE CRCTST
1644 014600 062704 000002 XK4: ADD #2,R4 ;UPDATE CRC POINTER
1645 014604 005267 020544 INC COUNT ;HAVE WE CHECKED 64 WORDS?
1646 014610 001334 BNE XK3 ;NO, CONTINUE
1647 014612 004767 014536 JSR PC,MONIT
1648 014616 032777 010000 015124 BIT #B12,@SR ;CHECK SW 12
1649 014624 001402 BEQ XKRT ;IF CLR, EXIT
1650 014626 000167 177532 JMP CRCTST ;IF SET STAY
1651 014632 XKRT: BDINIT XMTR
1652 014640 000207 RTS PC
1653
```

```
1655 .SBTTL RECEIVER TESTS
1656
1657 ;TEST 2: RECEIVER TESTS
1658 ; (00) RESET TEST
1659 ; (01) RCR REG TEST
1660 ; (02) RDBC REG TEST
1661 ; (03) RDBA REG TEST
1662 ; (04) DATA SILO TESTS
1663 ; (05) RSR & ERRORS TESTS
1664 ; (06) INTERRUPT TEST
1665 ; (07) C.R.C. TEST
1666
1667
1668 000200 N = 200 ;RECEIVER ERRORS START AT 200
1669
1670 014642 TEST2: MTPS #P7
1671 014650 012767 000010 020444 MOV #10,ITER ;INITIAL ITERATION OF 10 PER PASS
1672 014656 004767 014472 JSR PC,MONIT
1673 014662 032777 002000 015060 BIT #B10,@SR ;CHECK SW 10
1674 014670 001420 BEQ LOOPR ;IF 0, RUN SEQUENTIALLY
1675 014672 017767 015052 020424 MOV @SR,SWI ;IF SET, GET TEST # FROM SWR
1676 014700 042767 177770 020416 BIC #-10,SWI ;MASK LOW DIGIT
1677 014706 000241 CLC ;CLR C BIT BEFORE ROTATE
1678 014710 006167 020410 ROL SWI
1679 014714 006167 020404 ROL SWI
1680 014720 062767 014732 020376 ADD #LOOPR,SWI ;MULTIPLY BY 4
1681 014726 000177 020372 JMP @SWI ;GENERATE OFFSET
1682 014732 004767 000142 LOOPR: JSR PC,RINIT ;GO TO SELECTED TEST
1683 014736 004767 000476 JSR PC,RCRTST ;DO INITIAL CLEAR TEST
1684 014742 004767 001176 JSR PC,RBCTST ;DO RCR REG TEST
1685 014746 004767 001346 JSR PC,RBATST ;DO BYTE COUNT REG TEST
1686 014752 004767 001516 JSR PC,SLTST ;DO BYTE ADDR REG TEST
1687 014756 004767 003042 JSR PC,RSRTST ;DO RECVR DATA SILO TEST
1688 014762 004767 004632 JSR PC,RINTST ;DO RSR REG & ERRORS TEST
1689 014766 004767 005344 JSR PC,RCRCTS ;DO INTERRUPT TEST
1690 014772 032777 004000 014750 BIT #B11,@SR ;DO RCVR CRC GENERATION TEST
1691 015000 001003 BNE REPEAT ;CHECK SW 11
1692 015002 005367 020314 DEC ITER ;PRINT END IF SET
1693 015006 001351 BNE LOOPR ;OTHERWISE, REITERATE
1694 015010 005767 020332 REPEAT: TST $4FLAG ;CAN WE PRINT END PASS?
1695 015014 001030 BNE REPEAT ;NO, LEAVE
1696 015016 005267 020312 INC PSNO2 ;UPDATE PASS NO.
1697 015022 PNTM PEND ;PRINT 'END PASS # '
1698 015032 016700 020276 MOV PSNO2,R0 ;PRINT PASS NO.
1699 015036 004767 015540 JSR PC,DECPNT
1700 015042 012700 000040 MOV #40,R0 ;PRINT A SPACE
1701 015046 004767 015720 JSR PC,TTO
1702 015052 012700 000101 MOV #101,R0 ;PRINT 'A' (TO INDICATE RCVR TST)
1703 015056 004767 015710 JSR PC,TTO
1704 015062 005000 CLR R0
1705 015064 004767 015702 JSR PC,TTO
1706 015070 005000 CLR R0
1707 015072 004767 015674 JSR PC,TTO ;NULLS IN CASE RESET FOLLOWS
1708 015076 000207 REPEAT: RTS PC ;RETURN
```

```

1710 .SBTTL INITIALIZE TEST
1711
1712 ;CHECK INITIAL CONDITIONS AFTER RESET
1713
1714 015100 000005 RINIT: RESET ;CLEAR THE WORLD
1715 015102 017767 020314 015074 MOV @RDBC,BAD ;GET BYTE COUNT REG
1716 015110 005067 015072 CLR GOOD
1717 015114 005767 015064 TST BAD ;WAS RDBC 0?
1718 015120 001414 BEQ RA1
1719 015122 DATERR \N ;ERROR:RDBC NOT CLR'D BY RESET
1720 015144 SCOPE RINIT
1721 015152 017767 020246 015024 RA1: MOV @RDBA,BAD ;GET BYTE ADDRESS REG
1722 015160 005067 015022 CLR GOOD
1723 015164 005767 015014 TST BAD ;WAS RDBA 0?
1724 015170 001414 BEQ RA2
1725 015172 DATERR \N ;ERROR:RDBA NOT CLR'D BY RESET
1726 015214 SCOPE RINIT
1727 015222 017767 020166 014754 RA2: MOV @RCR,BAD ;GET RCR REGISTER
1728 015230 012767 000010 014750 MOV #10,GOOD ;SET UP GOOD FOR COMPARE
1729 015236 026767 014744 014740 CMP GOOD,BAD
1730 015244 001414 BEQ RA3
1731 015246 DATERR \N ;ERROR:RCR NOT INITIALIZED BY RESET
1732 015270 SCOPE RINIT
1733 015276 017767 020124 014700 RA3: MOV @RDCRC,BAD ;GET CRC REG
1734 015304 005067 014676 CLR GOOD
1735 015310 005767 014670 TST BAD ;IS CRC REG 0?
1736 015314 001414 BEQ RA4
1737 015316 DATERR \N ;ERROR:RCVR CRC NOT CLR'D BY RESET
1738 015340 SCOPE RINIT
1739 015346 017767 020044 014630 RA4: MOV @RSR,BAD ;GET RSR REG
1740 015354 005067 014626 CLR GOOD
1741 015360 005767 014620 TST BAD ;IS RSR REG 0?
1742 015364 001414 BEQ RA5
1743 015366 DATERR \N ;ERROR:RSR REG NOT CLR'D BY RESET
1744 015410 SCOPE RINIT
1745 015416 004767 013732 RA5: JSR PC,MONIT
1746 015422 032777 010000 014320 BIT #B12,@SR ;CHK SW 12 FOR EXIT VISA
1747 015430 001402 BEQ RART
1748 015432 000167 177442 JMP RINIT ;IF SET,STAY IN THIS TEST
1749 015436 000207 RART: RTS PC ;OTHERWISE, EXIT

```

```

1751                                     .SBTTL RCR TEST
1752
1753                                     ;RECEIVER COMMAND REGISTER TEST
1754
1755 015440 005077 017750 RCRST: CLR @RCR ;CLEAR RCR REGISTER
1756 015444 012767 160375 014534 RD1: MOV #160375,GOOD ;SET ALL SETTABLE BITS IN RCR
1757 015452 016777 014530 017734 MOV GOOD,@RCR
1758 015460 017767 017730 014516 MOV @RCR,BAD ;AND READ THEM BACK
1759 015466 026767 014514 014510 CMP GOOD,BAD ;ALL BITS SET?
1760 015474 001414 BEQ RD2
1761 015476 DATERR \N ;ERROR:CANNOT SET ALL SETTABLE RCR BITS
1762 015520 SCOPE RD1
1763 015526 005067 014454 RD2: CLR GOOD ;NOW CLR BITS AFTER SETTING THEM
1764 015532 005077 017656 CLR @RCR
1765 015536 017767 017652 014440 MOV @RCR,BAD ;READ THEM BACK
1766 015544 042767 017412 014432 BIC #17412,BAD ;IGNORE R/O BITS
1767 015552 026767 014430 014424 CMP GOOD,BAD ;ALL CLR?
1768 015560 001414 BEQ RD3
1769 015562 DATERR \N ;ERROR:CANNOT CLR ALL RCR BITS
1770 015604 SCOPE RD2
1771 015612 012777 160375 017574 RD3: MOV #160375,@RCR ;SET ALL SETTABLE BITS IN RCR
1772 015620 012777 177777 017574 MOV #-1,@RDBC ;AND IN RDBC
1773 015626 012777 177777 017570 MOV #-1,@RDBA ;AND IN RDBA
1774 015634 012777 037200 017554 MOV #37200,@RSR ;AND IN RSR
1775 015642 052777 000002 017544 BIS #B01,@RCR ;BOARD INIT
1776 015650 017767 017540 014326 MOV @RCR,BAD ;CHECK RCR
1777 015656 012767 000010 014322 MOV #10,GOOD ;SEE IF RCR = 10
1778 015664 026767 014316 014312 CMP GOOD,BAD
1779 015672 001414 BEQ RD4
1780 015674 DATERR \N ;ERROR:RCR NOT INIT'D BY BD INIT
1781 015716 SCOPE RD3
1782 015724 017767 017466 014252 RD4: MOV @RSR,BAD ;CHECK RSR
1783 015732 005067 014250 CLR GOOD
1784 015736 026767 014244 014240 CMP GOOD,BAD ;RSR = 0?
1785 015744 001414 BEQ RD5
1786 015746 DATERR \N ;ERROR:RSR NOT CLR'D BY BD INIT
1787 015770 SCOPE RD3
1788 015776 017767 017420 014200 RD5: MOV @RDBC,BAD ;CHECK RDBC
1789 016004 005067 014176 CLR GOOD
1790 016010 026767 014172 014166 CMP GOOD,BAD ;RDBC = 0?
1791 016016 001414 BEQ RD6
1792 016020 DATERR \N ;ERROR:RDBC NOT CLR'D BY BD INIT
1793 016042 SCOPE RD3
1794 016050 017767 017350 014126 RD6: MOV @RDBA,BAD ;CHECK RDBA
1795 016056 005067 014124 CLR GOOD
1796 016062 026767 014120 014114 CMP GOOD,BAD ;RDBA = 0?
1797 016070 001414 BEQ RD7
1798 016072 DATERR \N ;ERROR:RDBA NOT CLR'D BY BD INIT
1799 016114 SCOPE RD3
1800 016122 004767 013226 RD7: JSR PC,MONIT
1801 016126 032777 010000 013614 BIT #B12,@SR ;CHECK SW 12
1802 016134 001402 BEQ RDRT
1803 016136 000167 177276 JMP RCRST ;STAY IN THIS LOOP IF SW 12 = 1
1804 016142 000207 RDRT: RTS PC

```

```

1806                      .SBTTL  RDBC TEST
1807
1808                      ;BYTE COUNT REG DATA TEST
1809
1810 016144                RBCTST: BDINIT  RCVR                ;INIT RCVR MODULE
1811 016152 012767 177777 017146          MOV    #-1,PAT      ;SET PATTERN
1812 016160 012767 000001 017142          MOV    #B00,MASK    ;SET BIT MASK
1813 016166 016767 017134 014012  RB1:    MOV    FAT,GOOD     ;LOAD 'GOOD' WITH PATTERN
1814 016174 016777 014006 017220          MOV    GOOD,@RDBC    ;LOAD PATTERN INTO RDBC
1815 016202 017767 017214 013774          MOV    @RDBC,BAD     ;READ RDBC
1816 016210 026767 013772 013766          CMP    GOOD,BAD     ;DATA OK?
1817 016216 001414          BEQ    RB2
1818 016220          DATERR  \N
1819 016242          SCOPE  RB1
1820 016250 032767 100000 017050  RB2:    BIT    #B15,PAT      ;DONE WHOLE REGISTER?
1821 016256 001407          BEQ    RB3                        ;IF YES, DONE
1822 016260 046767 017044 017040          BIC    MASK,PAT      ;NO, PREPARE FOR NEXT BIT
1823 016266 006367 017036          ASL    MASK                ;ROTATE MASK
1824 016272 000167 177670          JMP    RB1                ;AND CONTINUE
1825 016276 004767 013052          RB3:    JSR    PC,MONIT
1826 016302 032777 010000 013440          BIT    #B12,@SR      ;IF SO, CONSIDER LEAVING
1827 016310 001402          BEQ    RBRT                      ;EXIT IF SW 12 = 0
1828 016312 000167 177626          JMP    RBCTST             ;STAY HERE IF SW 12 = 1
1829 016316 000207          RBRT:   RTS    PC

```

```

1831 .SBTTL RDBA TEST
1832
1833 ;BYTE ADDRESS REG DATA TEST
1834
1835 016320 RBATST: BDINIT RCVR ;INIT RECEIVER MODULE
1836 016326 012767 177777 016772 MOV #-1,PAT ;SET PATTERN
1837 016334 012767 000001 016766 MOV #B00,MASK ;SET BIT MASK
1838 016342 016767 016760 013636 RC1: MOV PAT,GOOD ;LOAD 'GOOD' WITH PATTERN
1839 016350 016777 013632 017046 MOV GOOD,@RDBA ;LOAD PATTERN INTO RDBA
1840 016356 017767 017042 013620 MOV @RDBA,BAD ;READ RDBA
1841 016364 026767 013616 013612 CMP GOOD,BAD
1842 016372 001414 BEQ RC2
1843 016374 DATERR \N ;ERROR:BAD DATA IN RDBA REG
1844 016416 SCOPE RC1
1845 016424 032767 100000 016674 RC2: BIT #B15,PAT ;DONE WHOLE REGISTER?
1846 016432 001407 BEQ RC3 ;IF YES, DONE
1847 016434 046767 016670 016664 BIC MASK,PAT ;NO, PREPARE FOR NEXT BIT
1848 016442 006367 016662 ASL MASK ;ROTATE MASK
1849 016446 000167 177670 JMP RC1 ;AND CONTINUE
1850 016452 004767 012676 RC3: JSR PC,MONIT
1851 016456 032777 010000 013264 BIT #B12,@SR ;EXIT IF SW 12 = 0
1852 016464 001402 BEQ RCRT
1853 016466 000167 177626 JMP RBATST ;STAY HERE IF SW 12 = 1
1854 016472 000207 RCRT: RTS PC

```

```

1856 .SBTTL DATA SILO TEST
1857
1858 ;RECEIVER DATA SILO TEST
1859
1860 SLOTST: BDINIT RCVR ;CLEAR RCVR MODULE
1861 JSR R5,DELAY
1862 .WORD 10
1863 BIT #B08,@RSR ;SILO OUTPUT READY?
1864 BEQ RE1
1865 ERROR \N ;ERROR:BD INIT DID NOT CLR SILO
1866 SCOPE SLOTST
1867 BIT #B03,@RCR ;SILO INPUT RDY?
1868 BNE RE2
1869 ERROR \N ;ERROR:BD INIT DID NOT SET SILO INPUT RDY
1870 SCOPE SLOTST
1871 BIS #B07,@RCR ;SET LD SILO BIT
1872 MOV #-1,@RDDDB ;LOAD 177777 INTO DATA SILO
1873 BIC #B07,@RCR ;CLR LD SILO BIT
1874 JSR R5,DELAY
1875 .WORD 10
1876 BIT #B08,@RSR ;SILO OUTPUT RDY NOW?
1877 BNE RE3
1878 ERROR \N ;ERROR:NO SILO OUTPUT AFTER LOAD
1879 BDINIT RCVR ;CLR SILO
1880 SCOPE RE2
1881 MOV @RDDDB,BAD ;POP WORD FROM SILO
1882 MOV #-1,GOOD
1883 CMP GOOD,BAD ;SILO OUTPUT = 177777
1884 BEQ RE4
1885 DATERR \N ;ERROR:DROPPED BITS IN DATA SILO
1886 BDINIT RCVR
1887 SCOPE RE2
1888 BIT #B08,@RSR ;SILO OUTPUT RDY?
1889 BEQ RE5
1890 ERROR \N ;ERROR:WORD DID NOT GET POPPED FROM SILO
1891 SCOPE RE3
1892 BIT #B03,@RCR ;SILO INPUT RDY?
1893 BNE RE6
1894 ERROR \N ;ERROR:SILO INPUT NOT READY
1895 SCOPE RE5
1896 BIS #B07,@RCR ;SET LD SILO BIT
1897 CLR @RDDDB ;LOAD 0'S INTO SILO
1898 BIC #B07,@RCR ;CLR LD SILO BIT
1899 BIT #B08,@RSR ;SILO OUTPUT RDY?
1900 BEQ RE7 ;WAIT FOR IT
1901 MOV @RDDDB,BAD ;READ SILO OUTPUT
1902 CLR GOOD
1903 CMP GOOD,BAD ;SILO OUTPUT = 0?
1904 BEQ RE7A
1905 DATERR \N ;ERROR:PICKED UP BITS IN DATA SILO
1906 BDINIT RCVR ;CLR SILO
1907 SCOPE RE6
1908 JSR PC,CLRCBF ;MAKE SURE BUFF IS CLR
1909 BLINIT RCVR ;CLR RCVR BOARD
1910 BIS #B07,@RCR ;SET LD SILO BIT
1911 MOV #SILDAT,R4 ;R4 POINTS TO DATA FOR SILO

```

1912	017224	012703	177700			MOV	#-64.,R3		;R3 COUNTS WORDS
1913	017230	012477	016164			RE9: MOV	(R4)+,@Rddb		;LOAD DATA INTO SILO
1914	017234	005203				INC	R3		
1915	017236	001374				BNE	RE9		;KEEP LOADING FOR 64 WORDS
1916	017240	032777	000010	016146		BIT	#B03,@RCR		;FULL...IS SILO INPUT RDY?
1917	017246	001414				BEQ	RE10		
1918	017250					ERROR	\N		;ERROR:FULL SILO STILL RDY FOR INPUT
1919	017272					SCOPE	RE8		
1920	017300	042777	000200	016106	RE10:	BIC	#B07,@RCR		;CLR LD SILO BIT
1921	017306	012777	177600	016106		MOV	#-128.,@RDBC		;SET UP BYTE COUNT FOR 64 WORDS
1922	017314	012777	033426	016102		MOV	#CMPBUF,@RDBA		;POINT INTERF AT 64 WD BUFFER
1923	017322	052777	040000	016064		BIS	#B14,@RCR		;SET RC NPR
1924	017330	016704	012416			MOV	DLCON,R4		
1925	017334	012703	177500		RE10A:	MOV	#177500,R3		;SET UP FOR 2 MS DELAY
1926	017340	005777	016056		RE11:	TST	@RDBC		;IS BYTE COUNT 0?
1927	017344	001420				BEQ	RE12		
1928	017346	005203				INC	R3		;WAITED 2 MS ?
1929	017350	001373				BNE	RE11		;NO, KEEP LOOKING
1930	017352	005304				DEC	R4		
1931	017354	001367				BNE	RE10A		
1932	017356					ERROR	\N		;ERROR:NPR NOT COMPLETE AFTER 2 MS
1933	017400					SCOPE	RE8		
1934	017406	042777	040000	016000	RE12:	BIC	#B14,@RCR		;CLEAR RC NPR
1935	017414	012702	033026			MOV	#SILDAT,R2		;SET UP TO CHECK SILO OUTPUT
1936	017420	012703	033426			MOV	#CMPBUF,R3		;R2 & R3 ARE DATA POINTERS
1937	017424	012704	177700			MOV	#-64.,R4		;R4 IS COUNTER
1938	017430	012267	012552		RE13:	MOV	(R2)+,GOOD		;GET GOOD DATA
1939	017434	012367	012544			MOV	(R3)+,BAD		;GET SILO DATA
1940	017440	026767	012542	012536		CMP	GOOD,BAD		;COMPARE MEM BUFFERS
1941	017446	001414				BEQ	RE14		
1942	017450					DATERR	\N		;ERROR:DATA FROM SILO IS WRONG
1943	017472					SCOPE	RE8		
1944	017500	005204			RE14:	INC	R4		;DONE COMPARE?
1945	017502	001352				BNE	RE13		
1946	017504	032777	000400	015704		BIT	#B08,@RSR		;YES,SEE IF SILO WAS EMPTIED
1947	017512	001414				BEQ	RE15		
1948	017514					ERROR	\N		;ERROR:SILO OUT RDY, BUT SILO SHD BE EMPTY
1949	017536					SCOPE	RE8		

```

1951                                .SBTTL DATA SILO BLOCK COUNTER TEST
1952
1953                                ;THIS TESTS THAT, AFTER PUTTING 200 (OCTAL) WORDS INTO THE DATA SILO
1954                                ;THE BLOCK COUNTER COUNTS THE 200 WORDS AND HOLDS SILO INPUT READY
1955                                ;IN THE FALSE STATE.
1956
1957 017544 RE15: BDINIT RCVR                                ;CLEAR THE BOARD
1958 017552 MOV #64.,R2
1959 017556 JSR PC,RESR                                ;PUT 100 (OCTAL) WORDS INTO SILO
1960 017562 JSR PC,REEMT                                ;EMPTY IT VIA NPR
1961 017566 MOV #20,R2
1962 017572 JSR PC,RESR                                ;PUT 20 (OCTAL) WORDS INTO SILO
1963 017576 JSR PC,REEMT                                ;EMPTY IT AGAIN
1964 017602 MOV #60,R2
1965 017606 JSR PC,RESR                                ;PUT 60 (OCTAL) WORDS INTO SILO
1966                                         ; MAKING A TOTAL OF 200 IN WHILE
1967                                         ; THERE IS ROOM FOR 20 MORE.
1968 017612 032777 000010 015574 BIT #B03,@RCR                                ;IS SILO INPUT READY?
1969 017620 001414 BEQ RE16                                ;IF NOT, OKAY
1970 017622 ERROR \N                                ;ERROR: INPUT READY AFTER A 200 WORD BLOCK
1971 017644 SCOPE RE15
1972 017652 RE16: BDINIT RCVR
1973 017660 004767 011470 JSR PC,MONIT
1974 017664 032777 010000 012056 BIT #B12,@SR                                ;CHECK SW 12
1975 017672 001402 BEQ RERT                                ;STAY IN THIS TEST IF SW 12 = 1
1976 017674 000167 176574 JMP SLOTST
1977 017700 000207 RERT: RTS PC                                ;ROUTINE TO CLR BUFFER AREA
1978 017702 012703 177700 CLRCBF: MOV #-64.,R3
1979 017706 012704 033426 MOV #CMPBUF,R4
1980 017712 005024 RECB: CLR (R4)+
1981 017714 005203 INC R3
1982 017716 001375 BNE RECB
1983 017720 000207 RTS PC
1984
1985                                ;ROUTINE TO FILL DATA SILO WITH (R2) NUMBER OF WORDS
1986
1987 017722 052777 000200 015464 RESR: BIS #B07,@RCR                                ;SET LOAD SILO
1988 017730 010203 MOV R2,R3
1989 017732 012777 012345 015460 RESRW: MOV #12345,@RDDB                                ;LOAD A WORD
1990 017740 005303 DEC R3                                ;KEEP TRACK OF # OF WORDS
1991 017742 001373 BNE RESRW
1992 017744 042777 000200 015442 BIC #B07,@RCR                                ;LEAVE WITH LD SILO CLR
1993 017752 000207 RTS PC
1994
1995                                ;ROUTINE TO EMPTY DATA SILO VIA RC NPR
1996
1997 017754 012777 177600 015440 REEMT: MOV #-128.,@RDBC                                ;SET BYTE COUNT TO EMPTY SILO
1998 017762 012777 033426 015434 MOV #CMPBUF,@RDBA                                ;POINT SILO AT DAT BUFFER
1999 017770 052777 040000 015416 BIS #B14,@RCR                                ;START NPR
2000 017776 016704 011750 MOV DLCON,R4
2001 020002 012703 175000 REEMT1: MOV #175000,R3                                ;SET UP TO WAIT FOR COMPL
2002 020006 005203 REMTW: INC R3
2003 020010 001376 BNE REMTW                                ;WAIT FOR NPR COMPLETION
2004 020012 005077 015376 CLR @RCR                                ;CLEAR RC NPR
2005 020016 005304 DEC R4
2006 020020 001370 BNE REEMT1

```

CZPLBBO PCL11 STND ALN V02A
PCLTST.P11 12-SEP-78 15:13

MACY11 30A(1052) 18-OCT-78 14:35^{L 4} PAGE 33-1
DATA SILO BLOCK COUNTER TEST

SEQ 0050

2007 020022 000207

RTS PC

;RETURN WITH SILO EMPTY

CZ
PC

```
2009 .SBTTL RSR TEST
2010
2011 ;RCVR STATUS REG & ERRORS TEST
2012
2013 RSRTST: BDINIT RCVR ;CLEAR THE BOARD
2014 020024 052777 020000 015354 BIS #B13,@RCR ;SET RCV WD
2015 020032 032777 000100 015350 BIT #B06,@RSR ;IS BUSY SET?
2016 020040 001014 BNE RF1
2017 020046 001014 ERROR \N ;ERROR:RCV WD DID NOT SET BUSY
2018 020050 SCOPE RSRTST
2019 020072 052777 000200 015310 RF1: BIS #B07,@RSR ;SET SUC XFR
2020 020100 032777 000200 015302 BIT #B07,@RSR ;IS SUC XFR SET?
2021 020114 001014 BNE RF2
2022 020116 001014 ERROR \N ;ERROR:CANNOT SET RSR BIT 07
2023 020140 SCOPE RF1
2024 020146 032777 020000 015240 RF2: BIT #B13,@RCR ;IS RCV WD CLR?
2025 020154 001414 BEQ RF3
2026 020156 001414 ERROR \N ;ERROR:SUC XFR DID NOT CLR RCV WD
2027 020200 SCOPE RSRTST
2028 020206 042777 000200 015202 RF3: BIC #B07,@RSR ;CLR SUC XFR
2029 020214 032777 000200 015174 BIT #B07,@RSR ;SEE IF IT CLR'D
2030 020222 001414 BEQ RF4
2031 020224 001414 ERROR \N ;ERROR:CANNOT CLR SUC XFR
2032 020246 SCOPE RF3
2033 020254 RF4: BDINIT RCVR ;CLEAR THE BOARD
2034 020262 052777 020200 015124 BIS #20200,@RCR ;SET LD SILO & RCV WD
2035 020270 012703 177774 MOV #-4,R3
2036 020274 012777 177777 RF5: MOV #-1,@RDB ;MOVE 4 -1'S INTO SILO
2037 020302 000240 NOP
2038 020304 000240 NOP
2039 020306 005203 INC R3
2040 020310 001371 BNE RF5
2041 020312 012777 177776 RF6: MOV #-2,@RDBC ;SET BYTE COUNT FOR 1 WORD
2042 020320 052777 000004 015066 BIS #B02,@RCR ;SET INH ADDR INC
2043 020326 012777 033426 015070 MOV #CMPBUF,@RDBA ;POINT NPR TO MEM BUFF.
2044 020334 052777 040000 015052 BIS #B14,@RCR ;START NPR
2045 020342 005777 015054 RF7: TST @RDBC ;BYTE COUNT = 0?
2046 020346 001375 BNE RF7
2047 020350 032777 000400 015040 BIT #B08,@RSR ;SILO OUTPUT RDY?
2048 020356 001014 BNE RF8
2049 020360 001014 ERROR \N ;ERROR:SILO SHOULD NOT BE EMPTY
2050 020402 SCOPE RF4
2051 020410 012767 033426 011570 RF8: MOV #CMPBUF,GOOD ;BYTE ADDRESS SHD NOT INCREMENT
2052 020416 017767 015002 011560 MOV @RDBA,BAD ;READ BYTE ADDRESS
2053 020424 026767 011556 011552 CMP GOOD,BAD ;SAME AS BEFORE?
2054 020432 001414 BEQ RF9
2055 020434 001414 DATERR \N ;ERROR:RCR BIT 2 DID NOT INH ADR INCREMENT
2056 020456 SCOPE RF4
2057 020464 032777 001000 014724 RF9: BIT #B09,@RSR ;IS BYTE COUNT OFL SET?
2058 020472 001014 BNE RF9A
2059 020474 001014 ERROR \N ;ERROR:RDBC =0, SILO NOT EMPTY, BUT BC OFL 0
2060 020516 SCOPE RF4
2061 020524 032777 100000 014664 RF9A: BIT #B15,@RSR ;IS RSR BIT 15 SET?
2062 020532 001014 BNE RF10 ;IF YES, CHECK FOR INTR REQ
2063 020534 001014 ERROR \N ;ERROR:BYTE COUNT OFL DID NOT SET RSR BIT 15
2064 020556 SCOPE RF4
```

2065	020564	032777	020000	014622	RF10:	BIT	#B13,@RCR
2066	020572	001414				BEG	RF11
2067	020574					ERROR	\N
2068	020616					SCOPE	RF4
2069	020624				RF11:	BDINIT	RCVR
2070	020632	052777	020000	014554		BIS	#B13,@RCR
2071	020640	052777	002000	014550		BIS	#B10,@RSR
2072	020646	032777	002000	014542		BIT	#B10,@RSR
2073	020654	001014				BNE	RF12
2074	020656					ERROR	\N
2075	020700					SCOPE	RF11
2076	020706	032777	100000	014502	RF12:	BIT	#B15,@RSR
2077	020714	001014				BNE	RF13
2078	020716					ERROR	\N
2079	020740					SCOPE	RF11
2080	020746	032777	020000	014440	RF13:	BIT	#B13,@RCR
2081	020754	001414				BEG	RF14
2082	020756					ERROR	\N
2083	021000					SCOPE	RF11
2084	021006	005077	014404		RF14:	CLR	@RSR
2085	021012	052777	004000	014376		BIS	#B11,@RSR
2086	021020	032777	004000	014370		BIT	#B11,@RSR
2087	021026	001014				BNE	RF15
2088	021030					ERROR	\N
2089	021052					SCOPE	RF14
2090	021060	032777	100000	014330	RF15:	BIT	#B15,@RSR
2091	021066	001014				BNE	RF16
2092	021070					ERROR	\N
2093	021112					SCOPE	RF14
2094	021120	005077	014272		RF16:	CLR	@RSR
2095	021124	052777	010000	014264		BIS	#B12,@RSR
2096	021132	032777	010000	014256		BIT	#B12,@RSR
2097	021140	001014				BNE	RF17
2098	021142					ERROR	\N
2099	021164					SCOPE	RF16
2100	021172	032777	100000	014216	RF17:	BIT	#B15,@RSR
2101	021200	001014				BNE	RF18
2102	021202					ERROR	\N
2103	021224					SCOPE	RF16
2104	021232	005077	014160		RF18:	CLR	@RSR
2105	021236	052777	020000	014152		BIS	#B13,@RSR
2106	021244	032777	020000	014144		BIT	#B13,@RSR
2107	021252	001014				BNE	RF19
2108	021254					ERROR	\N
2109	021276					SCOPE	RF18
2110	021304	032777	100000	014104	RF19:	BIT	#B15,@RSR
2111	021312	001014				BNE	RF20
2112	021314					ERROR	\N
2113	021336					SCOPE	RF18

```

;IS RCV WD 0?
;ERROR:BC OFL DID NOT REQUEST INTERRUPT

;SET RCV WD
;SET TIMEOUT
;IS TIMEOUT SET?

;ERROR:CANNOT SET RSR BIT 10

;IS ERROR BIT SET?

;ERROR:TIMEOUT DIDN'T SET RSR BIT 15

;IS RCV WD CLR?

;ERROR:RSR BIT 15 DIDN'T REQUEST INTERRUPT

;CLEAR RSR
;SET PAR (PARITY ERROR) BIT
;IS IT SET?

;ERROR:CANNOT SET RSR BIT 11

;IS ERROR BIT SET?

;ERROR:PAR ERR DIDN'T SET RSR BIT 15

;CLEAR RSR
;SET TXM ERR
;IS IT SET?

;ERROR:CANNOT SET RSR BIT 12

;IS ERROR BIT SET?

;ERROR:TXM ERR DIDN'T SET RSR BIT 15

;CLEAR RSR
;SET MEM OFL
;IS IT SET?

;ERROR:CANNOT SET RSR BIT 13

;IS ERROR BIT SET?

;ERROR:MEM OFL DIDN'T SET RSR BIT 15

```

```

2115 ;ERROR GENERATION TESTS
2116
2117 021344 RF20: BDINIT RCVR ;CLEAR THE BOARD
2118 021352 052777 000200 014034 BIS #B07,@RCR ;SET LD SILO BIT
2119 021360 012777 177777 014032 MOV #-1,@Rddb ;LOAD A WORD INTO SILO
2120 021366 032777 000400 014022 RF21: BIT #B08,@RSR ;SILO OUTPUT RDY?
2121 021374 001774 BEQ RF21 ;WAIT FOR IT
2122 021376 042777 000200 014010 BIC #B07,@RCR ;CLEAR LD SILO BIT
2123 021404 012777 177774 014010 MOV #-4,@RDBC ;SET BYTE COUNT FOR 1 WD XFER
2124 021412 012777 164176 014004 MOV #164176,@RDBA ;PUT NON-EXST LOC IN RDBA
2125 021420 052777 040060 013766 BIS #40060,@RCR ;START NPR AND SET EXT ADD BITS
2126 021426 000240 NOP
2127 021430 000240 NOP
2128 021432 005777 013764 TST @RDBC ;IS BYTE COUNT 0?
2129 021436 001014 BNE RF22 ;ERROR:REPLACE #764176 (ABOVE) WITH NON-EXST LOC
2130 021440 ERROR \N
2131 021462 SCOPE RF20 ;IS NON EXST LOC SET?
2132 021470 032777 040000 013720 RF22: BIT #B14,@RSR
2133 021476 001014 BNE RF23 ;ERROR:NPR TO NXM DIDN'T SET NON-EXST LOC
2134 021500 ERROR \N
2135 021522 SCOPE RF20
2136 021530 032777 100000 013660 RF23: BIT #B15,@RSR ;IS ERROR BIT SET?
2137 021536 001014 BNE RF24 ;ERROR:NON-EXST LOC DIDN'T SET RSR BIT 15
2138 021540 ERROR \N
2139 021562 SCOPE RF20
2140 021570 RF24: BDINIT RCVR ;CLR BOARD BEFORE LEAVING
2141 021576 004767 007552 JSR PC,MONIT
2142 021602 032777 010000 010140 BIT #B12,@SR ;IS SW 12 SET?
2143 021610 001402 BEQ RFRT
2144 021612 000167 176206 JMP RSRTST ;YES,REPEAT THIS TEST
2145 021616 000207 RFRT: RTS PC

```

```
2147 .SBTTL INTERRUPT TEST
2148
2149 ;RECEIVER INTERRUPT TEST
2150
2151 021620 RINTST: MTPS #P7 ;DIS-ALLOW INTERRUPT
2152 021626 BDINIT RCVR ;CLEAR THE BOARD
2153 021634 016700 013526 MOV RCVEC,R0
2154 021640 012760 000340 000002 MOV #340,2(R0) ;SET NEW PS = P7
2155 021646 012777 021676 013512 MOV #EROINT,@RCVEC ;SET-UP FOR ERROR INTERRUPT
2156 021654 052777 000100 013532 BIS #B06,@RCR ;SET INTERRUPT ENABLE
2157 021662 MTPS #0 ;ALLOW INTERRUPT
2158 021670 000240 NOP
2159 021672 000167 000046 JMP RH0 ;SKIP ?ROR IF NO INTERRUPT
2160 021676 EROINT: MTPS #P7 ;INTERF PT OFF
2161 021704 022626 CMP (SP)+,(SP)+ ;CORRECT STACK
2162 021706 042777 000100 013500 BIC #B06,@RCR ;CLR INTERRUPT ENABLE
2163 021714 ERROR \N ;ERROR:ERRONEOUS INTERRUPT;NO FLAGS SET
2164 021736 SCOPE RINTST
2165 021744 005067 013410 RH0: CLR TMPRIO ;START WITH CP AT PRIORITY 0
2166 021750 012777 022250 013410 MOV #INTRA,@RCVEC ;SET VECTOR FOR GOOD INTERRUPT
2167 021756 RH1: MTPS #P7 ;INTERRUPT OFF
2168 021764 052777 000100 013422 BIS #B06,@RCR ;ENABLE RCVR INTERRUPT
2169 021772 052777 000200 013414 BIS #B07,@RCR ;SET LD SILO BIT
2170 022000 012777 177777 013412 MOV #-1,@R0DB ;PUT A WORD INTO RCVR SILO
2171 022006 042777 000200 013400 BIC #B07,@RCR ;CLR LD SILO BIT
2172 022014 032777 000400 013374 RH1A: BIT #B08,@RSR ;SILO OUTPUT READY?
2173 022022 001774 BEQ RH1A ;WAIT FOR IT
2174 022024 MTPS TMPRIO ;ALLOW INTERRUPT
2175 022032 000240 NOP
2176 022034 000240 NOP
2177 022036 005767 013316 TST TMPRIO ;NO INTERRUPT;IS PSW = 0?
2178 022042 001014 BNE RH2
2179 022044 ERROR \N ;ERROR:NO INTERRUPT FROM RECEIVER
2180 022066 SCOPE RINTST
2181 022074 026767 013272 013256 RH2: CMP RPRIO,TMPRIO ;HAVE WE REACHED EXPECTED PRIORITY?
2182 022102 001414 BEQ RH3
2183 022104 ERROR \N ;ERROR:DEVICE NOT JUMPED TO EXPECTED PRIORITY
2184 022126 SCOPE RINTST
2185 022134 022767 000340 013216 RH3: CMP #340,TMPRIO ;IS PSW = 7?
2186 022142 001426 BEQ RH4
2187 022144 BDINIT RCVR
2188 022152 062767 000040 013200 ADD #40,TMPRIO
2189 022160 012777 022272 013200 RH3S: MOV #INTRA,@RCVEC ;SET VECTOR FOR ERROR INTERRUPT
2190 022166 052777 000100 013220 BIS #B06,@RCR ;ENABLE RCVR INTERRUPT
2191 022174 052777 000200 013214 BIS #B07,@RSR ;FORCE INTERRUPT REQUEST
2192 022202 MTPS TMPRIO ;SET CP TO NEXT PRIORITY
2193 022210 000240 NOP
2194 022212 000240 NOP
2195 022214 000167 177714 JMP RH3
2196 022220 RH4: BDINIT RCVR ;CLEAR THE BOARD
2197 022226 004767 007122 JSR PC,MONIT
2198 022232 032777 010000 007510 BIT #B12,@SR ;SW 12 = 1?
2199 022240 001402 BEQ RHRT
2200 022242 000167 177352 JMP RINTST ;YES,DO THIS TEST OVER
2201 022246 000207 RHRT: RTS ;NO,EXIT
2202
```

CZPLBB0 PCL11 STND ALN V02A MACY11 30A(1052) 18-OCT-78 14:35 D 5
PCLTST.P11 12-SEP-78 15:13 INTERRUPT TEST PAGE 36-1

SEQ 0055

2203	022250				INTRA:	BDINIT	RCVR		;CLR INTERRUPT ETC.
2204	022256	062767	000040	013074		ADD	#40, TMFRIO		;INCR TEMP PRIORITY
2205	022264	022626				CMP	(SP)+, (SP)+		;CORRECT STACK POINTER
2206	022266	000167	177464			JMP	RH1		;TRY AGAIN
2207									
2208	022272	022626			INTRB:	CMP	(SP)+, (SP)+		;PCP THE STACK
2209	022274					BDINIT	RCVR		;CLR EVRYTHING
2210	022302					ERROR	\N		;ERROR:GOT INTR WHITH CP AT HIGHER PRIORITY
2211	022324					SCOPE	RH3S		
2212	022332	000167	177576			JMP	RH3		

```

2214 .SBTTL C.R.C. CHECK
2215
2216 ;CYCLIC REDUNDANCY CHECK CHARACTER TEST
2217
2218 022336 RCRCTS: BDINIT RCVR ;CLR THE BOARD
2219 022344 052777 000200 013042 BIS #B07,@RCR ;SET LD SILO BIT
2220 022352 012702 033226 MOV #SILCRC,R2 ;R2 POINTS TO GOOD CRC'S
2221 022356 012703 033026 MOV #SILDAT,R3 ;R3 POINTS TO MEM DATA
2222 022362 012704 177700 MOV #-64.,R4 ;R4 IS WORD COUNTER
2223 022366 011367 012764 RJ1: MOV (R3),DATWD ;SAVE INPUT WORD
2224 022372 016777 012760 013020 MOV DATWD,@RDD8 ;LOAD SILO
2225 022400 011267 007602 MOV (R2),GOOD ;GET GOOD CRC FOR COMPARISON
2226 022404 017767 013016 007572 MOV @RDCRC,BAD ;GET GENERATED CRC
2227 022412 026767 007570 007564 CMP GOOD,BAD ;IS CRC OK?
2228 022420 001424 BEQ RJ2
2229 022422 PNTM SLIWD ;PRINT 'SILO INPUT WORD WAS '
2230 022432 016700 012720 MOV DATWD,R0
2231 022436 004767 010064 JSR PC,OCTPNT ;PRINT SILO INPUT WORD
2232 022442 DATERR \N ;ERROR:BAD CRC FOR ABOVE WORD
2233 022464 SCOPE RCRCTS
2234 022472 062702 000002 RJ2: ADD #2,R2 ;UPDATE CRC POINTER
2235 022476 062703 000002 ADD #2,R3 ;UPDATE DATA POINTER
2236 022502 005204 INC R4 ;HAVE WE CHECKED 64 WDS?
2237 022504 001330 BNE RJ1
2238 022506 004767 006642 JSR PC,MONIT
2239 022512 032777 010000 007230 BIT #B12,@SR ;CHECK SW 12
2240 022520 001402 BEQ RJRT ;IF 0, EXIT
2241 022522 000167 177610 JMP RCRCTS ;IF 1, STAY
2242 022526 RJRT: BDINIT RCVR ;CLR BOARD BEFORE EXIT
2243 022534 000207 RTS PC

```

```

2245 .SBTTL XMTR-RCVR LOOP TESTS
2246
2247 ;TEST 3 - XMTR - RCVR LOOP TESTS
2248 ; (00) NPR TESTS SILO TO SILO
2249 ; (01) DATA LOOPS TESTS
2250 ; (02) TXM ERRORS TESTS
2251 ; (03) REJECT & TRUNCATE TESTS
2252
2253 N = 300 ;LOOP TEST ERRORS START AT 300
2254
2255 022536 TEST3: MTPS #P7
2256 022544 012767 000010 012550 MOV #10,ITER ;INITIAL ITERATION OF 10 PER PASS
2257 022552 004767 006576 JSR PC,MONIT
2258 022556 032777 002000 007164 BIT #B10,@SR ;CHECK SW 10
2259 022564 001424 BEQ LOOPL ;IF CLR, RUN ALL TESTS
2260 022566 017767 007156 012530 MOV @SR,SWI ;IF SET, START AT TEST # IN SW'S <1:0>
2261 022574 042767 177770 012522 BIC #-10,SWI
2262 022602 026727 012516 000003 CMP SWI,#3 ;DON'T ALLOW SWI > 3
2263 022610 003012 BGT LOOPL
2264 022612 000241 CLC ;CLR C-BIT BEFORE ROTATE
2265 022614 006167 012504 ROL SWI
2266 022620 006167 012500 ROL SWI
2267 022624 062767 022636 012472 ADD #LOOPL,SWI ;GENERATE CORRECT OFFSET
2268 022632 000177 012466 JMP @SWI ;GO TO SELECTED TEST
2269 022636 004767 000120 LOOPL: JSP PC,NPRTST ;CHECK NPR ..SILO TO SILO
2270 022642 004767 000710 JSR PC,DATLPS ;DO DATA LOGPS TEST
2271 022646 004767 003236 JSR PC,TXMERS ;CHECK TXM ERRORS
2272 022652 004767 005520 JSR PC,XRC20 ;DO REJECT AND TRUNCATE TEST
2273 022656 032777 004000 007064 BIT #B11,@SR ;CHECK SW 11
2274 022664 001003 BNE TREND ;PRINT END IF SET
2275 022666 005367 012430 DEC ITER ;OTHERWISE, RE-ITERATE
2276 022672 001361 BNE LOOPL
2277 022674 005767 012446 TREND: TST $4FLAG ;TEST END PASS INHIBIT FLAG
2278 022700 001027 BNE REPETL ;CAN'T PRINT, EXIT.
2279 022702 005267 012430 INC PSN03 ;UPDATE PASS NO.
2280 022706 PNTM PEND ;PRINT 'END PASS # '
2281 022716 016700 012414 MOV PSN03,R0 ;PRINT PASS NO.
2282 022722 004767 007654 JSR PC,DECPNT
2283 022726 012700 000040 MOV #40,R0 ;PRINT A SPACE
2284 022732 004767 010034 JSR PC,TTO
2285 022736 012700 000102 MOV #'B,R0 ;PRINT 'B' (TO INDICATE 'LOOP TEST)
2286 022742 004767 010024 JSR PC,TTO
2287 022746 005000 CLR R0 ;PRINT NULLS TO ALLOW PRINT
2288 022750 004767 010016 JSR PC,TTO ;OF PASS NO. IN CASE RESET FOLLOWS
2289 022754 004767 010012 JSR PC,TTO ;RETURN
2290 022760 000207 REPETL: RTS PC

```

					.SBTTL	NPR TESTS	
2292							
2293							
2294	022762				NPRTEST:	BDINIT	RCVR ;CLEAR RECEIVER
2295	022770					BDINIT	XMTR ;CLEAR XMTR
2296	022776	012777	010400	012402		MOV	#10400,@TMMR ;SET MASTER AND AUTO ADDR
2297	023004	004767	000424			JSR	PC,FILRCV ;FILL RCVR SILO
2298	023010	012777	177600	012404		MOV	#-128,@RDBC ;SET UP RCVR TO INITIATE
2299	023016	016777	012356	012400		MOV	TSDB,@RDBA ;NPR TO XMTR SILO
2300	023024	012777	040064	012362		MOV	#40064,@RCR ;START NPR, INHIB ADDR INCR
2301	023032	016702	006714			MOV	DLCON,R2
2302	023036	005003			NPTST1:	CLR	R3
2303	023040	012704	177777			MOV	#-1,R4 ;SET UP FOR DELAY
2304	023044	022777	000200	012330	XRA1:	CMP	#128,@TSBC ;TRANSFERRED 64 WORDS?
2305	023052	001422				BEQ	XRA2 ;NO, KEEP LOOKING FOR A SECOND
2306	023054	005203				INC	R3
2307	023056	001372				BNE	XRA1
2308	023060	005204				INC	R4
2309	023062	001370				BNE	XRA1
2310	023064	005302				DEC	R2
2311	023066	001363				BNE	NPTST1
2312	023070					ERROR	\N ;ERROR:RCVR NPR NOT COMPLETE IN TIME
2313	023112					SCOPE	NPRTEST
2314	023120	004767	000352		XRA2:	JSR	PC,CHXDAT ;CHECK DATA IN XMTR SILO
2315	023124	000414				BR	XRA2A ;DATA O.K., CONTINUE
2316	023126					DATERR	\N ;ERROR:BAD DATA NPR'D TO XMTR SILO
2317	023150					SCOPE	NPRTEST
2318	023156	005777	012240		XRA2A:	TST	@RDBC ;CHECK THAT RDBC = 0
2319	023162	001421				BEQ	XRA3
2320	023164	005067	007016			CLR	GOOD
2321	023170	017767	012226	007006		MOV	@RDBC,BAD
2322	023176					DATERR	\N ;ERROR:RCV BYTE COUNT SHD BE 0 AT END OF NPR
2323	023220					SCOPE	NPRTEST
2324	023226				XRA3:	BDINIT	XMTR ;CLR XMTR
2325	023234					BDINIT	RCVR ;CLR RCVR
2326	023242	004767	000166			JSR	PC,FILRCV ;FILL RECEIVER SILO
2327	023246	012777	177600	012126		MOV	#-128,@TSBC ;SET UP FOR XMTR TO INITIATE
2328	023254	016777	012140	012122		MOV	RDD8,@TSBA ;NPR FROM RCVR SILO
2329	023262	012777	040064	012104		MOV	#40064,@TCR ;SET TX NPR, INHIB ADR INC
2330	023270	016702	006456			MOV	DLCON,R2
2331	023274	005003			XRA3A:	CLR	R3
2332	023276	012704	177777			MOV	#-1,R4 ;SET UP FOR 1 SEC DELAY
2333	023302	005777	012074		XRA4:	TST	@TSBC ;TRANSFERRED 64 WORDS?
2334	023306	001422				BEQ	XRA5 ;IF NOT, WATCH FOR A SECOND
2335	023310	005203				INC	R3
2336	023312	001373				BNE	XRA4
2337	023314	005204				INC	R4
2338	023316	001371				BNE	XRA4
2339	023320	005302				DEC	R2
2340	023322	001364				BNE	XRA3A
2341	023324					ERROR	\N ;ERROR:XMTR NPR NOT COMPLETE IN 1 SEC
2342	023346					SCOPE	XRA3
2343	023354	004767	000116		XRA5:	JSR	PC,CHXDAT ;CHK DATA IN XMTR SILO
2344	023360	000414				BR	XRA6
2345	023362					DATERR	\N ;ERROR:BAD DATA NPR'D TO XMTR SILO
2346	023404					SCOPE	XRA3
2347	023412	004767	005736		XRA6:	JSR	PC,MONIT

2348	023416	032777	010000	006324	BIT	#B12,@SR	:SW 12 = 1?
2349	023424	001402			BEQ	XRART	:NO, EXIT
2350	023426	000167	177330		JMP	NPRTST	:YES, STAY HERE
2351	023432	000207			XRART:	RTS	
2352	023434	012700	033026		FILRCV:	MOV	#SILDAT,R0
2353	023440	012777	000200	011746		MOV	#B07,@RCR
2354	023446	012701	000100			MOV	#64.,R1
2355	023452	012077	011742		LDLP:	MOV	(R0)+,@RDDDB
2356	023456	004567	160650			JSR	R5,DELAY
2357	023462	000005				.WORD	5
2358	023464	005301				DEC	R1
2359	023466	001371				BNE	LDLP
2360	023470	005077	011720			CLR	@RCR
2361	023474	000207				RTS	PC
2362							
2363	023476	012702	000100		CHXDAT:	MOV	#64.,R2
2364	023502	012701	033026			MOV	#SILDAT,R1
2365	023506	052777	000200	011660		BIS	#B07,@TCR
2366	023514	017767	011660	006462	XRCNT:	MOV	@TSDB,BAD
2367	023522	012167	006460			MOV	(R1)+,GOOD
2368	023526	026767	006454	006450		CMP	GOOD,BAD
2369	023534	001005				BNE	XRERXT
2370	023536	005302				DEC	R2
2371	023540	001365				BNE	XRCNT
2372	023542	005077	011626		XRLV:	CLR	@TCR
2373	023546	000207				RTS	PC
2374	023550	062716	000002		XRERXT:	ADD	#2,(SP)
2375	023554	000772				BR	XRLV

```
2377          .SBTTL DATA LOOPS TESTS
2378
2379 023556          DATLPS: BDINIT XMTR          ;CLR XMTR
2380 023564          BDINIT RCVR          ;CLR RCVR
2381 023572 012777 177777 011600          MOV #1,@TSDB ;LOAD A WORD INTO TXM SILO
2382 023600 012777 010400 011600          MOV #10400,@TMMR ;SET MASTER FLOP & SET AUTO ADDR
2383 023606 012777 177776 011606          MOV #2,@RDBC ;SET BYTE COUNT FOR 1 WORD
2384 023614 016777 011530 011552          MOV RCAD,@TCR ;LOAD DESTINATION CODE
2385 023622 052777 020000 011564          BIS #B13,@RCR ;SET RCV WD
2386 023630 012777 177776 011544          MOV #2,@TSBC ;SET XMTR BYTE CNT FOR 1 WORD
2387 023636 052777 020000 011530          BIS #B13,@TCR ;SET SEND WORD
2388 023644 016704 006102          MOV DLCON,R4
2389 023650 012703 177500          DTLPS1: MOV #177500,R3 ;SET UP 2 MS DELAY
2390 023654 005777 011536          XRB1: TST @RSR ;ANY ERRORS?
2391 023660 100427          BMI 2$ ;YES
2392 023662 032777 000400 011526          BIT #B08,@RSR ;IS DAT OUTP RDY SET IN RCVR?
2393 023670 001020          BNE 1$
2394 023672 005203          INC R3 ;WAIT A COUPLE OF MS FOR IT
2395 023674 001367          BNE XRB1
2396 023676 005304          DEC R4
2397 023700 001363          BNE DTLPS1
2398 023702          ERROR \N ;ERROR:DAT OUTP RDY IN RCVR NOT SET IN 2 MS.
2399 023724          SCOPE DATLPS
2400 023732 005777 011460          1$: TST @RSR ;ANY HARD ERRORS?
2401 023736 100030          BPL XRB2
2402 023740          2$: ERROP \N ;ERROR: HARD ERROR ON 1 WD XFER
2403 023762 032777 040000 005760          BIT #B14,@SR ;CHECK FOR PRINT INHIBIT
2404 023770 001013          BNE XRB2 ;SKIP EXT PRINTOUT IF SW 14=1
2405 023772          PNTM RCSTAT ;ELSE PRINT 'RECEIVER STATUS - ''
2406 024002 017700 011410          MOV @RSR,R0 ;PRINT CONTENTS OF RSR
2407 024006 004767 006514          JSR PC,OCTPNT
2408 024012          SCOPE DATLPS
2409 024020 105777 011352          XRB2: TSTB @TSR ;IS SUC TXF SET IN XMTR?
2410 024024 100433          BMI XRB3
2411 024026          ERROR \N ;ERROR:SUC TXF IN XMTR NOT SET IN 2 MS.
2412 024050 005777 011322          TST @TSR ;ANY HARD ERRORS?
2413 024054 100014          BPL XRB3
2414 024056 032777 040000 005664          BIT #B14,@SR ;CHECK IF PRINT ALLOWED
2415 024064 001010          BNE XRB3 ;IF NOT, SKIP IT.
2416 024066          PNTM TXSTAT ;IF SO, PRINT 'TRANSMITTER STATUS - ''
2417 024076 017700 011274          MOV @TSR,R0 ;PRINT CONTENTS OF TSR
2418 024102 004767 006420          JSR PC,OCTPNT
2419 024106          XRB3: SCOPE DATLPS
2420 024114 012767 177777 006064          MOV #1,GOOD ;CHECK DATA RECEIVED
2421 024122 017767 011272 006054          MOV @Rddb,BAD ;IS IT O.K. ?
2422 024130 026767 006052 006046          CMP GOOD,BAD
2423 024136 001414          BEQ XRB4
2424 024140          DATERR \N ;ERROR:DATA RECEIVED IS WRONG (DROPPED BITS)
2425 024162          SCOPE DATLPS
2426 024170 016767 011156 006010          XRB4: MOV TRAD,GOOD ;GET TRANSMITTER TDM BUS ADDRESS
2427 024176 017767 011212 006000          MOV @RCR,BAD ;READ IDENT BITS IN RCR
2428 024204 042767 160377 005772          BIC #160377,BAD ;IGNORE ALL OTHER BITS
2429 024212 026767 005770 005764          CM GOOD,BAD ;D.C. RECEIVED OK?
2430 024220 001414          BEQ XRB4C
2431 024222          DATERR \N ;ERROR:XMTR IDENT BITS NOT REC'D BY RCVR
2432 024244          SCOPE DATLPS
```

```
2433 024252          XRB4C: BDINIT XMTR          ;CLR XMTR
2434 024260          BDINIT RCVR          ;CLR RCVR
2435 024266 012777 000000 011104          MOV #0,@TSDB ;LOAD A WORD OF 0'S INTO SILO
2436 024274 012777 177776 011100          MOV #-2,@TSBC ;SET BYTE CNT FOR 1 WORD
2437 024302 012777 177776 011112          MOV #-2,@RDBC
2438 024310 016777 011034 011056          MOV RCAD,@TCR ;POINT XMTR AT RCVR
2439 024316 052777 020000 011070          BIS #B13,@RCR ;SET RCV WD
2440 024324 052777 020000 011042          BIS #B13,@TCR ;SET SND WD
2441 024332 016704 005414          MOV DLCON,R4
2442 024336 012703 177570          XRB4D: MOV #177570,R3 ;SET UP 2 MS DELAY
2443 024342 005777 011050          XRB5: TST @RSR ;ANY ERRORS?
2444 024346 100427          BMI 2$ ;YES, ERROR
2445 024350 032777 000400 011040          BIT #F08,@RSR ;DATA OUTPUT READY YET?
2446 024356 001020          BNE 1$ ;WAIT A COUPLE OF MS FOR IT
2447 024360 005203          INC R3
2448 024362 001367          BNE XRB5
2449 024364 005304          DEC R4
2450 024366 001363          BNE XRB4D
2451 024370          ERROR \N ;ERROR:DAT OUTP RDY IN RCVR NOT SET IN 2 MS.
2452 024412          SCOPE XRB4C
2453 024420 005777 010772          1$: TST @RSR ;ANY HARD ERRORS IN RCVR?
2454 024424 100030          BPL XRB6
2455 024426          ERROR \N ;ERROR:HARD ERROR ON 1 WD XFER
2456 024450 032777 040000 005272          BIT #B14,@SR ;CHECK IF PRINT ALLOWED
2457 024456 001013          BNE XRB6 ;IF NOT, SKIP IT.
2458 024460          PNTM RCSTAT ;IF SO, PRINT 'RECEIVER STATUS = ''
2459 024470 017700 010722          MOV @RSR,R0 ;PRINT CONTENTS OF RSR
2460 024474 004767 006026          JSR PC,OCTPNT
2461 024500          SCOPE XRB4C
2462 024506 105777 010664          XRB6: TSTB @TSR ;IS SUC TXF SET IN XMTR?
2463 024512 100433          BMI XRB7
2464 024514          ERROR \N ;ERROR:SUC TXF IN XMTR NOT SET IN 2 MS.
2465 024536 005777 010634          TST @TSR ;ANY HARD ERRORS IN XMTR?
2466 024542 100014          BPL XRB6S
2467 024544 032777 040000 005176          BIT #B14,@SR ;CHECK IF PRINT ALLOWED
2468 024552 001010          BNE XRB6S ;IF NOT, SKIP IT
2469 024554          PNTM TXSTAT ;IF SO, PRINT 'TRANSMITTER STATUS = ''
2470 024564 017700 010606          MOV @TSR,R0 ;PRINT CONTENTS OF TSR
2471 024570 004767 005732          JSR PC,OCTPNT
2472 024574          XRB6S: SCOPE XRB4C
2473 024602 005067 005400          XRB7: CLR GOOD ;CHECK DATA RECEIVED
2474 024606 017767 010606 005370          MOV @Rddb,BAD ;IS IT O.K.?
2475 024614 026767 005366 005362          CMP GOOD,BAD
2476 024622 001414          BEQ XRB8
2477 024624          DATERR \N ;ERROR:DATA RECEIVED IS WRONG (PICKED UP BITS)
2478 024646          SCOPE XRB4C
2479 024654 004767 173022          XRB8: JSR PC,CLRCBF ;MAKE SURE CMPBUF IS CLEAR
2480 024660          BDINIT XMTR ;CLR XMTR
2481 024666          BDINIT RCVR ;CLR RCVR
2482 024674 017777 033026 010502          MOV #SILDAT,@TSBA ;GET XMTR DATA FROM SILDAT
2483 024702 012777 033426 010514          MOV #CMPBUF,@RDBA ;PUT RCV'D DATA IN CMPBUF
2484 024710 012777 177600 010464          MOV #-128,@TSBC ;SET UP TO SEND 64 WORDS
2485 024716 012777 177600 010476          MOV #-128,@RDBC ;SET UP TO RECEIVE 64 WORDS
2486 024724 016777 010420 010442          MOV RCAD,@TCR ;POINT XMTR AT RCVR
2487 024732 052777 060001 010454          BIS #60001,@RCR ;SET RC NPR, RCV WD, & ST TXF IN RCVR
2488 024740 052777 060001 010426          BIS #60001,@TCR ;AND IN XMTR
```

;

2489	024746	016702	005000		MOV	DLCON,R2	
2490	024752	005003			XRBA8:	CLR R3	
2491	024754	012704	177777		MOV	#-1,R4	;SET UP 1 SEC DELAY
2492	024760	105777	010412		XRBA9:	TSTB @TSR	;IS SUC TXF SET IN XMTR?
2493	024764	100447			BMI	XRBA10	;YES, GO CHECK RECEIVER
2494	024766	005777	010404		TST	@TSR	;ERROR BIT SET?
2495	024772	100411			BMI	\$2\$	
2496	024774	005777	010416		TST	@RSR	;RCVR ERROR BIT SET?
2497	025000	100444			BMI	\$3\$	
2498	025002	005203			INC	R3	;NO, WATCH FOR A SECOND
2499	025004	001365			BNE	XRBA9	
2500	025006	005204			INC	R4	
2501	025010	001363			BNE	XRBA9	
2502	025012	005302			DEC	R2	
2503	025014	001356			BNE	XRBA8A	
2504	025016				\$2\$:	ERROR \N	;ERROR:NO SUC TXF IN XMTR IN 1 SEC
2505	025040	005777	010332		TST	@TSR	;ANY HARD ERRORS IN XMTR?
2506	025044	100014			BPL	XRBA9S	
2507	025046	032777	040000	004674	BIT	#B14,@SR	;CHECK IF PRINT ALLOWED
2508	025054	001010			BNE	XRBA9S	;IF NOT, SKIP IT
2509	025056				PNTM	TXSTAT	;IF SO, PRINT 'TRANSMITTER STATUS - '
2510	025066	017700	010304		MOV	@TSR,R0	
2511	025072	004767	005430		JSR	PC,OCTPNT	;PRINT CONTENTS OF TSR
2512	025076				XRBA9S:	SCOPE XRBA8	
2513	025104	105777	010306		XRBA10:	TSTB @RSR	;IS SUC TXF SET IN RCVR?
2514	025110	100433			BMI	XRBA11	;YES, GO CHECK DATA
2515	025112				\$3\$:	ERROR \N	;ERROR:NO SUC TXF IN RCVR IN 1 SEC
2516	025134	005777	010256		TST	@RSR	;ANY HARD ERRORS IN RCVR?
2517	025140	100014			BPL	XRBA10S	
2518	025142	032777	040000	004600	BIT	#B14,@SR	;CHECK IF PRINT ALLOWED
2519	025150	001010			BNE	XRBA10S	;IF NOT, SKIP IT
2520	025152				PNTM	RCSTAT	;IF SO, PRINT 'RECEIVER STATUS = '
2521	025162	017700	010230		MOV	@RSR,R0	
2522	025166	004767	005334		JSR	PC,OCTPNT	;PRINT CONTENTS OF RSR
2523	025172				XRBA10S:	SCOPE XRBA8	
2524	025200	012703	000100		XRBA11:	MOV #64,R3	;R3 IS WORD COUNTER
2525	025204	012701	033026		MOV	#SILDAT,R1	;R1 IS GOOD DATA POINTER
2526	025210	012702	033426		MOV	#CMPBUF,R2	;R2 IS 'BAD' DATA POINTER
2527	025214	012167	004766		XRBA11L:	MOV (R1)+,GOOD	
2528	025220	012267	004760		MOV	(R2)+,BAD	
2529	025224	026767	004756	004752	CMP	GOOD,BAD	;DATA WORD OK?
2530	025232	001420			BEQ	XRBA11C	;IF SO, CONTINUE
2531	025234				DATERR	\N	;ERROR:BAD DATA RECEIVED FROM XMTR
2532	025256	005303			DEC	R3	;CHECKED ALL WORDS?
2533	025260	001355			BNE	XRBA11L	
2534	025262				SCOPE	XRBA8	;RE-TRY BECAUSE OF ERROR
2535	025270	000167	000004		JMP	XRBA12	
2536	025274	005303			XRBA11C:	DEC R3	;CHECKED ALL WORDS?
2537	025276	001346			BNE	XRBA11L	
2538	025300				XRBA12:	BDINIT XMTR	;CLR XMTR
2539	025306				BDINIT	RCVR	;CLR RCVR
2540	025314	012777	035442	010062	MOV	#TSTWRD,@TSBA	;POINT XMTR AT LOC WITH TEST WORD
2541	025322	012777	177200	010052	MOV	#-600,@TSBC	;SET UP FOR 300 WORD XFR
2542	025330	016777	010014	010036	MOV	RCAD,@TCR	;POINT XMTR AT RCVR
2543	025336	012777	020001	010050	MOV	#20001,@RCR	;SET RCV WD, RCV DAT, IN RCVR
2544	025344	052777	060005	010022	BIS	#60005,@TCR	;SET TX NPR, INH ADR INC, ST TXM,&SND WD

2545	025352	012701	000300		MOV	#300,R1	;R1 COUNTS WORDS RECEIVED
2546	025356	016704	004370		XRB12L: MOV	DLCON,R4	
2547	025362	012703	177700		XRB12K: MOV	#-100,R3	;SET UP 10 MS COUNTER
2548	025366	032777	000400	010022	XRB12M: BIT	#B08,@RSR	;RCVR SILO RDY FOR OUTPUT?
2549	025374	001063			BNE	XRB13	;YES, LOOK AT WORD
2550	025376	005203			INC	R3	
2551	025400	001372			BNE	XRB12M	;IF NOT, WAIT 10 MS.
2552	025402	005304			DEC	R4	
2553	025404	001366			BNE	XRB12K	
2554	025406				ERROR	\N	;ERROR:NO DATA WORD IN RCVR SILO IN 10 MS.
2555	025430	005777	007742		TST	@TSR	;ANY HARD ERRORS IN XMTR?
2556	025434	100014			BPL	XRB12R	
2557	025436	032777	040000	004304	BIT	#B14,@SR	;CHECK IF PRINT ALLOWED
2558	025444	001034			BNE	XRB12S	;IF NOT, SKIP IT
2559	025446				PNTM	TXSTAT	;IF SO, PRINT 'TRANSMITTER STATUS = ''
2560	025456	017700	007714		MOV	@TSR,R0	
2561	025462	004767	005040		JSR	PC,OCTPNT	;PRINT CONTENTS OF TSR
2562	025466	005777	007724		XRB12R: TST	@RSR	;ANY HARD ERRORS IN RCVR?
2563	025472	100010			BPL	XRB12T	
2564	025474				PNTM	RCSTAT	;IF SO, PRINT 'RECEIVER STATUS = ''
2565	025504	017700	007706		MOV	@RSR,R0	
2566	025510	004767	005012		JSR	PC,OCTPNT	;PRINT CONTENTS OF RSR
2567	025514				XRB12T: PNTM	RCBTCN	;PRINT 'NO. OF WORDS RECEIVED = ''
2568	025524	012700	000300		MOV	#300,R0	
2569	025530	160100			SUB	R1,R0	;CALCULATE WORDS RECV'D
2570	025532	004767	004770		JSR	PC,OCTPNT	;PRINT RESULT
2571	025536				XRB12S: SCOPE	XRB12	;START ALL OVER
2572	025544	016767	007672	004434	XRB13: MOV	TSTWRD,GOOD	
2573	025552	017767	007642	004424	MOV	@RDB,BAD	;GET WORD FROM SILO
2574	025560	026767	004422	004416	CMP	GOOD,BAD	;WAS IT = TEST WORD?
2575	025566	001431			BEQ	XRB13C	
2576	025570				DATERR	\N	;ERROR:DATA WORD IN RCVR SILO WRONG
2577	025612	032777	040000	004130	BIT	#B14,@SR	;CHECK IF PRINT ALLOWED
2578	025620	001011			BNE	XRB13L	;IF NOT, SKIP IT.
2579	025622				PNTM	RCBTCN	;PRINT 'NO. OF WORDS RECEIVED - ''
2580	025632	012700	000301		MOV	#301,R0	
2581	025636	160100			SUB	R1,R0	;CALCULATE WORDS RECV'D
2582	025640	004767	004662		JSR	PC,OCTPNT	;PRINT RESULT
2583	025644				XRB13L: SCOPE	XRB12	;START ALL OVER
2584	025652	005301			XRB13C: DEC	R1	;UPDATE RCVR WORD COUNT
2585	025654	001240			BNE	XRB12L	;GET ANOTHER WORD
2586	025656	016704	004070		MOV	DLCON,R4	
2587	025662	012703	177000		XRB13E: MOV	#177000,R3	;SET UP TO WAIT FOR TXFR
2588	025666	005203			XRB13D: INC	R3	
2589	025670	001376			BNE	XRB13D	;WAIT FOR LATEST POSSIBLE TIMSL
2590	025672	105777	007500		TSTB	@TSR	;XMTR SUC TXF SET?
2591	025676	100435			BMI	XRB14	;YES,GO CHECK RCVR
2592	025700	005304			DEC	R4	
2593	025702	001367			BNE	XRB13E	
2594	025704				ERROR	\N	;ERROR:XMTR SUC TXF NOT SET
2595	025726	005777	007444		TST	@TSR	;ANY HARD ERRORS IN XMTR?
2596	025732	100014			BPL	XRB13S	
2597	025734	032777	040000	004006	BIT	#B14,@SR	;CHECK IF PRINT ALLOWED
2598	025742	001010			BNE	XRB13S	;IF NOT, SKIP IT.
2599	025744				PNTM	TXSTAT	;IF SO, PRINT 'TRANSMITTER STATUS = ''
2600	025754	017700	007416		MOV	@TSR,R0	

2601	025760	004767	004542		JSR	PC,OCTPNT		;PRINT CONTENTS OF TSR
2602	025764				XRB13S: SCOPE	XRB12		;START OVER
2603	025772	105777	007420		XRB14: TSTB	@RSR		;RCVR SUC TXF SET?
2604	025776	100433			BMI	XRB15		;YES, ALL DONE
2605	026000				ERROR	\N		;ERROR:RCVR SUC TXF NOT SET
2606	026022	005777	007370		TST	@RSR		;ANY HARD ERRORS IN RCVR?
2607	026026	100014			BPL	XRB14S		
2608	026030	032777	040000	003712	BIT	#B14,@SR		;CHECK IF PRINT ALLOWED
2609	026036	001010			BNE	XRB14S		;IF NOT, SKIP IT.
2610	026040				PNTM	RCSTAT		;IF SO, PRINT 'RECEIVER STATUS - ''
2611	026050	017700	007342		MOV	@RSR,R0		
2612	026054	004767	004446		JSR	PC,OCTPNT		;PRINT CONTENTS OF RSR
2613	026060				XRB14S: SCOPE	XRB12		;START OVER
2614	026066	004767	003262		XRB15: JSR	PC,MONIT		
2615	026072	032777	010000	003650	BIT	#B12,@SR		;SW 12 = 1?
2616	026100	001402			BEQ	XRBRT		;NO, EXIT
2617	026102	000167	175450		JMP	DATLPS		;YES, DON'T EXIT
2618	026106	000207			XRBRT: RTS	PC		

```
2620 .SBTTL TRANSMISSION ERRORS TESTS
2621
2622 ;TEST TO CHECK FOR RCVR TIMEOUT.
2623 ;OPEN CHANNEL, THEN DON'T SEND ANY DATA FOR
2624 ; 3 SECONDS.
2625
2626
2627 026110 TXMERS: BDINIT XMTR ;CLR XMTR
2628 026116 BDINIT RCVR ;CLR RCVR
2629 026124 052777 010400 007254 BIS #10400,@TMMR ;SET MASTER & AUTO ADDR
2630 026132 012777 177774 007242 MOV #-4,@TSBC ;INDICATE 2 WD XFR
2631 026140 012777 177777 007232 MOV #-1,@TSDB ;PUT 1 WD IN XMTR SILO
2632 026146 016777 007176 007220 MOV RCAD,@TCR ;POINT XMTR AT RCVR
2633 026154 052777 020000 007232 BIS #B13,@RCR ;SET RCV WD
2634 026162 052777 020000 007204 BIS #B13,@TCR ;SET SND WD
2635 026170 016702 003556 MOV DLCON,R2
2636 026174 005003 TXMR1: CLR R3
2637 026176 012704 177775 MOV #-3,R4 ;SET UP 1 SEC DELAY
2638 026202 032777 002000 007206 XRC1: BIT #B10,@RSR ;IS RCVR TIMEOUT SET?
2639 026210 001022 BNE XRC2 ;IF NOT, WAIT 3 SEC FOR IT
2640 026212 005203 INC R3
2641 026214 001372 BNE XRC1
2642 026216 005204 INC R4
2643 026220 001370 BNE XRC1
2644 026222 005302 DEC R2
2645 026224 001363 BNE TXMR1
2646 026226 ERROR \N ;ERROR:NO TIMEOUT IN 3 SEC WITH NULL ON INPUT
2647 026250 SCOPE TXMERS
2648
2649 ;TEST TO DETERMINE THAT ADDRESSING RCVR AND GENERATING A NULL
2650 ;CYCLE FIRST PROPERLY GENERATES CORRECT RESPONSE CODES
2651 ;AND THAT THE RECEIVER DOES NOT RESPOND.
2652 ;CHANNEL IS OPENED BY POPPING A WORD FROM XMTR SILO.
2653
2654 026256 XRC2: BDINIT XMTR ;CLR XMTR
2655 026264 BDINIT RCVR ;CLR RCVR
2656 026272 012777 177774 007102 MOV #-4,@TSBC ;SET UP FOR 1 WD XFR
2657 026300 016777 007044 007066 MOV RCAD,@TCR ;POINT XMTR AT RCVR
2658 026306 012777 177777 007064 MOV #-1,@TSDB ;PUT 1 WD INTO TXM SILO
2659 026314 052777 000200 007052 BIS #B07,@TCR ;SET RD SILO
2660 026322 052777 020001 007064 BIS #B13+B00,@RCR ;SET RCV WD AND RCV DATA
2661 026330 004567 155776 JSR R5,DELAY ;WAIT FOR WORD TO HIT BOTTOM
2662 026334 000010 .WORD 10
2663 026336 005777 007036 TST @TSDB ;POP WORD OUT
2664 026342 042777 000200 007024 BIC #B07,@TCR ;CLR RD SILO
2665 026350 016704 003376 MOV DLCON,R4
2666 026354 012703 177757 XRC2D: MOV #177757,R3 ;SET UP TO STALL 100 US.
2667 026360 005203 XRC2A: INC R3 ;STALL (WAIT FOR TIME SLICE
2668 026362 001376 BNE XRC2A
2669 026364 005304 DEC R4
2670 026366 001372 BNE XRC2D
2671 026370 012767 000000 003610 MOV #0,GOOD
2672 026376 017767 007014 003600 MOV @RSR,BAD ;CHK RESPONSE CODES IN RCVR
2673 026404 042767 177760 003572 BIC #177760,BAD
2674 026412 026767 003570 003564 CMP GOOD,BAD ;RSP CODES = 00 & 00 ?
2675 026420 001414 BEQ XRC3
```

```
2676 026422 DATERR \N ;ERROR:RESPONSE CODES AT RECEIVER WRONG
2677 026444 SCOPE XRC2
2678 026452 012767 000001 003526 XRC3: MOV #1,GOOD
2679 026460 017767 006712 003516 MOV @TSR,BAD ;CHECK RESPONSE CODES IN XMTR
2680 026466 042767 177760 003510 BIC #177760,BAD
2681 026474 026767 003506 003502 CMP GOOD,BAD ;RSP CODES = 00 & 01 ?
2682 026502 001414 BEQ XRC4
2683 026504 DATERR \N ;ERROR:RSP CODES AT XMTR WRONG
2684 026526 SCOPE XRC2
2685 026534 032777 010000 006654 XRC4: BIT #B12,@RSR ;IS RSR BIT 12 (TXM ERR) SET?
2686 026542 001414 BEQ XRC5 ;ERROR:RCVR SHOULD NOT BE ADDRESSED
2687 026544 ERROR \N ;UPON OPENING A CHANNEL WITH INVALID WORD
2688 026566 SCOPE XRC2
2689
2690 ;TEST TO DETERMINE THAT CHANNEL OPEN CAN BE ACHEIVED LEGALLY
2691 ;AND THAT, ONCE ACHIEVED, KNOCKING DOWN THE TRANSMITTER BY
2692 ;FAKING A XMTR TXM ERROR CAUSES THE CORRECT RESPONSES AND
2693 ;CAUSES A RECVR TXM ERROR.
2694
2695 026574 XRC5: BDINIT XMTR ;CLR XMTR
2696 026602 BDINIT RCVR ;CLR RCVR
2697 026610 012777 177774 006564 MOV #-4,@TSBC ;SET UP FOR 2 WD XFR
2698 026616 012777 177777 006554 MOV #-1,@TSDB ;LOAD A WORD INTO XMTR SILO
2699 026624 016777 006520 006542 MOV RCAD,@TCR ;POINT XMTR AT RCVR
2700 026632 012777 177777 006540 MOV #-1,@TSDB ;LOAD 2ND WORD
2701 026640 052777 020000 006546 BIS #B13,@RCR ;SET RCV WORD
2702 026646 052777 020000 006520 BIS #B13,@TCR ;SET SND WORD
2703 026654 016704 003072 MOV DLCON,R4
2704 026660 012703 177500 XRC5A: MOV #177500,R3 ;SET UP FOR DELAY
2705 026664 132777 000010 006516 XRC6: BITB #B03,@TMMRH ;CHECK FOR CHANNEL OPEN
2706 026672 001020 BNE XRC6A
2707 026674 005203 INC R3 ;WAIT A BIT
2708 026676 001372 BNE XRC6
2709 026700 005304 DEC R4
2710 026702 001366 BNE XRC5A
2711 026704 ERROR \N ;ERROR:CANNOT GET 'CHAN OPEN' IN XMTR
2712 026726 SCOPE XRC5
2713 026734 132777 000020 006454 XRC6A: BITB #B04,@RSR ;CHECK FOR CHANNEL OPEN IN RCVR
2714 026742 001014 BNE XRC7
2715 026744 ERROR \N ;ERROR:CANNOT GET 'CHANNEL OPEN' IN RCVR
2716 026766 SCOPE XRC5
2717
2718 026774 052777 010000 006374 XRC7: BIS #B12,@TSR ;KNOCK DOWN THE XMTR
2719 027002 016704 002744 MOV DLCON,R4
2720 027006 012703 177757 XRC7D: MOV #177757,R3 ;SET UP TO STALL 100 US.
2721 027012 005203 XRC7A: INC R3 ;STALL (WAIT FOR TIME SLICE)
2722 027014 001376 BNE XRC7A
2723 027016 005304 DEC R4
2724 027020 001372 BNE XRC7D
2725 027022 012767 000004 003156 MOV #4,GOOD
2726 027030 017767 006362 003146 MOV @RSR,BAD ;ARE RESPONSE CODES = 01 & 00 ?
2727 027036 042767 177760 003140 BIC #177760,BAD
2728 027044 026767 003136 003132 CMP GOOD,BAD
2729 027052 001414 BEQ XRC8
2730 027054 DATERR \N ;ERROR:RCVR RSP CODES WRONG
2731 027076 SCOPE XRC5
```

```
2732 027104 032777 010000 006304 XRC8: BIT #B12,@RSR ;IS RSR BIT 12 (TXM ERR) SET?
2733 027112 001014 BNE XRC9 ;ERROR:XMTR OFF LINE WHILE CHAN OPEN
2734 027114 ERROR \N ;DIDN'T SET RCVR TXM ERR
2735 027136 SCOPE XRC5
2736
2737 ;TEST TO DETERMINE IF INCORRECT CRC WILL CAUSE A CHECK-FAIL
2738 ;AND GENERATE CORRECT RESPONSES IN RCVR AND XMTR THEREBY CAUSING
2739 ;TRANSMISSION ERRORS IN BOTH.
2740
2741 027144 XRC9: BDINIT XMTR ;CLR XMTR
2742 027152 BDINIT RCVR ;CLR RCVR
2743 027160 012777 177772 006214 MOV #-6,@TSBC ;SET UP FOR 3 WD XFR
2744 027166 012777 177777 006204 MOV #-1,@TSDB ;LOAD A WORD INTO XMTR SILO
2745 027174 012777 000002 006176 MOV #2,@TSDB ;LOAD 2ND WORD INTO XMTR SILO
2746 027202 012777 177772 006212 MOV #-6,@RDBC
2747 027210 012777 177775 006162 MOV #-3,@TSDB ;LOAD 3RD WORD INTO XMTR SILO
2748 027216 016777 006126 006150 MOV RCAD,@TCR ;POINT XMTR AT RCVR
2749 027224 052777 020000 006162 BIS #B13,@RCR ;SET RCV WD
2750 027232 052777 020000 006134 BIS #B13,@TCR ;SET SND WD
2751 027240 105777 006132 XRC10: TSTB @TSR ;WAIT FOR SUC TXF
2752 027244 100375 BPL XRC10
2753 027246 052777 000200 006120 BIS #B07,@TCR ;SET XMTR RD SILO
2754 027254 005777 006120 TST @TSDB ;POP A WORD FROM SILO
2755 027260 042777 000200 006106 BIC #B07,@TCR ;CLR RD SILO
2756 027266 052777 000200 006120 BIS #B07,@RCR ;SET RCVR LD SILO
2757 027274 012777 000014 006116 MOV #14,@Rddb ;LOAD DIFFERENT 2ND WORD
2758 027302 042777 000200 006104 BIC #B07,@RCR ;CLR LD SILO
2759 027310 042777 000200 006060 BIC #B07,@TSR ;CLR SUC TXF
2760 027316 042777 000200 006072 BIC #B07,@RSR
2761 027324 052777 000001 006062 BIS #B00,@RCR ;SET RCV DATA
2762 027332 052777 000001 006034 BIS #B00,@TCR ;SET ST TXM
2763 027340 016704 002406 MOV DLCON,R4
2764 027344 012703 177000 XRC10B: MOV #177000,R3 ;SET UP TO STALL
2765 027350 005203 XRC10A: INC R3
2766 027352 001376 BNE XRC10A ;STALL (WAIT FOR LAST 2 WORDS)
2767 027354 005304 DEC R4
2768 027356 001372 BNE XRC10B
2769 027360 012767 000013 002620 MOV #13,GOOD
2770 027366 017767 006024 002610 MOV @RSR,BAD ;CHECK RCVR RSP CODES
2771 027374 042767 177760 002602 BIC #177760,BAD ;ARE RSP CODES = 10 & 11 ?
2772 027402 026767 002600 002574 CMP GOOD,BAD
2773 027410 001414 BEQ XRC11
2774 027412 DATERR \N ;ERROR:RCVR RSP CODES WRONG
2775 027434 SCOPE XRC9
2776 027442 017767 005730 002534 XRC11: MOV @TSR,BAD ;CHK XMTR RSP CODES
2777 027450 042767 177760 002526 BIC #177760,BAD ;ARE THEY 10 & 11 ?
2778 027456 026767 002524 002520 CMP GOOD,BAD
2779 027464 001414 BEQ XRC12
2780 027466 DATERR \N ;ERROR:XMTR RSP CODES WRONG
2781 027510 SCOPE XRC9
2782 027516 032777 010000 005652 XRC12: BIT #B12,@TSR ;IS TXM ERR SET IN THE XMTR ?
2783 027524 001014 BNE XRC13
2784 027526 ERROR \N ;ERROR:XMTR TXM ERR NOT SET WITH INVALID DATA
2785 027550 SCOPE XRC9
2786 027556 032777 010000 005632 XRC13: BIT #B12,@RSR ;IS TXM ERR SET IN THE RCVR?
2787 027564 001014 BNE XRC14
```

```
2788 027566          ERROR  \N          ;ERROR:RCVR TXM ERR NOT SET WITH INVALID DATA
2789 027610          SCOPE  XRC9
2790
2791          ;TEST THAT IF THE CHANNEL IS OPENED AND THE RECEIVER RESPONDS
2792          ;TO THE FIRST VALID WORD WITH A NULL, A XMTR TXM ERR RESULTS
2793          ; NULL ON FIRST WORD IS ACHIEVED BY MANUALLY FILLING UP THE
2794          ;RCVR SILO, THEN TRYING TO SEND A WORD FROM XMTR TO RCVR.
2795
2796 027616          XRC14: BDINIT XMTR
2797 027624          BDINIT RCVR
2798 027632 052777 000200 005554          BIS #B07,@RCR          ;SET LD SILO IN RCVR
2799 027640 012703 000100          MOV #64.,R3          ;R3 IS WORD COUNTER
2800 027644 012704 033026          MOV #SILDAT,R4          ;R4 IS CURRENT ADDRESS
2801 027650 012477 005544          XRC15: MOV (R4)+,@RDCB          ;FILL UP RCVR SILO
2802 027654 005303          DEC R3          ;FULL?
2803 027656 001374          BNE XRC15
2804 027660 016777 005464 005506          MOV RCAD,@TCR          ;POINT XMTR AT RCVR
2805 027666 042777 000200 005520          BIC #B07,@RCR          ;CLR LD SILO IN RCVR
2806 027674 012777 177777 005476          MOV #-1,@TSDB          ;LOAD A WORD INTO XMTR SILO
2807 027702 012777 177774 005472          MOV #-4,@TSBC          ;SET UP TO XFR 2 WDS
2808 027710 012777 177777 005462          MOV #-1,@TSDB          ;LOAD 2ND WORD INTO XMTR SILO
2809 027716 052777 020001 005470          BIS #B13+B00,@RCR          ;SET RCV WD & RCV DATA
2810 027724 052777 020001 005442          BIS #B13+B00,@TCR          ;SET SND WD & ST TXM
2811 027732 016704 002014          MOV DLCON,R4
2812 027736 012703 177000          XRC15B: MOV #177000,R3          ;SET UP TO STALL
2813 027742 005203          XRC15A: INC R3
2814 027744 001376          BNE XRC15A          ;STALL (WAIT FOR TIME SLICE)
2815 027746 005304          DEC R4
2816 027750 001372          BNE XRC15B
2817 027752 012767 000006 002226          MOV #6,GOOD          ;CHK TXM RSP CODES
2818 027760 017767 005412 002216          MOV @TSR,BAD
2819 027766 042767 177760 002210          BIC #177760,BAD
2820 027774 026767 002206 002202          CMP GOOD,BAD          ;ARE THEY 01 & 10 ?
2821 030002 001414          BEQ XRC16
2822 030004          DATERR \N          ;ERROR:XMTR RSP CODES WRONG
2823 030026          SCOPE XRC14
2824 030034 032777 010000 005334          XRC16: BIT #B12,@TSR          ;IS XMTR TXM ERR SET?
2825 030042 001014          BNE XRC17          ;ERROR:XMISSION TO FULL RCVR SILO
2826 030044          ERROR \N          ;DID NOT SET TXM ERR IN XMTR
2827 030066          SCOPE XRC14
2828
2829          ;TEST TO DETERMINE IF , WITH CHANNEL OPEN, THE RECVR IS KNOCKED DOWN
2830          ;THE CORRECT RESPONSE CODES ARE GENERATED AND THE XMTR
2831          ;GETS A TXM ERROR.
2832          ; THE RECVR IS KNOCKED DOWN VIA FORCING A TIMEOUT IN THE RCVR.
2833
2834 030074          XRC17: BDINIT XMTR
2835 030102          BDINIT RCVR
2836 030110 012777 177777 005262          MOV #-1,@TSDB          ;LOAD A WORD INTO XMTR SILO
2837 030116 012777 177774 005256          MOV #-4,@TSBC          ;SETUP FOR 2 WD XFR
2838 030124 012777 177777 005246          MOV #-1,@TSDB          ;LOAD 2ND WD INTO XMTR SILO
2839 030132 016777 005212 005234          MOV RCAD,@TCR          ;POINT XMTR AT RCVR
2840 030140 052777 020000 005246          BIS #B13,@RCR          ;SET RCV WD
2841 030146 052777 020000 005220          BIS #B13,@TCR          ;SET SND WD
2842 030154 132777 000010 005226          XRC18: BITB #B03,@TMMRH          ;IS CHANNEL OPEN SET?
2843 030162 001774          BEQ XRC18          ;WAIT FOR IT
```

2844	030164	016704	001562			MOV	DLCON,R4	
2845	030170	012703	177000			XRC18X: MOV	#17700C,R3	;DELAY FOR SYNC
2846	030174	005203				XRC18L: INC	R3	
2847	030176	001376				BNE	XRC18L	
2848	030200	005304				DEC	R4	
2849	030202	001372				BNE	XRC18X	
2850	030204	052777	002000	005204		BIS	#B10,@RSR	;KNOCK DOWN RCVR WITH TIMEOUT
2851	030212	016704	001534			MOV	DLCON,R4	
2852	030216	012703	177000			XRC18Y: MOV	#177000,R3	;SET UP FOR STALL
2853	030222	005203				XRC18A: INC	R3	
2854	030224	001376				BNE	XRC18A	;STALL (WAIT FOR T'ME SLICE)
2855	030226	005304				DEC	R4	
2856	030230	001372				BNE	XRC18Y	
2857	030232	012767	000001	001746		MOV	#1,GOOD	
2858	030240	017767	005132	001736		MOV	@TSR,BAD	;CHECK TXM RESP CODES
2859	030246	042767	177760	001730		BIC	#177760,BAD	
2860	030254	026767	001726	001722		CMP	GOOD,BAD	;ARE THEY 00 & 01 ?
2861	030262	001414				BEQ	XRC19	
2862	030264					DATERR	\N	;ERROR:XMTR RSP CODES WRONG
2863	030306					SCOPE	XRC17	
2864	030314	032777	010000	005054		XRC19: BIT	#B12,@TSR	;IS TX ERR SET IN XMTR
2865	030322	001014				BNE	XRC19A	;ERROR:XMIT TO OFFLINE RCVR DIDN'T
2866	030324					ERROR	\N	;CAUSE TXM ERR IN XMTR
2867	030346					SCOPE	XRC17	
2868	030354	004767	000774			XRC19A: JSR	PC,MONIT	
2869	030360	032777	010000	001362		BIT	#B12,@SR	;IS SW 12 SET?
2870	030366	001402				BEQ	XRCRET	;NO, EXIT
2871	030370	000167	175514			JMP	TXMERS	;YES, STAY HERE
2872	030374	000207				XRCRET: RTS	PC	

```

2874 .SBTTL REJECT TEST
2875
2876
2877 ;TEST OF THE REJECT-RELATED HARDWARE
2878 ; CAUSE A REJECT IN THE RCVR AND CHECK ALL RELATED
2879 ;RESPONSES IN RCVR AND XMTR
2880
2881 030376 XRC20: BDINIT XMTR ;CLR XMTR
2882 030404 BDINIT RCVR ;CLR RCVR
2883 030412 012777 177777 004760 MOV #-1,@TSDB ;LOAD A WORD INTO SILO
2884 030420 012777 177774 004754 MOV #-4,@TSBC ;BYTE COUNT FOR 2 WD XFR
2885 030426 012777 177777 004744 MOV #-1,@TSDB ;LOAD 2ND WD INTO SILO
2886 030434 012777 177774 004760 MOV #-4,@RDBC
2887 030442 016777 004702 004724 MOV RCAD,@TCR ;POINT XMTR AT RCVR
2888 030450 052777 020000 004736 BIS #B13,@RCR ;SET RCV WD
2889 030456 052777 020001 004710 BIS #B13+B00,@TCR ;SET SND WD & ST TXM
2890 030464 032777 000400 004724 XRC21: BIT #B08,@RSR ;DAT OUTP RDY IN XMTR?
2891 030472 001774 BEQ XRC21
2892 030474 052777 100000 004712 BIS #B15,@RCR ;SET R E J E C T
2893 030502 016704 001244 MOV DLCON,R4
2894 030506 012703 177500 XRC21A: MOV #177500,R3
2895 030512 032777 000040 004676 XRC22: BIT #B05,@RSR ;CHECK FOR RECOM IN RCVR
2896 030520 001020 BNE XRC23
2897 030522 005203 INC R3
2898 030524 001372 BNE XRC22 ;WAIT A COUPLE OF MS FOR IT
2899 030526 005304 DEC R4
2900 030530 001366 BNE XRC21A
2901 030532 ERROR \N ;ERROR:REJECT DID NOT RESULT IN SETTING RSR-05
2902 030554 SCOPE XRC20
2903 030562 032777 000001 004604 XRC23: BIT #B00,@TCR ;IS ST TXM CLR (CLR'D BY INTR REQ)?
2904 030570 001414 BEQ XRC24
2905 030572 ERROR \N ;ERROR: SORE DID NOT INTERRUPT XMTR
2906 030614 SCOPE XRC20
2907 030622 032777 100000 004564 XRC24: BIT #B15,@RCR ;CHECK IF REJECT GOT CLR'D
2908 030630 001414 BEQ XRC25
2909 030632 ERROR \N ;ERROR:RECOM DID NOT CLR REJECT
2910 030654 SCOPE XRC20
2911 030662 032777 000040 004506 XRC25: BIT #B05,@TSR ;CHECK IF REJECT SET SORE IN XMTR
2912 030670 001014 BNE XRC26
2913 030672 ERROR \N ;ERROR:REJECT DID NOT SET SORE IN XMTR
2914 030714 SCOPE XRC20
2915 030722 XRC26: BDINIT RCVR
2916 030730 BDINIT XMTR
2917 030736 052777 020000 004450 BIS #B13,@RCR ;SET RCV WD IN RCVR
2918 030744 052777 000040 004444 BIS #B05,@RSR ;SET RECOM
2919 030752 032777 020000 004434 BIT #B13,@RCR ;CHECK IF RCV WD GOT CLR'D
2920 030760 001414 BEQ XRC27
2921 030762 ERROR \N ;ERROR:RECOM DID NOT INTERRUPT RCVR
2922 031004 SCOPE XRC26

```

2924					.SBTTL TRUNCATION TEST	
2925						
2926						
2927					;TEST OF THE TRUNCATE-RELATED HARDWARE	
2928					; CAUSE A TRUNCATE IN THE RCVR AND CHECK ALL RELATED	
2929					;RESPONSES IN RCVR AND XMTR.	
2930						
2931	031012				XRC27: BDINIT XMTR	:CLR XMTR
2932	031020				BDINIT RCVR	:CLR RCVR
2933	031026	012777	177754	004346	MOV #-20.,@TSBC	:SET TXM BYTE CNT FOR 10 WORD XFR
2934	031034	012777	177770	004360	MOV #-8.,@RDEC	:SET RCVR BYTE CNT FOR 4 WORDS
2935	031042	012777	033026	004334	MOV #SILDAI,@TSEA	:POINT XMTR SILO AT DATA BUFFER
2936	031050	012777	033426	004346	MOV #CMFBUF,@RDBA	:POINT RCVR SILO TO DATA BUFFER
2937	031056	016777	004266	004310	MOV RCAD,@TCR	:POINT XMTR AT RCVR
2938	031064	052777	060001	004322	BIS #B14+B13+B00,@RCR	:SET RCV WD & RCV DATA & START NPR
2939	031072	052777	060001	004274	BIS #B14+B13+B00,@TCR	:SET SND WD & ST TXM & START NPR
2940	031100	032777	001000	004310	XRC29: BIT #309,@RSR	
2941	031106	001774			BEQ XRC29	:WAIT FOR BYTE COUNT OVERFLOW
2942	031110	052777	100000	004276	BIS #B15,@RCR	:SET REJECT (TRUNCATE MESSAGE)
2943	031116	016704	000630		MOV DLCON,R4	
2944	031122	012703	175000		XRC29A: MOV #175000,R3	
2945	031126	105777	004244		XRC30: TSTB @TSR	:LOOK FOR XMTR SUC TXF
2946	031132	100420			BMI XRC31	
2947	031134	005203			INC R3	
2948	031136	001373			BNE XRC30	:WAIT ABOUT 20 MS
2949	031140	005304			DFC R4	
2950	031142	001367			BNE XRC29A	
2951	031144				ERROR \N	:ERROR:NO SUC TXF AFTER TRUNCATION
2952	031166				SCOPE XRC27	
2953	031174	032777	000040	004174	XRC31: BIT #B05,@TSR	:IS SORE SET?
2954	031202	001014			BNE XRC32	
2955	031204				ERROR \N	:ERROR:SORE NOT SET BY TRUNCATION
2956	031226				SCOPE XRC27	
2957	031234	105777	004156		XRC32: TSTB @RSR	:IS RCVR SUC TXF SET?
2958	031240	100414			BMI XRC33	
2959	031242				ERROR \N	:ERROR:NO RCVR SUC TXF AFTER TRUNCATION
2960	031264				SCOPE XRC27	
2961	031272	032777	000040	004116	XRC33: BIT #B05,@RSR	:IS RECOM SET?
2962	031300	001014			BNE XRC34	
2963	031302				ERROR \N	:ERROR:RECOM NOT SET BY TRUNCATION
2964	031324				SCOPE XRC27	
2965	031332	004767	000016		XRC34: JSR PC,MONIT	
2966	031336	032777	010000	000404	BIT #B12,@SR	:IS SW 12 SET?
2967	031344	001402			BEQ XRCRT	:NO, EXIT
2968	031346	000167	177024		JMP XRC20	:YES, STAY HERE
2969	031352	000207			XRCRT: RTS PC	

```

2971 .SBTTL 'SWITCH' MONITOR ROUTINE
2972
2973 ;ENTER AT MONIT FROM EVERY SUB-TEST TO SEE IF CNTRL-S OR CNTRL-C WAS TYPED
2974 ;ENTER AT SWDMP FROM ERROR HALTS IF SW 15 = 0
2975 ;ALSO MONITORS THE FOLLOWING CONTROL FUNCTIONS:
2976 ; CNTRL-T RESTART TEST SELECTOR
2977 ; CNTRL-D ALLOW CHANGING OF DELAY
2978 ; CNTRL-P CONTINUE (PROCEED)
2979
2980
2981 031354 005000 MONIT: CLR R0
2982 031356 105777 004046 TSTB @KBS ;CHECK KEYBOARD FLAG
2983 031362 100402 BMI MONIC ;IF SET, CHECK WHAT CHAR.
2984 031364 000167 000270 JMP EX5 ;OTHERWISE, EXIT
2985 031370 017700 004036 MONIC: MOV @KBD,R0
2986 031374 042700 177600 MONCH: BIC #177600,R0 ;TRIM OFF PARITY BIT
2987 031400 020027 000023 CMP R0,#23 ;WAS IT ^S?
2988 031404 001056 BNE EX1 ;NO, EXIT
2989 031406 SWDMP: PNTM SWMSG ;PRINT 'SWR = '
2990 031416 017700 000326 MOV @SR,R0 ;GET CONTENTS OF SR
2991 031422 004767 001100 JSR PC,OCTPNT ;PRINT IT
2992 031426 PNTM TWOSP ;SPACE AND PROMPT (:)
2993 031436 017767 000306 001060 MOV @SR,KBBUF ;LOAD OLD SWITCHES
2994 031444 004767 000602 JSR PC,INPKB ;GET KBD INPUT
2995 031450 016777 001050 000272 MOV KBBUF,@SR ;LOAD NEW SWITCHES
2996 031456 CCRTN: PNTM TYPCTP ;PRINT 'CNTRL-P TO CONTINUE'
2997 031466 105777 003736 CONTW1: TSTB @KBS
2998 031472 100375 BPL CONTW1
2999 031474 017700 003732 MOV @KBD,R0
3000 031500 042700 177600 BIC #177600,R0 ;TRIM OFF PARITY BIT
3001 031504 020027 000023 CMP R0,#23 ;^S?
3002 031510 001736 BEQ SWDMP ;YES, GET SWR AGAIN
3003 031512 020027 000020 CMP R0,#20 ;^P?
3004 031516 001363 BNE CONTW1 ;NO, KEEP LOOKING
3005 031520 012700 000015 MOV #15,R0 ;RETURN LINE
3006 031524 004767 001242 JSR PC,TTO
3007 031530 005000 CLR R0 ;FILL CHARACTERS
3008 031532 004767 001234 JSR PC,TTO
3009 031536 004767 001230 JSR PC,TTO
3010 031542 020027 000024 EX1: CMP R0,#24 ;WAS A ^T TYPED?
3011 031546 001004 BNE EX2 ;NO, EXIT
3012 031550 012706 002000 MOV #ISP,SP ;YES, RENEW STACK
3013 031554 000167 151352 JMP BCONT ;BACK TO DISPATCHER
3014 031560 020027 000004 EX2: CMP R0,#4 ;CNTRL-D TYPED?
3015 031564 001026 BNE EX3 ;NO, KEEP LOOKING
3016 031566 EX2A: PNTM DELYMG ;PRINT 'DELAY CONSTANT = '
3017 031576 016767 000150 000720 MOV DLCON,KBBUF ;DEFAULT OLD VALUE
3018 031604 016700 000142 MOV DLCON,R0 ;GET CONSTANT
3019 031610 004767 000712 JSR PC,OCTPNT ;PRINT IT
3020 031614 PNTM TWOSP ;SPACE AND PROMPT
3021 031624 004767 000422 JSR PC,INPKB ;GET KBD INPUT
3022 031630 016767 000670 000114 EX2B: MOV KBBUF,DLCON ;LOAD NEW CONSTANT
3023 031636 000167 177614 JMP CCRTN ;NOW WAIT FOR CNTRL-P
3024
3025 031642 020027 000003 EX3: CMP R0,#3 ;WAS CNTRL-C TYPED?
3026 031646 001004 BNE EX5 ;NO, EXIT

```

```
3027 031650 012706 002000          MOV    #ISP,SP          ;YES, REFRESH STACK
3028 031654 000167 151036          JMP     RESTRT        ;AND RESTART
3029
3030 031660 000207          EX5:    RTS      PC
3031
3032
3033
3034          ;ASSOCIATED ASCII FOR THIS MODULE:
3035
3036 031662 051446 051127 036440 SWMSG: .ASCII  /CSWR = @/
3037 031670 040040
3037 031672 042046 046105 054501 DELYMG: .ASCII  /&DELAY CONSTANT = @/
3037 031700 041440 047117 052123
3037 031706 047101 020124 020075
3038 031714 100
3038 031715 046 047103 051124 TYPCTP: .ASCII  /&CNTRL-P TO CONTINUE@/
3038 031722 026514 020120 047524
3038 031730 041440 047117 044524
3038 031736 052516 040105
3039 031742 020040 040072 TWOSP: .ASCII  / :@/
3040
3041
3042          .EVEN
3043          ;OTHER VARIABLES:
3044
3045 031746 000000          SWREG:  .WORD    0          ; SOFTWARE SWITCH REGISTER
3046
3047 031750 000000          SR:      .WORD    0          ; SWITCH REGISTER POINTER
3048
3049 031752 000006          DLCON:  .WORD    6          ;DELAY CONSTANT
```

```
3051 .SBTTL COMMON SUBROUTINES
3052
3053 ;ERROR ROUTINE
3054
3055 031754 011667 000220 000212 ERR: MOV (SP),ERRAD ;GET ADDRESS OF ERROR CALL
3056 031760 162767 000022 SUB #22,ERRAD ;OFFSET IT
3057 031766 ERR1: PNTM ERRM ;PRINT '**ERROR '
3058 031776 016700 000200 MOV ERRNUM,R0 ;PRINT ERROR NUMBER (P)
3059 032002 004767 000520 JSR PC,OCTPNT ;PRINT 'AT LOCATION '
3060 032006 PNTM WDAT
3061 032016 016700 000156 MOV ERRAD,R0
3062 032022 004767 000500 JSR PC,OCTPNT ;PRINT ADDRESS OF ERROR
3063 032026 004767 177322 JSR PC,MONIT
3064 032032 004767 000602 JSR PC,NULLS ;PRINT NULLS IN CASE OF 'RESET'
3065 032036 000207 RTS PC ;RETURN
3066
3067 ;DATA ERROR ROUTINE
3068
3069 032040 011667 000134 000126 DERR: MOV (SP),ERRAD ;GET ADDRESS OF ERROR CALL
3070 032044 162767 000022 SUB #22,ERRAD ;OFFSET IT
3071 032052 004767 177710 JSR PC,ERR1 ;PRINT '**ERROR (P) AT LOCATION XXX
3072 032056 PNTM WDSDB ;PRINT 'SHOULD BE '
3073 032066 016700 000114 MOV GOOD,R0
3074 032072 004767 000430 JSR PC,OCTPNT ;PRINT GOOD DATA
3075 032076 PNTM WDWAS ;PRINT ', WAS '
3076 032106 016700 000072 MOV BAD,R0
3077 032112 004767 000410 JSR PC,OCTPNT ;PRINT BAD DATA
3078 032116 004767 000516 JSR PC,NULLS ;PRINT NULLS IN CASE OF 'RESET'
3079 032122 000207 RTS PC
3080
3081 ;ASSOCIATED ASCII FOR THIS MODULE:
3082
3083
3084
3085 032124 023046 025052 051105 ERRM: .ASCII /&&**ERROR @/
3086 032132 047522 020122 100
3087 032137 040 052101 046040 WDAT: .ASCII / AT LOCATION @/
3088 032144 041517 052101 047511
3089 032152 020116 100
3090 032155 046 044123 052517 WDSDB: .ASCII /&SHOULD BE @/
3091 032162 042114 041040 020105
3092 032170 100
3093 032171 054 053440 051501 WDWAS: .ASCII / , WAS @/
3094 032176 040040
3095
3096 .EVEN
3097 ;OTHER VARIABLES:
3098
3099 ERRAD: .WORD 0
3100 ERRNUM: .WORD 0
3101 BAD: .WORD 0
3102 GOOD: .WORD 0
```

```
3099          .SBTTL MESSAGE PRINT ROUTINE
3100
3101          ;MESSAGE TYP0UT ROUTINE (CALLED BY MACRO PN TM A)
3102          ;MESSAGES ARE IN THE FORMAT:
3103          ;  MSG:      .ASCII      /&MESSAGE&a/
3104          ;
3105          ;WHERE: & IS TRANSLATED INTO CR. AND LF.
3106          ;
3107          ;USES THE SUBROUTINE 'TTO'
3108          ;WHICH PRINTS CR. & LF. UPON SEEING A CR. CODE.
3109          ;AND  a IS MESSAGE TERMINATOR
3110          ;
3111          ;ENTER WITH ADDRESS OF MESSAGE IN R0
3112
3113 032210 010046      TYP0UT: MOV      R0,-(SP)          ;STACK ADDRESS OF MESSAGE
3114 032212 117600 000000  TPOFCH: MOVB    @ (SP),R0      ;FETCH ASCII BYTE
3115 032216 022700 000100      CMP      #100,R0          ;IS IT a (TERMINATOR)?
3116 032222 001411      BEQ      TPOUTX          ;YES-EXIT
3117 032224 022700 000046      CMP      #46,R0          ;IS IT CRLF FLAG?
3118 032230 001002      BNE      TPCONT          ;NO-TYPE CHARACTER
3119 032232 012700 000015      MOV      #15,R0          ;YES, CHANGE DATA TO CR
3120 032236 004767 000530  TPCONT: JSR      PC,TTO          ;TYPE IT
3121 032242 005216      INC      (SP)          ;MOVE POINTER TO NEXT BYTE
3122 032244 000762      BR      TPOFCH          ;FETCH NEXT CHARACTER
3123 032246 005726      TPOUTX: TST      (SP)+          ;POP STACK TO REACH RETURN VECTOR
3124 032250 000207      RTS      PC
3125
```

```
3127          .SBTTL  KEYBOARD INPUT ROUTINE
3128
3129          ;KEYBOARD INPUT ROUTINE CALLED BY JSR  PC,INPKB
3130          ;ENTERED WITH OLD CONTENTS IN KBBUF
3131          ;IF JUST <CR> TYPED, EXIT WITH SAME CONTENTS IN KBBUF
3132          ;IF NEW NUMBER TYPED, EXIT WITH NEW CONTENTS IN KBBUF
3133
3134 032252 005067 000244      INPKB: CLR      NOKEFL      ;CLEAR NO NUMBER FLAG
3135 032256 010146              MOV      R1,-(SP)      ;STACK OLD R1
3136 032260 016746 000240      MOV      KBBUF,-(SP)    ;STACK 'OLD CONTENTS'
3137 032264 005067 000234      CLR      KBBUF        ;CLEAR INPUT BUFFER
3138 032270 004767 000206      GETCHR: JSR      PC,KBRD  ;FETCH A CHARACTER IN R0
3139 032274 004767 000472      JSR      PC,TTO        ;ECHO IT
3140 032300 020027 000012      CMP      R0,#12        ;WAS IT A <CR> OR <LF>?
3141 032304 001002              BNE      1$           ;NO
3142 032306 000167 000144      JMP      NRTRN        ;YES, RETURN WITH PROPER KBBUF
3143 032312 010001      1$:  MOV      R0,R1          ;SET UP TO CHECK FOR A NUMBER
3144 032314 042701 177407      BIC      #177407,R1    ;MASK ALL BUT # CODE
3145 032320 020127 000060      CMP      R1,#60        ;IS IT A # FROM 0-7?
3146 032324 001435              BEQ      3$           ;YES, PACK IT
3147 032326 020027 000177      CMP      R0,#177      ;WAS IT A DELETE/RUBOUT?
3148 032332 001024              BNE      2$           ;NO, MUST BE GARBAGE
3149 032334 012700 000057      MOV      #57,R0        ;YES, BUT PRINT '\ '
3150 032340 004767 000426      JSR      PC,TTO
3151 032344 000241              CLC
3152 032346 006067 000152      ROR      KBBUF          ;CLEAR THE C-BIT
3153 032352 000241              CLC                    ;DELETE LAST DIGIT
3154 032354 006067 000144      ROR      KBBUF
3155 032360 000241              CLC                    ; THAT WAS STUFFED
3156 032362 006067 000136      ROR      KBBUF
3157 032366 005767 000132      TST      KBBUF
3158 032372 001002              BNE      11$          ; INTO KBBUF
3159 032374 005067 000122      CLR      NOKEFL        ;HAVE WE DELETED EVERYTHING?
3160 032400 000167 177664      11$:  JMP      GETCHR   ;NO
3161 032404 012700 000077      2$:  MOV      #77,R0    ;YES, BACK TO NO NUMBER INPUT
3162 032410 004767 000356      JSR      PC,TTO        ;GO FOR MORE INPUT
3163 032414 000167 177650      JMP      GETCHR        ;ECHO '?' FOR ERRONEOUS INPUT
3164 032420 012767 177777      3$:  MOV      #-1,NOKEFL ;AND GET ANOTHER CHARACTER
3165 032426 042700 177770      BIC      #177770,R0    ;GOT A DIGIT. SET FLAG
3166 032432 006367 000066      ASL      KBBUF        ;GET THE DIGIT PART OF THE CHARACTER
3167 032436 006367 000062      ASL      KBBUF        ;SHIFT KBBUF BUFFER
3168 032442 006367 000056      ASL      KBBUF        ; TO ACCEPT THE
3169 032446 050067 000052      BIS      R0,KBBUF     ; NEW DIGIT.
3170 032452 000167 177612      JMP      GETCHR        ;ADD THE NEW DIGIT
3171
3172 032456 005767 000040      NRTRN: TST      NOKEFL   ;GO FOR MORE INPUT
3173 032462 001004              BNE      NEK          ;WAS THERE NEW DATA?
3174 032464 012667 000034      MOV      (SP)+,KBBUF   ;YES, GO BACK WITH IT
3175 032470 012601              MOV      (SP)+,R1    ;NO, RETRIEVE OLD DATA
3176 032472 000207              RTS      PC           ;RESTORE R1
3177 032474 005726      NEK:  TST      (SP)+        ;AND RETURN
3178 032476 012601              MOV      (SP)+,R1    ;DUMP OLD DATA
3179 032500 000207              RTS      PC           ;RESTORE R1
3180
3181 032502 105777 002722      KBRD:  TSTB      @KBS    ;AND RETURN
3182 032506 100375              BPL      KBRD        ;WAIT FOR INPUT FROM CONSOLE
```

CZPL880 PCL11 STND ALN V02A MACY11 30A(1052) 18-OCT-78 14:35 M 6 PAGE 47-1
PCLTST.P11 12-SEP-78 15:13 KEYBOARD INPUT ROUTINE

SEQ 0077

3183 032510 017700 002716
3184 032514 042700 177600
3185 032520 000207

KBRET: MOV @KRD,R0
BIC #17760C,R0
RTS PC

:PUT THE CHAR INTO R0
:TRIM PARITY

CZ
PC

CZPL880 PCL11 STND ALN V02A
PCLTST.P11 12-SEP-78 15:13

MACY11 30A(1052) 18-OCT-78 14:35 N 6
KEYBOARD INPUT ROUTINE PAGE 48

SEQ 0078

3187

3188

3189 032522 000000

3190 032524 000000

;ASSOCIATED VARIABLE STORAGE:

NOKEFL: .WORD 0

KBBUF: .WORD 0

CZ
PC

```
3192 .SBTTL BINARY TO ASCII CONVERSION ROUTINES
3193
3194 ;CONVERTS BINARY TO BINARY, BINARY TO
3195 ;OCTAL, AND BINARY TO DECIMAL; EITHER
3196 ;UNJUSTIFIED WITH LEADING ZERO'S SUPPRESSED
3197 ;OR RIGHT JUSTIFIED WITH LEADING 0'S
3198 ;SUPPRESSED
3199
3200
3201 ;REGULAR BIN-OCTAL UNJUSTIFIED:
3202
3203 032526 005067 000270 OCTPNT: CLR RJFLG ;CLEAR RIGHT JUSTIFY FLAG
3204 032532 012701 000010 MOV #10,R1 ;SET RADIX FOR OCTAL
3205 032536 004767 000122 JSR PC,NUMPNT ;CONVERT & PRINT
3206 032542 000207 RTS PC ;RETURN
3207
3208 ;BIN-OCTAL JUSTIFIED:
3209
3210 032544 012767 177777 000250 OCTJSP: MOV #-1,RJFLG ;SET RIGHT JUSTIFY FLAG
3211 032552 012701 000010 MOV #10,R1 ;SET RADIX FOR OCTAL
3212 032556 004767 000102 JSR PC,NUMPNT ;CONVERT & PRINT
3213 032562 000207 RTS PC
3214
3215 ;BIN-BIN
3216
3217 032564 005067 000232 BINPNT: CLR RJFLG ;CLEAR RIGHT JUSTIFY FLAG
3218 032570 012701 000002 MOV #2,R1 ;SET RADIX FOR BINARY
3219 032574 004767 000064 JSR PC,NUMPNT ;CONVERT & PRINT
3220 032600 000207 RTS PC
3221
3222 ;BIN-DECIMAL UNJUSTIFIED:
3223
3224 032602 005067 000214 DECPNT: CLR RJFLG ;CLEAR RIGHT JUSTIFY FLAG
3225 032606 012701 000012 MOV #12,R1 ;SET RADIX FOR DECIMAL
3226 032612 004767 000046 JSR PC,NUMPNT ;CONVERT & PRINT
3227 032616 000207 RTS PC
3228
3229 ;BIN-DECIMAL JUSTIFIED (6 PLACES)
3230
3231 032620 012767 177777 000174 DECJSP: MOV #-1,RJFLG ;SET RIGHT JUSTIFY FLAG
3232 032626 012701 000012 MOV #12,R1 ;SET RADIX FOR DECIMAL
3233 032632 004767 000026 JSR PC,NUMPNT ;CONVERT & PRINT
3234 032636 000207 RTS PC
3235
3236
3237 032640 032777 040000 177102 NULLS: BIT #B14,@SR ;O.K. TO PRINT?
3238 032646 001005 BNE NULOUT ;NO, FORGET IT
3239 032650 005000 NULL1: CLR R0
3240 032652 004767 000114 JSR PC,TTO
3241 032656 004767 000110 JSR PC,TTO
3242 032662 000207 NULOUT: RTS PC
```

```

3244 ;UNSIGNED CONVERT-PRINT ROUTINE (BIN - ASCII)
3245
3246 032664 010167 000134 NUMPNT: MOV R1,RADIX ;SAVE RADIX
3247 032670 005002 CLR R2 ;CLEAR TAB COUNTER
3248 032672 005001 DIVSET: CLR R1 ;CLEAR WORK REGISTER
3249 032674 020067 000124 DIVID: CMP R0,RADIX ;IS NUMBER BELOW RADIX?
3250 032700 103404 BLO GETDG ;IF YES, STORE DIGIT
3251 032702 166700 000116 SUB RADIX,R0 ;ELSE, KEEP SUBTRACTING
3252 032706 005201 INC R1 ;AND KEEP COUNT
3253 032710 000771 BR DIVID
3254 032712 010046 GETDG: MOV R0,-(SP) ;STACK REMAINDER
3255 032714 010100 MOV R1,R0
3256 032716 001403 BEQ PNTEXT ;PRINT IF HIGHEST ORDER STACKED
3257 032720 005202 INC R2 ;ELSE COUNT DIGITS FOR R. JUSTIFY
3258 032722 004767 177744 JSR PC,DIVSET
3259
3260 032726 012703 000006 PNTEXT: MOV #6,R3 ;GET DIGIT COUNT CONSTANT
3261 032732 160203 SUB R2,R3 ;HAVE WE PRODUCED 6 DIGITS?
3262 032734 003413 BLE PNT ;YES, JUSTIFICATION UNNECESSARY
3263 032736 005767 000060 TST RJFLG ;IS THE JUSTIFY FLAG SET?
3264 032742 001410 BEQ PNT ;NO-DON'T JUSTIFY
3265 032744 012700 000040 JUST: MOV #40,R0 ;YES, PRINT LEADING SPACES
3266 032750 004767 000016 JSR PC,TTO
3267 032754 005303 DEC R3
3268 032756 001372 BNE JUST
3269 032760 005067 000036 CLR RJFLG ;CLEAR JUSTIFY FLG WHEN DONE
3270 032764 012600 PNT: MOV (SP)+,R0 ;GET REST OF DIGITS OFF STACK
3271 032766 052700 000060 BIS #0,R0 ;MAKE THEM ASCII
3272 ;TYPE OUT ROUTINE
3273 ;PRINTS A CHARACTER WHICH IS IN R0
3274 ;IF THE CHARACTER IS 'CR.', ALSO PRINT A 'LF.'.
3275
3276
3277 032772 010077 002440 TTO: MOV R0,@TTB ;PRINT CONTENTS OF R0
3278 032776 105777 002432 TTOLP: TSTB @TTS ;WAIT TILL PRINT DONE
3279 033002 100375 BPL TTOLP
3280 033004 022700 000015 CMP #15,R0 ;WAS IT A <CR>?
3281 033010 001401 BEQ TTOLF ;YES, ECHO A LF AS WELL
3282 033012 000207 RTS PC ;NO, JUST RETURN
3283 033014 012700 000012 TTOLF: MOV #12,R0
3284 033020 000764 BR TTO
3285
3286 ;ASSOCIATED VARIABLE STORAGE:
3287
3288
3289 033022 000000 RJFLG: .WORD 0
3290 033024 000000 RADIX: .WORD 0

```

```
3292 .SBTTL TEST BUFFERS
3293
3294 ;DATA SILO DATA-BUFFER
3295
3296 SILDAT: 125252
3297 033026 052525
3298 033030 052525
3299 033032 125252
3300 033034 052525
3301 033036 125252
3302 033040 052525
3303 033042 125252
3304 033044 052525
3305 033046 125252
3306 033050 052525
3307 033052 177400
3308 033054 000377
3309 033056 177400
3310 033060 000377
3311 033062 177400
3312 033064 000377
3313 033066 177400
3314 033070 000377
3315 033072 177400
3316 033074 000377
3317
3318 033076 000000
3319 033100 177777
3320 033102 000000
3321 033104 177777
3322 033106 000000
3323 033110 177777
3324 033112 000000
3325 033114 177777
3326 033116 000000
3327 033120 177777
3328
3329 033122 010421
3330 033124 021042
3331 033126 031463
3332 033130 042104
3333 033132 052525
3334 033134 063146
3335 033136 076567
3336 033140 104210
3337 033142 114631
3338 033144 125252
3339
3340 033146 000001
3341 033150 177776
3342 033152 000002
3343 033154 177775
3344 033156 000003
3345 033160 177774
3346 033162 000004
3347 033164 177773
```



```
3367      ;CRC TEST BUFFER
3368
3369 033226 125252      SILCRC: 125252
3370 033230 050521      050521
3371 033232 124200      124200
3372 033234 000665      000665
3373 033236 141436      141436
3374 033240 164003      164003
3375 033242 075106      075106
3376 033244 027371      027371
3377 033246 002562      002562
3378 033250 135105      135105
3379
3380 033252 002640      002640
3381 033254 045405      045405
3382 033256 060152      060152
3383 033260 013403      013403
3384 033262 153756      153756
3385 033264 072577      072577
3386 033266 164176      164176
3387 033270 025435      025435
3388 033272 111272      111272
3389 033274 052673      052673
3390
3391 033276 157140      157140
3392 033300 102461      102461
3393 033302 066234      066234
3394 033304 016141      016141
3395 033306 175726      175726
3396 033310 121477      121477
3397 033312 036420      036420
3398 033314 122203      122203
3399 033316 045272      045272
3400 033320 016435      016435
3401
3402 033322 010703      010703
3403 033324 103142      103142
3404 033326 177121      177121
3405 033330 016654      016654
3406 033332 033047      033047
3407 033334 042734      042734
3408 033336 046205      046205
3409 033340 014300      014300
3410 033342 024677      024677
3411 033344 103302      103302
3412
3413 033346 106245      106245
3414 033350 124160      124160
3415 033352 132304      132304
3416 033354 015025      015025
3417 033356 017305      017305
3418 033360 044754      044754
3419 033362 044406      044406
3420 033364 061203      061203
3421 033366 140621      140621
3422 033370 054620      054620
```

CZPL880 PCL11 STND ALN V02A
PCLTST.P11 12-SEP-78 15:13

MACY11 30A(1052) 18-OCT-78 14:35 PAGE 52-1
TEST BUFFERS

CZ
PC

3424	033372	110312
3425	033374	130174
3426	033376	116116
3427	033400	120462
3428	033402	021446
3429	033404	114411
3430	033406	133325
3431	033410	050737
3432	033412	106501
3433	033414	007625
3434		
3435	033416	117626
3436	033420	041245
3437	033422	031477
3438	033424	014726

110312
130174
116116
120462
021446
114411
133325
050737
106501
007625

117626
041245
031477
014726

[illegible]

SEQ 0085

```

3440                                ;RECEIVER DATA COMPARE BUFFER
3441                                .EVEN
3442    033426   000100      CMPBUF: .BLKW    64.
```

CZ
PC
RF
RF
RF
RF
RF
RF
RF
RF
RF
RF
RF
RF
RH
RH
RH
RH
RH
RH
RH
RH
RI
RI
RJ
RJ
RJ
RJ
RP
RS

RS
SB
SC
SC

SC
SI
SI
SI

```
3444 .SBTTL ASCII STORAGE
3445
3446 033626 023046 044523 047514 SLOWD: .ASCII /&&SILO OUTPUT WORD WAS @/
      033634 047440 052125 052520
      033642 020124 047527 042122
      033650 053440 051501 040040
3447 033656 023046 044523 047514 SLIWD: .ASCII /&&SILO INPUT WORD WAS @/
      033664 044440 050116 052125
      033672 053440 051117 020104
      033700 040527 020123 100
3448 033705 046 047105 020104 PEND: .ASCII /&END PASS #@/
      033712 040520 051523 021440
      033720 100
3449 033721 046 041523 050117 SCSEC: .ASCII /&SCOPE SECTION FOR SLICE TIMING&SET SW 09 TO EXIT THIS LOOP.@/
      033726 020105 042523 052103
      033734 047511 020116 047506
      033742 020122 046123 041511
      033750 020105 044524 044515
      033756 043516 051446 052105
      033764 051440 020127 034460
      033772 052040 020117 054105
      034000 052111 052040 044510
      034006 020123 047514 050117
      034014 040056
3450 034016 052046 040522 051516 TXSTAT: .ASCII /&TRANSMITTER STATUS REG = @/
      034024 044515 052124 051105
      034032 051440 040524 052524
      034040 020123 042522 020107
      034046 020075 100
3451 034051 046 042522 042503 RCSTAT: .ASCII /&RECEIVER STATUS REG = @/
      034056 053111 051105 051440
      034064 040524 052524 020123
      034072 042522 020107 020075
      034100 100
3452 034101 046 047516 020056 RCBCN: .ASCII /&NO. OF WORDS RECEIVED = @/
      034106 043117 053440 051117
      034114 051504 051040 041505
      034122 044505 042526 020104
      034130 020075 100
3453 034133 046 041520 030514 TXHDR: .ASCII /&PCL11 TRANSMITTER TEST & @/
      034140 020061 051124 047101
      034146 046523 052111 042524
      034154 020122 042524 052123
      034162 023040 020040 100
3454 034167 046 041520 030514 RCHDR: .ASCII /&PCL11 RECEIVER TEST& @/
      034174 020061 042522 042503
      034202 053111 051105 052040
      034210 051505 023124 020040
      034216 040040
3455 034220 052046 040522 051516 XRHDR: .ASCII /&TRANSMITTER - RECEIVER LOOP TESTS& @/
      034226 044515 052124 051105
      034234 026440 051040 041505
      034242 044505 042526 020122
      034250 047514 050117 052040
      034256 051505 051524 020046
      034264 020040 100
```

CZ
PCI

SL
SLC
SLC
SR

SR
SSI
SW
SW
SW
SW
TC

TC
TD
TE
TE
TE
TE
TE
TM
TM

TM
TM

CZPLB80 PCL11 STND ALN V02A
PCLTST.P11 12-SEP-78 15:13

J 7
MACY11 30A(1052) 18-OCT-78 14:35 PAGE 54-1
ASCII STORAGE

SEQ 0087

```
3456 034267 046 041520 030514 ALTHDR: .ASCII /&PCL11 TESTS 1 - 3 SEQUENCE& @/
      034274 020061 042524 052123
      034302 020123 020061 020055
      034310 020063 042523 052521
      034316 047105 042503 020046
      034324 020040 100
3457 034327 046 046530 051124 TMTR: .ASCII /&XMTR @/
      034334 040040
3458 034336 051046 053103 020122 RECVR: .ASCII /&RCVR @/
      034344 100
3459 034345 061 052123 052440 FRAD: .ASCII /1ST UNIBUS ADDR...@/
      034352 044516 052502 020123
      034360 042101 051104 027056
      034366 040056
3460 034370 052046 040510 020124 TOOLow: .ASCII /&THAT WAS TOO LOW. I'LL GIVE YOU ANOTHER CHANCE...&@/
      034376 040527 020123 047524
      034404 020117 047514 020527
      034412 044440 046047 020114
      034420 044507 042526 054440
      034426 052517 040440 047516
      034434 044124 051105 041440
      034442 040510 041516 027105
      034450 027056 040046
3461 034454 052046 040510 020124 AGAIN: .ASCII /&THAT WON'T DO. TRY AGAIN.&@/
      034462 047527 023516 020124
      034470 047504 020056 051124
      034476 020131 043501 044501
      034504 020516 040046
3462 034510 042526 052103 051117 VCTR: .ASCII /VECTOR...@/
      034516 027056 040056
3463 034522 051120 047511 044522 PRIOTY: .ASCII /PRIORITY (4-7)...@/
      034530 054524 020040 032050
      034536 033455 027051 040056
3464 034544 042124 020115 052502 TDMAD: .ASCII /TDM BUS ADDR (1-37)...@/
      034552 020123 042101 051104
      034560 024040 026461 033463
      034566 027051 040056
3465 034572 044446 053116 046101 INVLAD: .ASCII /&INVALID DEVICE ADDRESS...(IT'S NOT THERE)&@/
      034600 042111 042040 053105
      034606 041511 020105 042101
      034614 051104 051505 027123
      034622 027056 044450 023524
      034630 020123 047516 020124
      034636 044124 051105 024505
      034644 100
3466 034645 046 051124 050101 TRAP4: .ASCII /&TRAPPED TO LOCATION 4 FROM LOCATION @/
      034652 042520 020104 047524
      034660 046040 041517 052101
      034666 047511 020116 020064
      034674 051106 046517 046040
      034702 041517 052101 047511
      034710 020116 100
3467 034713 046 050046 046103 TSTHDR: .ASCII /&&PCL11 STANDALONE TESTS V02A CZPLB80 8-SEP-78&&@/
      034720 030461 051440 040524
      034726 042116 046101 047117
      034734 020105 042524 052123
```

CZI
PCI

TO
TPI
TP
TP
TR
TR
TRI
TS

TSI

TS
TSI

TS

TS
TS
TS
TS
TT
TT

TT
TT
TT
TW
TX
TX
TX
TX
TX
TY
TY

VC
WD
WD
WD
XA
XA
XA
XA
XA

Line	Address	Hex	ASCII	Comment
	034742	020123	030126	040462
	034750	020040	041440	050132
	034756	041114	030102	020040
	034764	026470	042523	026520
	034772	034067	040046	
3468	034776	051446	046105	041505
	035004	020124	042524	052123
	035012	024040	041474	037122
	035020	036440	044040	046105
	035026	024520	027056	100
3469	035033	046	051046	051505
	035040	047520	042116	053440
	035046	052111	020110	047117
	035054	020105	043117	052040
	035062	042510	043040	046117
	035070	047514	044527	043516
	035076	072		
3470	035077	046	020040	020040
	035104	030440	036440	051040
	035112	047125	052040	040522
	035120	051516	044515	052124
	035126	051105	052040	051505
	035134	124		
3471	035135	046	020040	020040
	035142	031040	036440	051040
	035150	047125	051040	041505
	035156	044505	042526	020122
	035164	042524	052123	
3472	035170	020046	020040	020040
	035176	020063	020075	052522
	035204	020116	046530	051124
	035212	051055	053103	020122
	035220	047514	050117	052040
	035226	051505	124	
3473	035231	046	020040	020040
	035236	032040	036440	051040
	035244	047125	052040	051505
	035252	020124	026061	052040
	035260	042510	020116	042524
	035266	052123	031040	020054
	035274	044124	047105	052040
	035302	051505	020124	023063
	035310	100		

[illegible]

3475 .SBTTL CONSTANTS AND VARIABLE STORAGE
3476 035312 .EVEN

3477
3478
3479 ;VARIABLES

3480			
3481	035312	000000	DILLY: .WORD 0
3482	035314	000000	DLY: .WORD 0
3483	035316	000000	SWRFLG: .WORD 0
3484	035320	000000	PNTFLG: .WORD 0
3485	035322	000000	ITER: .WORD 0
3486	035324	000000	SWI: .WORD 0
3487	035326	000000	PAT: .WORD 0
3488	035330	000000	MASK: .WORD 0
3489	035332	000000	PSN01: .WORD 0
3490	035334	000000	PSN02: .WORD 0
3491	035336	000000	PSN03: .WORD 0
3492	035340	000000	PSN04: .WORD 0
3493	035342	000000	TEMP: .WORD 0
3494	035344	000000	TESTNO: .WORD 0
3495	035346	000000	\$4FLAG: .WORD 0
3496	035350	000000	RCAD: .WORD 0
3497	035352	000000	TRAD: .WORD 0
3498	035354	000000	COUNT: .WORD 0
3499	035356	000000	DATWD: .WORD 0
3500	035360	000000	TMPRIO: .WORD 0

;RECEIVER ADDRESS
;TRANSMITTER ADDRESS

3501
3502 ;CONSTANTS:

3503			
3504			
3505	035362	000005	FKPRIO: .WORD 5
3506	035364	000170	TXVEC: .WORD 170
3507	035366	000174	RCVEC: .WORD 174
3508	035370	000240	XPRI0: .WORD 240
3509	035372	000240	RPRI0: .WORD 240
3510	035374	164200	TCR: .WORD 164200
3511	035376	164202	TSR: .WORD 164202
3512	035400	164204	TSDB: .WORD 164204
3513	035402	164206	TSBC: .WORD 164206
3514	035404	164210	TSBA: .WORD 164210
3515	035406	164212	TMMR: .WORD 164212
3516	035410	164213	TMMRH: .WORD 164213
3517	035412	164214	TSCRC: .WORD 164214
3518	035414	164220	RCR: .WORD 164220
3519	035416	164222	RSR: .WORD 164222
3520	035420	164224	RDDb: .WORD 164224
3521	035422	164226	RDBC: .WORD 164226
3522	035424	164230	RDBA: .WORD 164230
3523	035426	164234	RDCRC: .WORD 164234
3524	035430	177560	KBS: .WORD 177560
3525	035432	177562	KBD: .WORD 177562
3526	035434	177564	TTS: .WORD 177564
3527	035436	177566	TTB: .WORD 177566
3528	035440	035440	MEM: .WORD MEM
3529	035442	177777	TSTWRD: .WORD 177777
3530			

M 7

SEQ 0090

[illegible]

N 7

CZP
PCL

```

:170 IS XMTR DEFAULT VECTOR
:174 IS RCVR DEFAULT VECTOR
:164200 IS XMTR DEFAULT BASIC ADDR
:164220 IS RCVR DEFAULT BASIC ADDR

```

[illegible]

ADGD	003016	660	663#												
ADOK	002772	656	659#												
ADRGD	003124	673	676#												
ADROK	003100	669	672#												
AGAIN	034454	603	612	620	624	638	642	657	661	670	674	3461#			
ALTHDR	034267	717	3456#												
BAD	032204	893*	895	899*	901	905*	906*	908	910	914*	916	920*	922	926*	
		928	945*	946	952*	953*	954	962*	963	972*	974	978*	979	983*	
		984	988*	990	1009*	1010	1034*	1035	1140*	1142*	1144	1168*	1200*	1201*	
		1203	1246*	1248	1267*	1269	1303*	1305	1320*	1321	1376*	1634*	1637	1715*	
		1717	1721*	1723	1727*	1729	1733*	1735	1739*	1741	1758*	1759	1765*	1766*	
		1767	1776*	1778	1782*	1784	1788*	1790	1794*	1796	1815*	1816	1840*	1841	
		1881*	1883	1901*	1903	1939*	1940	2052*	2053	2226*	2227	2321*	2366*	2368	
		2421*	2422	2427*	2428*	2429	2474*	2475	2528*	2529	2573*	2574	2672*	2673*	
		2674	2679*	2680*	2681	2726*	2727*	2728	2770*	2771*	2772	2776*	2777*	2778	
		2818*	2819*	2820	2858*	2859*	2860	3076	3096#						
BATST	005772	765	1029#	1047											
BCONT	003132	561	677#	686	869	3013									
BCTST	005616	764	1004#	1022											
BEGIN	002000	468	554	565#											
BHLPNG	003176	681	683	685#											
BINPNT	032564	3217#													
B00	= 000001	464#	1006	1031	1334	1812	1837	2660	2761	2762	2809	2810	2889	2903	
		2938	2939												
B01	- 000002	463#	1004	1029	1054	1227	1244	1251	1272	1274	1313	1324	1333	1350	
		1386	1397	1442	1491	1509	1520	1535	1547	1559	1590	1599	1606	1620	
		1651	1775	1810	1835	1860	1879	1886	1906	1909	1957	1972	2013	2033	
		2069	2117	2140	2152	2187	2196	2203	2209	2218	2242	2294	2295	2324	
		2325	2379	2380	2433	2434	2480	2481	2538	2539	2627	2628	2654	2655	
		2695	2696	2741	2742	2796	2797	2834	2835	2881	2882	2915	2916	2931	
		2932													
B02	= 000004	462#	2042												
B03	= 000010	461#	1230	1241	1255	1265	1296	1346	1399	1867	1892	1916	1968	2705	
		2842													
B04	= 000020	460#	1405	2713											
B05	= 000040	459#	2895	2911	2918	2953	2961								
B06	= 000100	458#	1413	1423	1563	1569	1575	1593	2015	2156	2162	2168	2190		
B07	= 000200	457#	1139	1167	1199	1206	1213	1253	1263	1300	1308	1310	1374	1379	
		1387	1388	1392	1393	1576	1594	1630	1871	1873	1896	1898	1910	1920	
		1987	1992	2019	2020	2028	2029	2118	2122	2169	2171	2191	2219	2353	
		2365	2659	2664	2753	2755	2756	2758	2759	2760	2798	2805			
B08	= 000400	456#	1234	1259	1292	1513	1863	1876	1888	1899	1946	2047	2120	2172	
		2392	2445	2548	2890										
B09	= 001000	455#	1061	1070	1429	1430	1444	1516	2057	2940					
B10	= 002000	454#	751	1449	1450	1525	1673	2071	2072	2258	2638	2850			
B11	= 004000	453#	771	1459	1460	1543	1690	2085	2086	2273					
B12	= 010000	452#	933	995	1020	1045	1218	1353	1469	1470	1549	1601	1648	1746	
		1801	1826	1851	1974	2095	2096	2142	2198	2239	2348	2615	2685	2718	
		2732	2782	2786	2824	2864	2869	2966							
B13	= 020000	451#	808	1419	1438	1479	1480	2014	2024	2065	2070	2080	2105	2106	
		2385	2387	2439	2440	2633	2634	2660	2701	2702	2749	2750	2809	2810	
		2840	2841	2888	2889	2917	2919	2938	2939						
B14	= 040000	450#	897	903	912	918	924	930	948	956	965	976	981	986	
		992	1012	1037	1058	1075	1080	1085	1091	1096	1101	1109	1113	1119	
		1127	1131	1135	1146	1154	1158	1166	1173	1187	1194	1205	1212	1232	
		1236	1243	1250	1257	1261	1271	1277	1278	1280	1290	1294	1298	1307	

		1323	1348	1362	1390	1395	1411	1415	1421	1425	1432	1436	1440	1446
		1452	1456	1462	1466	1472	1476	1482	1486	1499	1501	1503	1507	1518
		1533	1545	1570	1582	1586	1612	1623	1626	1628	1642	1719	1725	1731
		1737	1743	1761	1769	1780	1786	1792	1798	1818	1843	1865	1869	1878
		1885	1890	1894	1905	1918	1923	1932	1934	1942	1948	1970	1999	2017
		2022	2026	2031	2044	2049	2055	2059	2063	2067	2074	2078	2082	2088
		2092	2098	2102	2108	2112	2130	2132	2134	2138	2163	2179	2183	2210
		2232	2312	2316	2322	2341	2345	2398	2402	2403	2411	2414	2424	2431
		2451	2455	2456	2464	2467	2477	2504	2507	2515	2518	2531	2554	2557
		2576	2577	2594	2597	2605	2608	2646	2676	2683	2687	2711	2715	2730
		2734	2774	2780	2784	2788	2822	2826	2862	2866	2901	2905	2909	2913
		2921	2938	2939	2951	2955	2959	2963	3237					
Bi5	= 100000	449#	1014	1039	1417	1434	1454	1464	1474	1484	1505	1820	1845	2061
		2076	2090	2100	2110	2136	2892	2907	2942					
CCRTN	031456	2996#	3023											
CHXDAT	023476	2314	2343	2363#										
CLRCBF	017702	1908	1978#	2479										
CMPEUF	033426	1922	1936	1979	1998	2043	2051	2483	2526	2936	3442#			
CONTW1	031466	2997#	2998	3004										
COUNT	035354	1631*	1645*	3498#										
CRCTST	014364	770	1620#	1629	1643	1650								
DATLPS	023556	2270	2379#	2399	2408	2419	2425	2432	2617					
DATWD	035356	2223*	2224	2230	3499#									
DECJSP	032620	3231#												
DECPNT	032602	724	780	1699	2282	3224#								
DELAY	004332	876#	1162	1190	1196	1208	1228	1239	1538	1541	1861	1874	2356	2661
DELYMG	031672	3016	3037#											
DERR	032040	897	903	912	918	924	930	948	956	965	976	981	986	992
		1012	1037	1146	1205	1250	1271	1307	1323	1642	1719	1725	1731	1737
		1743	1761	1769	1780	1786	1792	1798	1818	1843	1885	1905	1942	2055
		2232	2316	2322	2345	2424	2431	2477	2531	2576	2676	2683	2730	2774
		2780	2822	2862	3060#									
DEVGEN	004050	650	819#											
DILLY	035312	876*	883*	3481#										
DIVID	032674	3249#	3253											
DIVSET	032672	3248#	3258											
DLCON	031752	877	879*	880	1179	1282	1363	1403	1522	1924	2000	2301	2330	2388
		2441	2489	2546	2586	2635	2665	2703	2719	2763	2811	2844	2851	2893
		2943	3017	3018	3022*	3049#								
DLWT	004352	878	880#	884										
DLWT1	004360	881#	882											
DLY	035314	880*	881*	3482#										
DTLPS1	023650	2389#	2397											
DVATST	004242	583	854#											
EROINT	021676	2155	2160#											
ERR	031754	1058	1075	1080	1085	1091	1096	1101	1109	1113	1119	1127	1131	1135
		1154	1158	1166	1173	1187	1194	1212	1232	1236	1243	1257	1261	1280
		1290	1294	1298	1348	1390	1395	1411	1415	1421	1425	1432	1436	1440
		1446	1452	1456	1462	1466	1472	1476	1482	1486	1499	1503	1507	1518
		1533	1545	1570	1582	1586	1612	1628	1865	1869	1878	1890	1894	1918
		1932	1948	1970	2017	2022	2026	2031	2049	2059	2063	2067	2074	2078
		2082	2088	2092	2098	2102	2108	2112	2130	2134	2138	2163	2179	2183
		2210	2312	2341	2398	2402	2411	2451	2455	2464	2504	2515	2554	2594
		2605	2646	2687	2711	2715	2734	2784	2788	2826	2866	2901	2905	2909
		2913	2921	2951	2955	2959	2963	3055#						
ERRAD	032200	3055*	3056*	3061	3069*	3070*	3094#							

[illegible]

[illegible]

PRMT8	002524	623	626#											
PRMT9	002556	632#	639	643										
PROMT	002056	574#	582	856										
PS	= 177776	422#	556*	560*	567*	748*	863*	1558*	1564*	1567*	1574*	1577*	1595*	1670*
		2151*	2157*	2160*	2167*	2174*	2192*	2255*						
PSNO1	035332	692*	777*	779	3489#									
PSNO2	035334	693*	1696*	1698	3490#									
PSNO3	035336	694*	2279*	2281	3491#									
PSNO4	035340	695*	721*	723	3492#									
P1	= 000040	445#												
P2	= 000100	444#												
P3	= 000140	443#												
P4	= 000200	442#												
P5	= 000240	441#												
P6	= 000300	440#												
P7	= 000340	439#	556	560	567	570	748	863	1558	1567	1574	1670	2151	2160
		2167	2255											
RADIX	033024	3246*	3249	3251	3290#									
RART	015435	1747	1749#											
RA1	015152	1718	1721#											
RA2	015222	1724	1727#											
RA3	015276	1730	1733#											
RA4	015346	1736	1739#											
RA5	015416	1742	1745#											
RBATST	016320	1685	1835#	1853										
RBCST	016144	1684	1810#	1828										
RBRT	016316	1827	1829#											
RB1	016166	1813#	1819	1824										
RB2	016250	1817	1820#											
RB3	016276	1821	1825#											
RCAD	035350	676*	2384	2438	2486	2542	2632	2657	2699	2748	2804	2839	2887	2937
		3496#												
RCBTCN	034101	2567	2579	3452#										
RCHDR	034167	705	3454#											
RCR	035414	837*	1727	1755*	1757*	1758	1764*	1765	1771*	1775*	1776	1810*	1835*	1860*
		1867	1871*	1873*	1879*	1886*	1892	1896*	1898*	1906*	1909*	1910*	1916	1920*
		1923*	1934*	1957*	1968	1972*	1987*	1992*	1999*	2004*	2013*	2014*	2024	2033*
		2034*	2042*	2044*	2065	2069*	2070*	2080	2117*	2118*	2122*	2125*	2140*	2152*
		2156*	2162*	2168*	2169*	2171*	2187*	2190*	2196*	2203*	2209*	2218*	2219*	2242*
		2294*	2300*	2325*	2353*	2360*	2380*	2385*	2427	2434*	2439*	2481*	2487*	2539*
		2543*	2628*	2633*	2655*	2660*	2696*	2701*	2742*	2749*	2756*	2758*	2761*	2797*
		2798*	2805*	2809*	2835*	2840*	2882*	2888*	2892*	2907	2915*	2917*	2919	2932*
		2938*	2942*	3518#										
RCRCTS	022336	1689	2218#	2233	2241									
RCRT	016472	1852	1854#											
RCRTST	015440	1683	1755#	1803										
RCSTAT	034051	2405	2458	2520	2564	2610	3451#							
RCVADR	035452	587	589*	590	594	836	3536#							
RCVEC	035366	848*	2153	2155*	2166*	2189*	3507#							
RCVVEC	035446	607	609*	848	3534#									
RC1	016342	1838#	1844	1849										
RC2	016424	1842	1845#											
RC3	016452	1846	1850#											
RDBA	035424	845*	1721	1773*	1794	1839*	1840	1922*	1998*	2043*	2052	2124*	2299*	2483*
		2936*	3522#											
RDBC	035422	843*	1715	1772*	1788	1814*	1815	1921*	1926	1997*	2041*	2045	2123*	2128

[illegible]

SLIWD	033656	2229	3447#											
SLOTST	016474	1686	1860#	1866	1870	1976								
SLOWD	033626	1639	3446#											
SR	031750	571*	572	751	753	771	796*	803	808	897	903	912	918	924
		930	933	948	956	965	976	981	986	992	995	1012	1020	1037
		1045	1058	1061	1070	1075	1080	1085	1091	1096	1101	1109	1113	1119
		1127	1131	1135	1146	1154	1158	1166	1173	1187	1194	1205	1212	1218
		1232	1236	1243	1250	1257	1261	1271	1280	1290	1294	1298	1307	1323
		1348	1353	1390	1395	1411	1415	1421	1425	1432	1436	1440	1446	1452
		1456	1462	1466	1472	1476	1482	1486	1499	1503	1507	1518	1533	1545
		1549	1570	1582	1586	1601	1612	1628	1642	1648	1673	1675	1690	1719
		1725	1731	1737	1743	1746	1761	1769	1780	1786	1792	1798	1801	1818
		1826	1843	1851	1865	1869	1878	1885	1890	1894	1905	1918	1932	1942
		1948	1970	1974	2017	2022	2026	2031	2049	2055	2059	2063	2067	2074
		2078	2082	2088	2092	2098	2102	2108	2112	2130	2134	2138	2142	2163
		2179	2183	2198	2210	2232	2239	2258	2260	2273	2312	2316	2322	2341
		2345	2348	2398	2402	2403	2411	2414	2424	2431	2451	2455	2456	2464
		2467	2477	2504	2507	2515	2518	2531	2554	2557	2576	2577	2594	2597
		2605	2608	2615	2646	2676	2683	2687	2711	2715	2730	2734	2774	2780
		2784	2788	2822	2826	2862	2866	2869	2901	2905	2909	2913	2921	2951
		2955	2959	2963	2966	2990	2993	2995*	3047#	3237				
SRTST	003774	569	796#											
SSWR	031746	424#	796											
SWDMP	031406	691	791	1068	2989#	3002								
SWHLT	003754	789#	805											
SWI	035324	753*	754*	755	758*	759*	760*	761	1675*	1676*	1678*	1679*	1680*	1681
		2260*	2261*	2262	2265*	2266*	2267*	2268	3486#					
SWREG	031746	424	3045#											
SWRFLG	035316	568*	689	789	797*	1066	3483#							
SWRMSG	031662	2989	3036#											
TCR	035374	820*	920	942*	944*	945	951*	952	958*	961*	962	967*	971*	972
		1004*	1029*	1054*	1139*	1141*	1160*	1167*	1199*	1206*	1213*	1216*	1227*	1230
		1241	1244*	1251*	1253*	1255	1263*	1265	1272*	1274*	1277*	1278	1296	1300*
		1308*	1310*	1313*	1317*	1324*	1333*	1346	1350*	1362*	1369*	1374*	1379*	1386*
		1397*	1399	1402*	1417*	1419	1428*	1438	1442*	1491*	1494*	1509*	1520*	1521*
		1535*	1540*	1547*	1559*	1563*	1569*	1575*	1590*	1593*	1599*	1606*	1620*	1623*
		1626	1630*	1651*	2295*	2324*	2329*	2365*	2372*	2379*	2384*	2387*	2433*	2438*
		2440*	2480*	2486*	2488*	2538*	2542*	2544*	2627*	2632*	2634*	2654*	2657*	2659*
		2664*	2695*	2699*	2702*	2741*	2748*	2750*	2753*	2755*	2762*	2796*	2804*	2810*
		2834*	2839*	2841*	2881*	2887*	2889*	2903	2916*	2931*	2937*	2939*	3510#	
TCRTST	005030	763	942#	997										
TDMA	034544	652	665	3464#										
TEMP	035342	862*	866*	867	3493#									
TESTGO	003212	684	688#											
TESTNO	035344	688*	696	702	708	714	3494#							
TEST1	003522	700	718	748#										
TEST2	014642	706	719	1670#										
TEST3	022536	712	720	2255#										
TMPR	035406	830*	905	1121*	1140	1161*	1168	1175*	1200	2296*	2382*	2629*	3515#	
TMPRH	035410	832*	1055*	1056	1072*	1073	1077*	1078	1082*	1083	1087*	1088	1090*	1093
		1095*	1098	1100*	1106*	1107	1111	1117	1125	1129	1133	1152	1156	1164
		1170*	1171	1176	1178*	1181	1189*	1192	1198*	1210	1215*	1334*	1351*	1401*
		1536*	2705	2842	3516#									
TMPRIO	035360	1572*	1577	1580	1584	1588	1591*	1595	1607*	2165*	2174	2177	2181	2185
		2188*	2192	2204*	3500#									
TMTR	034327	574	596	614	651	3457#								

TOOLW	034370	581	592	3460#										
TPCONT	032236	3118	3120#											
TPOFCH	032212	3114#	3122											
TPOUTX	032246	3116	3123#											
TRAD	035352	663*	2426	3497#										
TRAP4	034645	865	3466#											
TREND	022674	2274	2277#											
TSBA	035404	828*	899	969*	983	1033*	1034	1276*	1315*	1320	1361*	1493*	1622*	2328*
		2482*	2540*	2935*	3514#									
TSBC	035402	826*	893	968*	978	1008*	1009	1275*	1284	1314*	1318	1360*	1492*	1497
		1621*	1624	2304	2327*	2333	2386*	2436*	2484*	2541*	2630*	2656*	2697*	2743*
		2807*	2837*	2884*	2933*	3513#								
TSCRC	035412	834*	926	1634	3517#									
TSDB	035400	824*	1238*	1246	1254	1264*	1267	1303	1376	1398*	1443*	1510*	1515*	1537*
		1635	2299	2366	2381*	2435*	2631*	2658*	2663	2698*	2700*	2744*	2745*	2747*
		2754	2806*	2808*	2836*	2838*	2883*	2885*	3512#					
TSR	035376	822*	914	959*	970*	988	1234	1259	1292	1387*	1388	1392*	1393	1405
		1413	1423	1427*	1429*	1430	1434	1444	1448*	1449*	1450	1454	1458*	1459*
		1460	1464	1468*	1469*	1470	1474	1478*	1479*	1480	1484	1501	1505	1513
		1516	1525	1543	1576*	1594*	2409	2412	2417	2462	2465	2470	2492	2494
		2505	2510	2555	2560	2590	2595	2600	2679	2718*	2751	2759*	2776	2782
		2818	2824	2858	2864	2911	2945	2953	3511#					
TSRTST	011636	768	1386#	1391	1551									
TSTHDR	034713	573	3467#											
TSTSEL	034776	677	3468#											
TSTWRD	035442	2540	2572	3529#										
TTB	035436	3277*	3527#											
TTO	032772	726	728	730	731	782	784	1701	1703	1705	1707	2284	2286	2288
		2289	3006	3008	3009	3120	3139	3150	3162	3240	3241	3266	3277#	3284
TTOLF	033014	3281	3283#											
TTOLP	032776	3278#	3279											
TTS	035434	3278	3526#											
TWOSP	031742	2992	3020	3039#										
TXHDR	034133	699	3453#											
TXMADR	035450	576	578*	579	584	819	3535#							
TXMERS	026110	2271	2627#	2647	2871									
TXMR1	026174	2636#	2645											
TXMVEC	035444	598	600*	835	3533#									
TXSTAT	034016	2416	2469	2509	2559	2599	3450#							
TXVEC	035364	835*	1560	1562*	1573*	1592*	3506#							
TYPCTP	031715	2996	3038#											
TYPOUT	032210	573	574	575	581	585	586	592	596	597	603	605	606	612
		614	615	620	624	632	633	638	642	651	652	657	661	664
		665	670	674	677	685	699	705	711	717	722	778	855	865
		1064	1639	1697	2229	2280	2405	2416	2458	2469	2509	2520	2559	2564
		2567	2579	2599	2610	2989	2992	2996	3016	3020	3057	3060	3072	3075
		3113#												
VCTR	034510	597	606	3462#										
WDAT	032137	3060	3086#											
WDSDB	032155	3072	3087#											
WDWAS	032171	3075	3088#											
XART	005026	934	936#											
XA1	004450	896	899#											
XA2	004520	902	905#											
XA3	004612	909	911	914#										
XA4	004626	916#												

[illegible]

XFMTW	011614	1376#	1378			
XFRT	011532	1354	1356#			
XFSR	011534	1335	1338	1341	1360#	
XFSRW	011566	1365#	1366			
XFSR1	011562	1364#	1368			
XF1	010240	1231	1234#			
XF10	011026	1285	1292#	1295		
XF11	011066	1293	1296#	1299		
XF12	011126	1297	1300#			
XF13	011144	1303#	1312			
XF14	011232	1306	1311#			
XF17	011236	1313#	1325			
XF18	011274	1318#	1319			
XF19	011356	1322	1333#	1349		
XF19A	011476	1347	1350#			
XF2	010300	1235	1238#	1245	1252	
XF20	011504	1351#				
XF3	010362	1242	1246#	1258		
XF3A	010444	1249	1253#			
XF5	010516	1256	1259#	1262		
XF6	010556	1260	1263#	1273		
XF6A	010570	1265#	1266			
XF7	010660	1270	1274#	1281	1291	1309
XF8	010750	1279	1282#			
XF8A	010754	1283#	1289			
XF9	010760	1284#	1287			
XHRT	013676	1550	1552#			
XH1	011712	1389	1392#	1396		
XH10	012556	1451	1454#			
XH11	012616	1455	1458#	1463	1467	
XH12	012670	1461	1464#			
XH13	012730	1465	1468#	1473	1477	
XH14	013002	1471	1474#			
XH15	013042	1475	1478#	1483	1487	
XH16	013114	1481	1484#			
XH17	013154	1485	1491#	1500	1504	1508
XH18	013246	1498	1501#			
XH19	013306	1502	1505#			
XH2	011760	1394	1397#	1412	1416	1422 1426
XH2A	012030	1405#	1408			
XH2B	012024	1404#	1410			
XH20	013346	1506	1509#			
XH20L	013354	1510#	1514	1515	1519	
XH21	013444	1517	1520#	1534		
XH21A	013464	1523#	1532			
XH22	013472	1525#	1528	1530		
XH22A	013546	1526	1535#	1546		
XH23	013650	1544	1547#			
XH3	012100	1406	1413#			
XH4	012140	1414	1417#			
XH5	012210	1420	1423#			
XH6	012250	1424	1427#	1433	1437	1441
XH7	012330	1431	1434#			
XH8	012370	1435	1438#			
XH8A	012430	1439	1442#	1447		
XH9	012504	1445	1448#	1453	1457	

				898	904	913	919	925	931	935
XINIT	004376	762	892#							
XJRT	014302	1602	1604#							
XJO	014024	1566	1572#							
XJ1	014036	1574#	1609							
XJ2	014130	1581	1584#							
XJ3	014170	1585	1588#	1598	1614					
XJ3S	014214	1592#	1613							
XJ4	014254	1589	1599#							
XKRT	014632	1649	1651#							
XK1	014414	1624#	1625							
XK2	014462	1627	1630#							
XK3	014502	1633#	1646							
XK4	014600	1638	1644#							
XPRI0	035370	631*	1584	3508#						
XRART	023432	2349	2351#							
XRA1	023044	2304#	2307	2309						
XRA2	023120	2305	2314#							
XRA2A	023156	2315	2318#							
XRA3	023226	2319	2324#	2342	2346					
XRA3A	023274	2331#	2340							
XRA4	023302	2333#	2336	2338						
XRA5	023354	2334	2343#							
XRA6	023412	2344	2347#							
XRBR7	026106	2616	2618#							
XRBS2	024106	2413	2415	2419#						
XRBI	023654	2390#	2395							
XRBI0	025104	2493	2513#							
XRBI0S	025172	2517	2519	2523#						
XRBI1	025200	2514	2524#							
XRBI1C	025274	2530	2536#							
XRBI1L	025214	2527#	2533	2537						
XRBI2	025300	2535	2538#	2571	2583	2602	2613			
XRBI2K	025362	2547#	2553							
XRBI2L	025356	2546#	2585							
XRBI2M	025366	2548#	2551							
XRBI2R	025466	2556	2562#							
XRBI2S	025536	2558	2571#							
XRBI2T	025514	2563	2567#							
XRBI3	025544	2549	2572#							
XRBI3C	025652	2575	2584#							
XRBI3D	025666	2588#	2589							
XRBI3E	025662	2587#	2593							
XRBI3L	025644	2578	2583#							
XRBI3S	025764	2596	2598	2602#						
XRBI4	025772	2591	2603#							
XRBI4S	026060	2607	2609	2613#						
XRBI5	026066	2604	2614#							
XRBI2	024020	2401	2404	2409#						
XRBI3	024114	2410	2420#							
XRBI4	024170	2423	2426#							
XRBI4C	024252	2430	2433#	2452	2461	2472	2478			
XRBI4D	024336	2442#	2450							
XRBI5	024342	2443#	2448							
XRBI6	024506	2454	2457	2462#						
XRBI6S	024574	2466	2468	2472#						
XRBI7	024602	2463	2473#							

XR88	024654	2476	2479#	2512	2523	2534		
XR88A	024752	2490#	2503					
XR89	024760	2492#	2499	2501				
XR89S	025076	2506	2508	2512#				
XRCNT	023514	2366#	2371					
XRCRET	030374	2870	2872#					
XRCRT	031352	2967	2969#					
XRC1	026202	2638#	2641	2643				
XRC10	027240	2751#	2752					
XRC10A	027350	2765#	2766					
XRC10B	027344	2764#	2768					
XRC11	027442	2773	2776#					
XRC12	027516	2779	2782#					
XRC13	027556	2783	2786#					
XRC14	027616	2787	2796#	2823	2827			
XRC15	027650	2801#	2803					
XRC15A	027742	2813#	2814					
XRC15B	027736	2812#	2816					
XRC16	030034	2821	2824#					
XRC17	030074	2825	2834#	2863	2867			
XRC18	030154	2842#	2843					
XRC18A	030222	2853#	2854					
XRC18L	030174	2846#	2847					
XRC18X	030170	2845#	2849					
XRC18Y	030216	2852#	2856					
XRC19	030314	2861	2864#					
XRC19A	030354	2865	2868#					
XRC2	026256	2639	2654#	2677	2684	2688		
XRC2A	026360	2667#	2668					
XRC2D	026354	2666#	2670					
XRC20	030376	2272	2881#	2902	2906	2910	2914	2968
XRC21	030464	2890#	2891					
XRC21A	030506	2894#	2900					
XRC22	030512	2895#	2898					
XRC23	030562	2896	2903#					
XRC24	030622	2904	2907#					
XRC25	030662	2908	2911#					
XRC26	030722	2912	2915#	2922				
XRC27	031012	2920	2931#	2952	2956	2960	2964	
XRC29	031100	2940#	2941					
XRC29A	031122	2944#	2950					
XRC3	026452	2675	2678#					
XRC30	031126	2945#	2948					
XRC31	031174	2946	2953#					
XRC32	031234	2954	2957#					
XRC33	031272	2958	2961#					
XRC34	031332	2962	2965#					
XRC4	026534	2682	2685#					
XRC5	026574	2686	2695#	2712	2716	2731	2735	
XRC5A	026660	2704#	2710					
XRC6	026664	2705#	2708					
XRC6A	026734	2706	2713#					
XRC7	026774	2714	2718#					
XRC7A	027012	2721#	2722					
XRC7D	027006	2720#	2724					
XRC8	027104	2729	2732#					

[illegible]

BDINIT	474#	1004	1029	1054	1227	1244	1251	1272	1274	1313	1324	1333	1350	1386	1397
	1442	1491	1509	1520	1535	1547	1559	1550	1599	1606	1620	1651	1810	1835	1850
	1879	1886	1906	1909	1957	1972	2013	2033	2069	2117	2140	2152	2187	2196	2203
	2209	2218	2242	2294	2295	2324	2325	2379	2380	2433	2434	2480	2481	2538	2539
	2627	2628	2654	2655	2695	2696	2741	2742	2796	2797	2834	2835	2881	2882	2915
DATERR	2916	2931	2932												
	500#	897	903	912	918	924	930	948	956	965	976	981	986	992	1012
	1037	1146	1205	1250	1271	1307	1323	1642	1719	1725	1731	1737	1743	1761	1769
	1780	1786	1792	1798	1818	1843	1885	1905	1942	2055	2232	2316	2322	2345	2424
ERROR	2431	2477	2531	2576	2676	2683	2730	2774	2780	2822	2862				
	491#	1058	1075	1080	1085	1091	1096	1101	1109	1113	1119	1127	1131	1135	1154
	1158	1166	1173	1187	1194	1212	1232	1236	1243	1257	1261	1280	1290	1294	1298
	1348	1390	1395	1411	1415	1421	1425	1432	1436	1440	1446	1452	1456	1462	1466
	1472	1476	1482	1486	1499	1503	1507	1518	1533	1545	1570	1582	1586	1612	1628
	1865	1869	1878	1890	1894	1918	1932	1948	1970	2017	2022	2026	2031	2049	2059
	2063	2067	2074	2078	2082	2088	2092	2098	2102	2108	2112	2130	2134	2138	2163
	2179	2183	2210	2312	2341	2398	2402	2411	2451	2455	2464	2504	2515	2554	2594
	2605	2646	2687	2711	2715	2734	2784	2788	2826	2866	2901	2905	2909	2913	2921
	2951	2955	2959	2963											
	509#	805													
	533#	556	560	567	748	1558	1564	1567	1574	1577	1595	1670	2151	2157	2160
PNTM	2167	2174	2192	2255											
	515#	573	574	575	581	585	586	592	596	597	603	605	606	612	614
	615	620	624	632	633	638	642	651	652	657	661	664	665	670	674
	677	685	699	705	711	717	722	778	855	865	1064	1639	1697	2229	2280
SCOPE	2405	2416	2458	2469	2509	2520	2559	2564	2567	2579	2599	2610	2989	2992	2996
	3016	3020	3057	3060	3072	3075									
	522#	898	904	913	919	925	931	949	957	966	977	982	987	993	1013
	1038	1059	1076	1081	1086	1092	1097	1102	1110	1114	1120	1128	1132	1136	1147
	1155	1159	1169	1174	1188	1195	1207	1214	1233	1237	1245	1252	1258	1262	1273
	1281	1291	1295	1299	1309	1325	1349	1391	1396	1412	1416	1422	1426	1433	1437
	1441	1447	1453	1457	1463	1467	1473	1477	1483	1487	1500	1504	1508	1519	1534
	1546	1571	1583	1587	1613	1629	1643	1720	1726	1732	1738	1744	1762	1770	1781
	1787	1793	1799	1819	1844	1866	1870	1880	1887	1891	1895	1907	1919	1933	1943
	1949	1971	2018	2023	2027	2032	2050	2056	2060	2064	2068	2075	2079	2083	2089
	2093	2099	2103	2109	2113	2131	2135	2139	2164	2180	2184	2211	2233	2313	2317
	2323	2342	2346	2399	2408	2419	2425	2432	2452	2461	2472	2478	2512	2523	2534
	2571	2583	2602	2613	2647	2677	2684	2688	2712	2716	2731	2735	2775	2781	2785
	2789	2823	2827	2863	2867	2902	2906	2910	2914	2922	2952	2956	2960		

. ABS. 035454 000

ERRORS DETECTED: 0

PCLTST,PCLTST/CR/NL:TTM:ME<PCLTST
RUN-TIME: 6 11 2 SECONDS
RUN-TIME RATIO: 75/19=3.8
CORE USED: 12K (23 PAGES)